

QUICK-SHIP CATALOG

innovate 2018



 **DIVERSIFIED**
WOODCRAFTS



Plain Apron Tables



Plain Apron Tables are available in a variety of sizes, with several different top materials. These tables are built for years of dependable service. Legs and aprons are constructed of solid red oak, and are smoothly machined. They are finished with a chemical resistant, earth-friendly UV finish. Aprons are constructed of solid red oak and are 13/16"D x 4-1/2"H with heavy-duty 13-gauge steel corner braces. 2-1/4" square solid oak legs, with 5/16" hanger bolts installed, are attached to apron with nuts and washers supplied. All tables are equipped with non-skid adjustable glides for precise leveling and for prevention of rocking on uneven floors. Tables are supplied with black rubber leg boots which offer protection against scuffing and chemical spills. Standard table height is 30" with a weight capacity of 500 lbs. (Shipped KD with tops attached)

OAK TABLES

SIZE	1-1/4" PLASTIC LAMINATE	1-1/4" CHEMGUARD	1" EPOXY RESIN
48"W x 24"D	P7101K30N*	P7102K30N*	P7106K30N*
54"W x 24"D	P7201K30N*	P7202K30N*	P7206K30N*
60"W x 24"D	P7601K30N*	P7602K30N*	P7606K30N*
72"W x 24"D	P7301K30N*	P7302K30N*	P7306K30N*
60"W x 30"D	P7141K30N*	P7142K30N*	P7146K30N*
72"W x 30"D	--	P7152K30N*	--

MAPLE TABLES

SIZE	1-1/4" PLASTIC LAMINATE	1-1/4" CHEMGUARD	1" EPOXY RESIN
48"W x 24"D	P7101M30N*	P7102M30N*	P7106M30N*
54"W x 24"D	P7201M30N*	P7202M30N*	P7206M30N*
60"W x 24"D	P7601M30N*	P7602M30N*	P7606M30N*



LabHand



Designed to provide a safe, convenient surface for laptops, tablets or books in a laboratory setting. The LabHand is mounted on a solid plastic rod which fits securely into standard rod sockets. The platform is made of powder coat steel to create a surface that will withstand the typical chemicals found in laboratories. The LabHand holds laptops and books off the work surface protecting them from spills and increasing the amount of workspace available. 12" square with 5-1/2" rod.

ITEM #	PRODUCT
100994*	LabHand
100994X6*	LabHand (Set of 6)

* All Fastrak Products Shipped in Five Business Days (Quantity Restrictions: 30 Per Table; 6 Per Cabinet)



Oak Book Compartment Tables

Book Compartment Tables are built with the same quality techniques as the plain apron table. They are finished with a chemical resistant, earth-friendly UV finish. These tables have two book compartments installed in the apron. The book compartments measure 14" W x 13-5/8"D x 3-7/8"H. The table has a weight capacity of 500 lbs. (Shipped KD with tops attached)

SIZE	COMPARTMENTS	1-1/4" PLASTIC LAMINATE	1-1/4" CHEM GUARD	1" EPOXY RESIN
48"W x 24"D	2	C7101K30N*	C7102K30N*	C7106K30N*
54"W x 24"D	2	C7201K30N*	C7202K30N*	C7206K30N*
60"W x 24"D	2	C7601K30N*	C7602K30N*	C7606K30N*
72"W x 24"D	2	C7301K30N*	C7302K30N*	C7306K30N*
60"W x 30"D	2	C7141K30N*	C7142K30N*	C7146K30N*
72"W x 30"D	2	--	C7152K30N*	--



Adjustable Height Table

A perfect solution for ADA requirements that can adjust in 2 cm increments from 27-3/4" to 39" (42"H with 3" spacer provided). Can also be adjusted for use as an incline surface for physics. Solid 4-1/2" oak aprons are attached to your choice of three top options: 1-1/4" plastic laminate, 1-1/4" ChemGuard, or 3/4" phenolic. Note: phenolic resin tops are heavier and may require two people to adjust the height. The wood is finished with a chemical resistant, earth-friendly UV finish. The table has a weight capacity of 500 lbs. Optional casters sold separately.

SIZE	1-1/4" PLASTIC LAMINATE	1-1/4" CHEM GUARD	3/4" SOLID PHENOLIC
48"W x 24"D	P8101K*	P8102K*	
54"W x 24"D	P8201K*	P8202K*	
60"W x 24"D	P8601K*	P8602K*	P8604K*
72"W x 24"D	P8301K*	P8302K*	
60"W x 30"D	P8141K*	P8142K*	
Casters	100709X4* (Set of Four)		

* All Fastrak Products Shipped in Five Business Days (Quantity Restrictions: 30 Per Table; 6 Per Cabinet)



Planning Tables



Designed to be used in most any environment from art and general planning to sewing and model construction. The base is constructed of two tapered solid maple pedestal style panel legs and two solid maple truss bars. The unique way the top is attached prevents the

table from racking or rocking. The table is finished with an earth-friendly UV finish. Choice of 1-3/4" solid maple top or 1-1/4" plastic laminate with 3 mm PVC edging in either birch or almond color. Overall size: 60"W x 42"D x 30"H.

ITEM #	TOP
PT-62M*	1-3/4" Maple
PT-62PNB*	1-1/4" Natural Birch Plastic Laminate
PT-62P*	1-1/4" Almond Plastic Laminate



The Worktop Classic



Designed to provide a structurally sound and completely functional work center. It is constructed of solid maple legs and 13/16" x 4-1/2" solid maple aprons with 13-gauge steel corner braces. The unit has solid 2-1/4" maple legs outfitted with adjustable floor glides and rubber leg boots.

The table is finished with an earth-friendly UV finish. The table can be ordered in elementary (26"H) or standard (30"H) height and with an almond colored 1-1/4" plastic laminate or a 1-3/4" maple top.

ITEM #	DIMENSIONS	TOP
WX4-M*	48"W x 48"D x 30"H	1-3/4" Maple
WX4-P*	48"W x 48"D x 30"H	1-1/4" Almond Plastic Laminate

* All Fastrak Products Shipped in Five Business Days (Quantity Restrictions: 30 Per Table; 6 Per Cabinet)

Original Drawing Table



This drawing table series is our most popular line of drawing tables. There's a perfect combination to suit everyone's needs. Your choice of 3 different tables: one and two-piece tops, plain apron, and two heights. All units have solid 2-1/4" maple legs and aprons with fully adjustable 3/4" almond colored plastic laminate tops with the soft close feature. The top adjusts from 0 to 30 degrees. The one-piece tops measure 36"W x 24"D. The two-piece top has a 24"W x 24"D adjustable side and a 12"W x 24"D fixed, flat side. The DT-9 model features a plain apron. The units are finished with an earth-friendly UV finish. All models are available in either 30"H or 36"H.



1-PIECE TOP (30"H)	2-PIECE TOP (30"H)	1-PIECE TOP (36"H)	2-PIECE TOP (36"H)
DT-9A30*	DT-9SA30*	DT-9A37*	DT-9SA37*

Art Bench



This sturdy bench can be used in art rooms, libraries and wherever you want a solid place for people to sit. The 17" unit is made of 3/4" solid maple. A built in shelf provides a handy place to store books and papers. Finished with an earth-friendly UV finish. Weight capacity: 300 lbs.

ITEM #	STYLE	SIZE
AB*	17"H Bench	17"W x 12"D



Adaptable Table (ADA)



Adaptable...the name says it all. The height can be adjusted so easily—adapt to your situation. The unique design of the leg allows you to adjust the height of the table in less than 30 seconds without the use of tools. Use the table at sitting height, standing height, or even at display height. Use the table for elementary children through adults. Ideal

for use by a person in a wheelchair. Make it match the height they need. Table adjusts in 2 cm increments. The powder-coat legs include adjustable glides. Choose from two sizes and two tops. Height adjusts from 27-3/4-39"H (42" with included spacer). Optional casters are available.

ITEM #	TOP SIZE	TOP
ALT-6030BL*	60"W x 30"D	1-1/4" Black Plastic Laminate
ALT-6042BL*	60"W x 42"D	1-1/4" Black Plastic Laminate
100709X4 Casters (Qty: 4)		

* All Fastrak Products Shipped in Five Business Days (Quantity Restrictions: 30 Per Table; 6 Per Cabinet)



Drawing Table



The drawing table with top options. The deluxe model also includes a CPU holder, a monitor arm, keyboard tray, and mouse tray. All units are constructed of solid maple framing and reinforced with 13-gauge steel corner braces. Your choice of a one- or two-piece top made of 3/4" almond colored plastic laminate and equipped with a soft-close feature and a pencil stop. The top adjusts from 0 to 30 degrees. On the one-piece top models, the fully adjustable top measures 42"W x 30." On the two-piece top, the 30"x 30" left side of the top can be fully adjusted and is equipped with a soft-close feature and a pencil stop with a 12"W x 30"D flat top on the right side of the unit. CPU holder dimensions are 23"H x 11" W x 29"D (all adjustable). Overall size: 42"W x 30"D x 39-3/4"H.

ITEM #	TOP STYLE	TOP
DT-30A*	Basic, One-Piece	1-1/4" Plastic Laminate
DT-60SA*	Basic, Two Piece	1-1/4" Plastic Laminate
CDTC-70*	Deluxe, Two-Piece	1-1/4" Plastic Laminate



Open-Style Wood Workbench



This workbench has a large work surface and plenty of open storage space on the maple plywood lower shelf. The base is constructed of solid 2-1/4" maple legs and frame. The top is 2-1/4" thick maple; 2-person (28" x 64" top); 4-person (54" x 64"). Can be ordered with or without black vises. Vises will need to be installed on site. The unit height is 31-1/4"H.

ITEM #	TOP SIZE	VISES
WW4-0V*	54" x 64"	0
WW4-4V*	54" x 64"	4

* All Fastrak Products Shipped in Five Business Days (Quantity Restrictions: 30 Per Table; 6 Per Cabinet)



Steel Workbench



Base consists of sturdy heavy gauge steel legs with stringers. Available in gray with or without vises. Choose between two-station and four-station units. Top is constructed of 2-1/4" maple. Two-station measures: 64"W x 28"D x 32-1/4"H. Four-station measures: 64"W x 54"D x 32-1/4"H.

ITEM #	STYLE	SIZE
WBML2-0V*	Two-Station w/0 Vises	64"W x 28"D x 32-1/4"H
WBML2-1V*	Two-Station w/1 Vise	64"W x 28"D x 32-1/4"H
WBML2-2V*	Two-Station w/2 Vises	64"W x 28"D x 32-1/4"H
WBML4-0V*	Four-Station w/0 Vises	64"W x 54"D x 32-1/4"H
WBML4-4V*	Four-Station w/4 Vises	64"W x 54"D x 32-1/4"H



Four-Station Steel Workbench



Base consists of a double-faced heavy gauge steel unit, welded and riveted throughout. The unit provides 12 vertical locker openings which measure 12"W x 21"D x 15"H. Vented doors have spring loaded hinges, padlock hasp, and knockout plug for cylinder locks. Top is constructed of 2-1/4" maple. Available with or without four vises. Overall size: 64"W x 54"D x 33-1/4"H.

ITEM #	STYLE	SIZE
WB12-0V*	Four-Station w/0 Vises	64"W x 54"D x 33-1/4"H
WB12-4V*	Four-Station w/4 Vises	64"W x 54"D x 33-1/4"H

* All Fastrak Products Shipped in Five Business Days (Quantity Restrictions: 30 Per Table; 6 Per Cabinet)



Clean Up Sink



One piece top including sink is molded of polyolefin (It's easy to clean, extremely chemical resistant, and is highly impact resistant to reduce glassware breakage). Long grooved sloping counter leads to large sink in center. The low temperature strength eliminates cracking with dry ice, and the sink measures (24-1/2"W x 18-1/2"D x 14"H). It includes a hot and cold water mixing faucet. The base is constructed of hardwood and oak veneers with a chemical resistant, earth-friendly UV finish. Two adjustable shelves can be found inside the outer cabinets. Includes: pulls, locks and rubber base molding. The back panels is unfinished with a plumbing cut-out.

ITEM #	SIZE	TOP
3303K*	55-1/2"W x 28"D x 36-1/2"H	Polyolefin



Mirror



Our shatter resistant acrylic mirror is enclosed in a solid oak frame with a natural transparent finish. Easily mounts on 1/2" diameter crossbar of any of our mobile labs which include uprights and crossbar. It can be tilted to any angle—held secure with nylon screws in the mounting brackets. Weight: 10 lbs.

ITEM #	SIZE	PRODUCT
4000K*	27-3/4"W x 20-3/4"H	Mirror

Mirror/Marker Board



This solid oak frame unit allows for the unobstructed use of the shatter resistant acrylic mirror and marker board. Unit can be tilted to any angle or completely reversed. The unit is held secure to the 1/2" diameter crossbar (not included, see page 53) by tightening the screws to the frame. Weight: 12 lbs.



ITEM #	SIZE	PRODUCT
4001K*	27-3/4"W x 20-3/4"H	Mirror/Marker Board


* All Fastrak Products Shipped in Five Business Days (Quantity Restrictions: 30 Per Table; 6 Per Cabinet)

Greenlaw Arm

Includes 3/4" x 3/4" clamp, a 3/4" x 36" upright and a 3/4" x 18" crossbar. Fits in a rod socket with a 3/4" receiver.



Greenlaw Arm



Upright Set

Upright Set

Includes two each 3/4" x 1/2" clamp, two 3/4" x 36" upright and a 1/2" x 40" crossbar. Fits in a rod socket with a 3/4" receiver.

Gooseneck Faucets

Chrome plated brass, deck mounted faucets are 18"H. Multi-service fixture includes cold water and two gas cocks. Mounting hardware provided.



Gooseneck Faucets



Hand Pump

Hand Pump

Piston action mechanism for high water flow and long term prime lock. Chrome base and spout.



Rod Sockets



Gas Cocks

Rod Sockets

Receives the tapered end of 3/4" uprights.

Gas Cocks

These fittings have a ground key valve for long life. Units are complete with nipple, lock nut and washer for installation and are deck mounted.



2-1/2 Gallon Jug



Rubber Leg Boots

Gallon Jug

Plastic jug found in our mobile sink units. Holds up to 2-1/2 gallons of liquid.

Rubber Leg Boots

Fit snugly to 2-1/4" table legs. Sold in set of 4.

Floor Mounting Brackets

Set of four L-shaped mounting brackets are used to permanently attach tables to the floor.

Uprights, Crossbars, Clamps

Solid machined aluminum, these units are nearly impossible to break

ITEM #	PRODUCT
100047*	Single Gas Cock
100048*	90° Gas Cock
100049*	180° Gas Cock
100466*	360° Gas Cock
100074BKR*	Multi-Service Fixture
100051*	Cold Water Faucet
100061*	Hot Water Faucet
100467*	Mixing Faucet
100013*	Chrome Hand Pump
100118*	2-1/2 Gallon Jug
100076X4*	Leg Boots (4)
100728X4*	Floor Mounting Brackets (4)
100245GRARM*	Greenlaw Arm
100604*	Upright Set w/Full Crossbar
100002*	Clamp
100003*	Clamp
206505*	Rod Socket
100004*	Upright
100005*	Crossbar
100006*	Crossbar
100007*	Crossbar

* All Fastrak Products Shipped in Five Business Days (Quantity Restrictions: 30 Per Table; 6 Per Cabinet)



5' Instructor Desk



Constructed of solid oak, oak hardwood and oak veneers with a chemical resistant, earth-friendly UV finish. Included are four drawers (three small, one file), and a large cupboard. The drawers are expertly crafted from the finest materials with dovetail joinery throughout. Drawers run on epoxy-coated steel glides with nylon bearings for smooth operation. All units come with a GFI protected AC duplex receptacle. Unit comes with a sink, combination cold water/gas fixtures, and polypropylene trap. Comes standard with pull-out writing board, support rod with crossbar, rubber base molding and locks for cupboard and all drawers. Dimensions: Knee space: 22"W x 32-1/2"D, Pull-out: 3/4"H x 16-1/4"W x 25-1/4"D, Small Drawers: 13-1/2"W x 18"D x 4"H, file Drawer: 13-1/2"W x 18"D x 10-1/4"H, Cupboard: 19-1/2"W x 28"D x 29-1/2"H.

ITEM #	OVERALL SIZE	SINK SIZE	TOP
1216K-L*	60"L x 30"D x 36"H	14"W x 10"D x 6"H	1" Epoxy Resin



8' Instructor Desk



Constructed of solid oak, and hardwood veneers and is finished with a chemical resistant, earth-friendly UV finish. Included are drawers, and a cupboard for storage. The drawers are expertly crafted from the finest materials with dovetail joinery throughout. and run on epoxy-coated steel glides with nylon bearings for smooth operation. Equipment includes: one hot and cold mixing faucet, double gas cock, GFI protected AC duplex receptacle, polypropylene trap, set

of support rods and crossbar, rubber base molding and locks for cupboard and all five drawers (two small, three large). Note: mirror, and mirror/marker board will not fit this unit. Dimensions: Knee space: 22"W x 32-1/2"H, Small Drawers: 14-3/4"W x 19"D x 5-1/2"H, Large Drawers: 33-3/4"W x 19"D x 5-1/2"H, Cupboard: 34-1/2"W x 28"D x 29-1/4"H, Sink: 18"W x 15"D x 11"H.

ITEM #	OVERALL SIZE	SINK SIZE	TOP
1116K*	96"W x 30"D x 36"H	18"W x 15"D x 11"H	1" Epoxy Resin

* All Fastrak Products Shipped in Five Business Days (Quantity Restrictions: 30 Per Table; 6 Per Cabinet)



ForwardVision™ I



This popular workstation allows four students to work at a single station while all are facing the teacher. The unique design leaves enough room to store four stools (not included) under the workstation. Sink units come with two combination cold water/gas fixtures. All the units come with 1" epoxy resin tops with two GFI electrical outlets, and ample storage. The two base cabinets have doors with two adjustable internal shelves. The stations are finished with a chemical resistant, earth-friendly UV finish. All doors and drawers have locks.

ITEM #	SIZE	TOP
2946K*	96"W x 50"D x 36"H	1" Epoxy Resin



ForwardVision™ II



Everything science teachers want with all students facing the instructor. The large work surface, 46"D x 88"W is made of 3/4" solid phenolic resin holds the solid epoxy sink, and two combination cold water and gas fixtures. Data and electrical outlets are provided on the side of the unit. The cabinets provide locked storage space. Side mounted hooks hold book bags off the floor. The units are finished with a chemical resistant, earth-friendly UV finish. Includes two GFI AC duplex outlets. This model is compact enough to fit multiple units in a small classroom and is easy to assemble. Weight: 503 lbs.

ITEM #	SIZE	TOP
2944K*	88"W x 46"D x 36"H	3/4" Solid Phenolic

* All Fastrak Products Shipped in Five Business Days (Quantity Restrictions: 30 Per Table; 6 Per Cabinet)



(Shown With Optional Mirror)



Economy Mobile Lab Table

Constructed from select oak and oak veneers with a chemical resistant, earth-friendly UV finish. It features unbreakable aluminum sliding door glides and lock. The 1-1/4" plastic laminate top is bound with a Plastic-T Molding. It is equipped with a stainless steel sink, hand pump, 25' grounded extension cord, two 2-1/2 gallon water bottles, connection hoses, two 3/4" diameter upright rods, one 1/2" diameter crossbar with clamps, two fully adjustable shelves, and a GFI protected AC duplex electrical outlet. It rolls easily on heavy-duty 4" locking swivel casters and has a mobile capacity of 500 lbs. Sink measures: 15"W x 13"L x 5"D. Weight: 185 lbs. Overall Dimensions: 48"W x 24"D x 36"H.

ITEM #	PRODUCT
4111K*	Economy Mobile Lab
4000K*	Mirror
4001K*	Mirror/Marker Board

Mobile Laboratory Unit



A fully equipped, locking self-contained demonstration unit. It features a sturdy 1-1/4" plastic laminate top with durable drop leaf extensions. Constructed from select oak and oak veneers with chemical resistant, earth-friendly UV finish. It features unbreakable aluminum sliding door glides and lock. The unit comes standard with a stainless steel sink, and a hand pump. A GFI protected AC duplex electrical outlet is built into the lab. Includes a 25-foot extension cord, two tote trays, two 2-1/2 gallon water bottles, connection hoses, two 3/4" diameter upright rods, one 1/2" diameter crossbar and clamps, a propane burner with stand and 2 adjustable shelves. Rolls easily on 4" heavy-duty ball-bearing swivel casters with brakes; mobile capacity of 500 lbs. Weight: 230 lbs. Overall dimensions: 48"W x 24"D x 36"H. Extended Top: 72"W x 24"D. Sink: 15"W x 13"L x 5"D.



ITEM #	PRODUCT
4121K*	Mobile Laboratory Unit
4000K*	Mirror
4001K*	Mirror/Marker Board

* All Fastrak Products Shipped in Five Business Days (Quantity Restrictions: 30 Per Table; 6 Per Cabinet)



Mobile Demo Table With Drawers

Self-contained unit with its own water supply, waste container, stainless steel sink and hand pump, two 3/4" diameter upright rods, one 1/2" diameter crossbar and clamps. The four drawers are mounted on epoxy-coated nylon bearing glides. Sliding, locking doors conceal the drawers and storage compartment, and the supplied two 2-1/2 gallon water bottles. Finished with a chemical resistant, earth-friendly UV finish. Heavy-duty 4" ball-bearing swivel casters with brakes, support 500 lbs. Includes a GFI protected AC duplex electrical outlet and can be powered with the supplied 25' extension cord. The top is 1-1/4" thick ChemGuard high pressure laminate. Sink measures 15"W x 13"L x 5"D. Weight: 215 lbs. Overall dimensions are 48"W x 28"D x 36"H.



ITEM #	PRODUCT
4222K*	Mobile Demo Unit
4000K*	Mirror
4001K*	Mirror/Marker Board



Extra Large Mobile Demo Center

Self-contained demo center is constructed of quality solid hardwood, and oak veneers with a chemical resistant, earth-friendly UV finish. Features one file drawer with full extension glides, 3 smaller drawers (all dove-tailed) and two cupboard spaces with locks and wire pulls. The drawers run on epoxy-coated steel glides with nylon rollers. This demonstration center rolls easily on 4" locking swivel casters. Included are 15" x 13"x 5" stainless steel sink, hand water pump, two 2-1/2 gallon water bottles and connecting hose, two rod sockets, two each 3/4" diameter x 36"L upright anodized aluminum rods, and 1 each 1/2" diameter anodized aluminum crossbar with connecting clamps. Included to help organize storage is a handy removable storage tote tray and a pegboard with hooks. Comes with an oak framed combination mirror/marker board. Electrical service is supplied by means of a 25' extension cord which can be connected to a GFI protected AC duplex receptacle installed in the side of the cabinet. Mobile capacity: 500 lbs. Shipping weight: 310 lbs.



ITEM #	OVERALL SIZE	SINK SIZE	TOP
4342K*	54"W x 30"D x 36"H	15"W x 13"D x 5"H	1-1/4" ChemGuard

* All Fastrak Products Shipped in Five Business Days (Quantity Restrictions: 30 Per Table; 6 Per Cabinet)



ADA Mobile Lab Unit

Perfect for the physically impaired or for classroom demos. Constructed of solid oak, hardwood and oak veneers with a chemical resistant, earth-friendly UV finish. The 1-1/4" ChemGuard top is supplied with a stainless steel sink, toggle switch water pump, two 2-1/2 gallon supply and waste containers, GFI AC duplex receptacle with inlet socket, 25' extension cord, two rod sockets, two each 3/4" diameter x 36" long upright rods, 1/2" x 40" crossbar and two rod clamps. With a mobile capacity of 500 lbs. it rolls easily on 4" ball-bearing swivel casters with brakes. Dovetailed

drawers are constructed of plywood and ride on epoxy coated glides. Cupboard door and drawers have locks. Wheelchair accessible from two sides, measures 32"W x 29"H. Inside drawers measure: 14.5"W x 19"D x 6"H. Weight: 240 lbs. Dimensions: 72"L x 24"D x 33"H.

ITEM #	PRODUCT
4352K*	ADA Mobile Lab Unit
4000K*	Mirror
4001K*	Mirror/Marker Board



Mobile Demo Cart

Designed for the transportation of equipment and supplies. Features your choice of solid oak or maple construction. The legs are 2-1/4" square and are securely fastened to the 4-1/2" high apron with factory installed 5/16" hanger bolts through the heavy-duty 13 gauge steel corner braces. Includes leg stretchers and auxiliary plywood shelf. The unit rolls easily on 4 factory installed 3" ball-bearing swivel casters with brakes. The cart is finished with a chemical resistant, earth-friendly UV finish. The unit is supplied with either a factory installed black 1-1/4" Plastic Laminate or 1-1/4" chemical resistant ChemGuard top. Shipped partially unassembled. Weight: 95 lbs.

ITEM #	TOP	SIZE
4501K*	1-1/4" Plastic Laminate	36"W x 24"D x 30"H
4502K*	1-1/4" ChemGuard	36"W x 24"D x 30"H

* All Fastrak Products Shipped in Five Business Days (Quantity Restrictions: 30 Per Table; 6 Per Cabinet)



Mobile Desk w/Storage

This mobile unit is equipped with two storage compartments. The three drawers (one file, two box) have dovetail joints and run smoothly on epoxy coated steel glides. Includes a pull-out writing board, locks for drawers and doors, two 2-1/2 gallon water bottles with connecting hoses, two 3/4 diameter upright rods, one 1/2" diameter crossbar, two connecting clamps and two rod sockets installed in the table top. In addition it has a 15" x 13" x 5" stainless steel

sink with a hand pump, a 1-1/4" ChemGuard laminate top and a 21" x 28" pegboard and assorted hooks for storage. The mobile demo unit can be powered by a duplex outlet, an inlet and a 25' extension cord. It rolls easily on 4" locking, swivel casters and is finished with a non-emitting UV finish. Weight: 250 lbs. Dimensions are 48"W x 28"D x 36"H.

ITEM #	PRODUCT	SIZE
4332K*	Mobile Desk w/Storage	28"D x 48"W x 36"H
4000K*	Mirror	34-1/2"W X 22-1/2"H
4001K*	Mirror/Marker Board	27-3/4"W x 20-3/4"H

Mobile Storage Cabinet



A compact, versatile rolling storage cabinet that is constructed of select oak and oak veneers with a chemical resistant, earth-friendly UV finish. The adjustable shelf is arranged to allow tall items to be placed in the unit as well as allowing use of the shelf (measures 18"D x 32"W). With a mobile capacity of 500 lbs., it comes equipped with four heavy-duty swivel casters with brakes. The doors lock for security. The unit is available with black 1-1/4" Plastic Laminate or 1-1/4" ChemGuard top. Shipping weight: 140 lbs.



ITEM #	TOP	SIZE
4401K*	1-1/4" Plastic Laminate	36"W x 24"D x 36"H
4402K*	1-1/4" ChemGuard	36"W x 24"D x 36"H

* All Fastrak Products Shipped in Five Business Days (Quantity Restrictions: 30 Per Table; 6 Per Cabinet)



Economy Mobile Storage Cabinet



Designed for the transportation of equipment and supplies. Features your choice of solid oak or maple construction. The legs are 2-1/4" square and are securely fastened to the 4-1/2" high apron with factory installed 5/16" hanger bolts through the heavy-duty 13 gauge steel corner braces. Includes leg stretchers and auxiliary plywood shelf. The unit rolls easily on 4 factory installed 3" ball-bearing swivel casters with brakes. The cart is finished with a chemical resistant, earth-friendly UV finish. The unit is supplied with a factory installed black 1-1/4" Plastic Laminate. Shipped partially unassembled. Weight: 95 lbs.

ITEM #	TOP	SIZE
4101K*	1-1/4" Plastic Laminate	48"W x 24"D x 36"H



Mobile Tote Tray Storage

Constructed of oak veneers and solid oak with a chemical resistant, earth-friendly UV finish. This mobile cabinet organizes materials with the included 21 heavy-duty plastic tote trays. This unit rolls easily on 4" locking swivel casters with a mobile capacity of 500 lbs. The two locking doors swing 270 degrees. The 1-1/4" plastic laminate top can double as a work surface or demonstration area.



ITEM #	PRODUCT	SIZE
4751K*	Mobile Tote Tray Storage	48"W x 24"D x 41-1/2"H
100135*	Replacement Tote Tray	19"L x 14-1/4"W x 3-1/2"H



Mobile Balance Storage Cabinet



Constructed of solid oak and oak veneered plywood with chemical resistant, earth-friendly UV finish. Featured are locking doors, both front and back with unbreakable aluminum glides. Supplied with four adjustable shelves (weight capacity of 40 lbs. per sq. ft.). With a mobile capacity of 500 lbs., it rolls on heavy-duty swivel casters with brakes. The top is black 1-1/4" plastic laminate and furnishes an additional work surface. Shelves are 3/4" H x 8"D x 42"L. Weight: 230 lbs

ITEM #	TOP	SIZE
5201K*	1-1/4" Plastic Laminate	48"W x 24"D x 40"H

* All Fastrak Products Shipped in Five Business Days (Quantity Restrictions: 30 Per Table; 6 Per Cabinet)



Mobile Micro-Charge Station

A mobile oak cabinet that is equipped to recharge microscopes while they are safely stored behind locked doors. The peninsula style cabinet interior holds 20 microscopes (7"W x 9"D x 15"H) and has storage space for other essentials such as slides.

All this with only one electrical connection from the cabinet's side. It is finished with a chemical resistant, earth-friendly UV finish. The 1-1/4" plastic laminate top doubles as a work surface. Mobile capacity: 500 lbs. Weight: 311 lbs.

ITEM #	TOP	SIZE
4741K*	1-1/4" Plastic Laminate	48"W x 30"D x 41-1/2"H



Mobile Microscope Storage Cabinet

Provides a safe, convenient way to store your microscopes. It is constructed of solid hardwood, solid oak and oak veneers with a chemical resistant, earth-friendly UV finish. The front and back doors have locks. The unit contains removable wire dividers to provide an individual space for each individual microscope (6-3/4" x 10" x 15-1/2").

With a mobile capacity of 500 lbs., this cabinet rolls on heavy-duty swivel casters with brakes. The top is 1-1/4" black plastic laminate and furnishes an auxiliary work surface. The cabinet has storage for 24 standard microscopes. Weight: 220 lbs.

ITEM #	TOP	SIZE
4701K*	1-1/4" Plastic Laminate	48"W x 24"D x 40-3/4"H

* All Fastrak Products Shipped in Five Business Days (Quantity Restrictions: 30 Per Table; 6 Per Cabinet)



Tall Storage w/Glass Doors

Showcase your specimens with this beautiful clear glass door cabinet. Solid hardwood, solid oak and oak veneers, protected by a chemical resistant, earth-friendly UV finish. The oak framed 3/16" tempered glass doors are designed to crumble when broken preventing large dangerous shards. Each cabinet comes with a three-point locking system. Glass door units have one fixed and four adjustable 1" shelves (weight capacity: 40 lbs. per sq. ft.). Available in either 36" or 48" widths.

ITEM #	PRODUCT	SIZE
358-3622*	36"W Oak Glass Door Tall Storage	36" W x 22"D x 84"H
358-4822*	48"W Oak Glass Door Tall Storage	48" W x 22"D x 84"H

Cabinet should be secured to the wall for safety. Mounting hardware is not included.



Tall Storage w/Doors

Solid hardwood and oak wood veneers with a chemical resistant, earth-friendly UV finish. Hinged door cabinet comes with a three-point locking system. Units 36" and wider have 1" shelves. All units include two fixed and four adjustable shelves (weight capacity: 40 lbs. per sq. ft.). All units include two fixed and four adjustable shelves (weight capacity: 40 lbs. per sq. ft.).

ITEM #	PRODUCT	SIZE
353-3622K*	36"W Oak Door Tall Storage	36" W x 22"D x 84"H
353-4822K*	48"W Oak Door Tall Storage	48" W x 22"D x 84"H

Cabinet should be secured to the wall for safety. Mounting hardware is not included.

* All Fastrak Products Shipped in Five Business Days (Quantity Restrictions: 30 Per Table; 6 Per Cabinet)



Tall Storage Cabinet

Constructed of solid hardwood, solid maple and maple veneers, and highlighted by an earth-friendly UV finish. Upper section consists of four adjustable 1" shelves and one fixed bottom shelf. The locking doors provide secure storage. The lower section consists of four locking drawers (Inside drawer dimensions: 6-3/8"H x 20-7/8"W x 18-3/4"D) that are fully dovetailed.



ITEM #	WOOD	SIZE
GSC-8*	Maple	48"W x 22"D x 84"H

Cabinet should be secured to the wall for safety. Mounting hardware is not included.



General Storage Cabinet

Solid hardwood and maple wood veneers with a chemical resistant, earth-friendly UV finish. Hinged doors. cabinet comes with a three-point locking system. This 48" wide cabinet has 1" shelves. All units include two fixed and four adjustable shelves (weight capacity: 40 lbs. per sq. ft.).

ITEM #	WOOD	SIZE
GSC-22*	Maple	48"W x 22"D x 84"H

Cabinet should be secured to the wall for safety. Mounting hardware is not included.

* All Fastrak Products Shipped in Five Business Days (Quantity Restrictions: 30 Per Table; 6 Per Cabinet)



Tote Tray Storage Cabinet

A great place for students to store their art or science projects. This organized storage case includes and holds 48 heavy-duty plastic tote trays. Hinged oak doors have three-point locking handles. It is finished with a chemical resistant, earth-friendly UV finish. Includes 48 totes. Weight: 490 lbs.

ITEM #	PRODUCT	SIZE
350-4822*	Tote Tray Storage Cabinet	48"W x 22"D x 84"H
100135*	Replacement Tote Tray	19"W x 14-1/2"D x 3-1/2"H

Cabinet should be secured to the wall for safety. Mounting hardware is not included.



Microscope Storage Cabinet

Constructed of solid oak, hardwood and oak veneers, using dowel construction, with a chemical resistant, earth-friendly UV finish. Solid oak framed glazed doors are hinged with three-point locking handles. Tempered glass is 3/16" thick. Microscopes are stored safely and conveniently on two fixed and three adjustable 1" shelves (weight capacity of 40 lbs. per sq. ft.). Adjustable wire dividers allow for storage of microscopes of various sizes. Dividers can be removed to use shelves for general storage. Using the parameter of the maximum size of microscope being 7-1/4"W x 14"H, the 48"W would hold 25-30 microscopes. 16"D cabinets accommodate scopes up to 12-1/4"D.



ITEM #	PRODUCT	SIZE
372-4816*	Microscope Storage Cabinet	48" W x 16"D x 84"H

Cabinet should be secured to the wall for safety. Mounting hardware is not included.

* All Fastrak Products Shipped in Five Business Days (Quantity Restrictions: 30 Per Table; 6 Per Cabinet)