### **TEAM SPORTS AND PARK & REC EQUIPMENT**

16

2019-20 A GOAL FOR EVERY

800-247-7668

www.bisoninc.com

Dear Athletic Directors & Coaches-The good sports at Bison appreciate your support of athletes and the industry. As a thank you, we will send you a FREE SCOREBOOK for solleyball, soccer and/or basketball. See back cover for details.

Call 800-247-7668 or visit www.bisoninc.com/free-scorebook. Best wishes for a successful year!

PATRIOTS

OTS PATRIO

BASKETBALL • VOLLEYBALL • SOCCER • FOOTBALL • LACROSSE • FUTSAL TEAM HANDBALL • TENNIS • TETHERBALL • BADMINTON • PICKLEBALL • FIELD HOCKEY

OFFICIAI





Bison and IPI are proud to be Official Corporate Partners of the National High School Federation, the governing body of all high school sports and activities. Bison has a long history of partnering with NFHS dating back over 25 years. Our partnership not only

OFFICIAL

PARTNER years. Our particular to safe and durable team sports equipment that meets or exceeds all NFHS rules but also helps financially support the mission of the NFHS and its state member associations across the US.

### **Quick View Index**

Backboard Dimensions 74-75, 80
Badminton 49
Ball & Equipment Carts
Competition Basketball
Competition Soccer
Competition Volleyball
Court & Field Diagrams80
Custom Graphics, Lettering & Logos24-32, 79
Divider Curtains & Nets11
Field Hockey60
Football
Futsal
Gym Construction & Renovations 14-19
Lacrosse
Model Number Index 82-83
Multi-Game Bases & Standards 10
Outdoor Basketball 65-78
Outdoor Volleyball
Pickleball 51
Portable Basketball Systems
Portable Soccer Goals 53-56
Portable Volleyball Standards 40-41
Residential Basketball
Rugby
Scorebooks 11
Scorers & Activity Tables 26-27
Seating
Site Furnishings3
Team Handball 61
Tennis
Tetherball
Wall Mounted Basketball Systems12-14
Wall Padding (Indoor & Outdoor) 29-32
Warranty & Return Policies
Youth Basketball



800-247-7668 www.bisoninc.com

### **GYM CONSTRUCTION/RENOVATION EQUIPMENT**



Bison's IPI division serves the gym construction and renovation market through a separate network of professional, experienced regional dealers who can assess your needs, specify the right equipment and provide quality and safe installation and after the sales inspections and service.

IPI dealers provide only quality Bison gym

equipment that is designed for safety, durability and superior elite competition play. When you have needs for installed wall or ceiling suspended basketball systems, divider curtains, wall padding, volleyball systems or other gym equipment, you can count on IPI.

#### **Facility Owners, Architects** and Contractors

Full product specifications for all IPI by Bison products are available online at www.IPIbyBison.com. Call 800-637-7968 for the name of an IPI dealer in your area.



**National Recreation** and Park Association

### SITE FURNISHINGS

All Bison BRP site furnishings are of the highest quality welded steel design with our durable Mastercoat<sup>™</sup> finish for lasting beauty. Benches, litter receptacles and bike racks are available in a variety of popular styles and colors. Other site furnishings not shown in this catalog are also available.

Contact our Bison site furnishing specialist for pricing, availability and technical information at 800-247-7668.

### Benches

Bison BRP benches are available in 48" or 72" lengths either in 2-sided backless or backed bench styles all with decorative cast iron ends ● Choose standard Manchester<sup>™</sup> vertical seat and backrest design or work with our art department to add your own logo, school name or other laser cut design on our Private Collection<sup>™</sup> benches ● 72" benches are also available with an arched back configuration commonly used for memorial benches in parks, playgrounds and other public spaces ● All Bison site furnishings have a 10-year structural integrity warranty.

### Litter/Recycling Receptacles

Complement your Bison BRP benches with design compatible litter and recycling receptacles • All receptacles are fully welded steel • Include durable molded plastic liners and can be ordered with flat top, dome top or ash top lids • Recycling receptacles have special laser cut lids that identify their recycling purpose • Choose Manchester<sup>™</sup> collection or Private Collection<sup>™</sup> custom laser cut designs all with a 10-year structural integrity warranty.

### **Bike Racks**

Great for schools, churches, parks or anywhere kids (or adults) gather with bikes ● All Bison BRP bike racks are available in embedded or surface mount styles constructed of 2<sup>3</sup>/8" OD pipe ● Popular Flip Up<sup>™</sup> style is available in standard design or with custom Private Collection<sup>™</sup> styling ● Wave<sup>™</sup> bike racks are available from 5 bike to 13 bike capacity ● Specify embedded or surface mount installation styles.



Manchester Backless











Recycling Lid



Flat Top



Dome Top



Ash Top

www.bisoninc.com















### **T-REX® PORTABLE BASKETBALL SYSTEMS**

Bison now offers a T-Rex portable basketball system for every level of play from elite level international to intramural and recreational play. All T-Rex portables feature industry leading extension spring counterbalance technology making raising, lowering and storage simple, safe and fast. All pivot locations operate freely on zero maintenance, self-lubricating bearings and chrome plated steel pivot axels. Weight ballast is hidden from sight in a covered weight containment cell. Narrow profile uprights reduce visual interference for fans or media behind the base. Floor friendly 8" x 2" wide casters in a variety of configurations depending on the T-Rex model you select, make moving your T-Rex easy and worry free. All T-Rex portables, when in the transport position, will roll through any doorway that is at least 84" high and 78" wide.



OFFICIAL PARTNER



# BA898AG **T-Rex**<sup>®</sup> Americana

Note: T-Rex Americana and T-Rex International Portables

require factory installation not included in price list.

Cost depends on location, quantity and other factors.

Call for a quote.

Americana<sup>™</sup> offers all the features desired by most Division I college programs and meets or exceeds all NCAA and National High School Federation rules. Americana portables feature an 8' safe play area and our Automatic Base Control System that makes set up and transport as easy as ABC. Just "A" roll the unit to its predetermined location on the playing surface and raise the backboard into its playing position, "B" insure that the front locator pins are properly inserted into the floor and "C" attach the rear safety hold down system. Manual base control system also available when wall, bleachers or other obstacles are present at rear of base. Americana comes complete with a lifetime warranty official glass backboard, direct beam mount Baseline<sup>™</sup> 180° breakaway goal, DuraSkin<sup>®</sup> backboard padding, high density vinyl upholstered base and beam padding, rear safety hold down system and a vibration deadening device to maximize system rigidity. All steel base components have a standard bright white powder coated finish but can be ordered in a wide array of additional colors at an additional cost.

Shown with Optional



Forklift or dock required for delivery **Contact Bison for** other off-loading options 10.7453

### BA89101G **T-Rex**<sup>®</sup> International

Some programs desire the added 32" of safe play area found on our T-Rex International. Whenever possible, with today's aggressive style of play, we recommend International for the added measure of player safety if court space and budget allows. Floor space limitations between the court end line and the end court bleachers or wall will determine if this T-Rex with a 10'8" safe play area is right for your program.

Approximately 400# of additional rear ballast and additional springs are designed to offset the additional 32" forward extension.

T-Rex International features the same premium glass backboard, 180° breakaway goal, backboard, beam and base padding, an automatic base control system and other features found on T-Rex Americana above. All steel base components have a standard bright white powder coated finish but can be ordered in a wide array of colors at an additional cost.

AMERICANA GAME STATS at 10<sup>1</sup> 96'

Safe Play Area at 10 <sup>-</sup>	30		
Glass Backboard Size	42" x 72"		
Breakaway Rim	BA3180S		
Beam Size	6" Sq.		
Ballast Weight	1100#		
	2686#		
Total Weight Padded Base Dimension	52"(w) x 80"(l)		
Padded Base Dimension			
Total 8" (d) x 2" (w) Wheels	76"(w) x 176"(l) x 83"(h)		
Stored Dimensions	Included		
Beam Padding	Included		
Rear Hold Down			
Deadlock Device	Included		
Backboard Padding	17 colors		
Base Padding (16 colors)	) 3" Thick Premium Sewn		
Base Color	Bright White		
Front Levelers	Automatic		
From Levelers	t 330#(F); 342#(R)		
Floor Load Transport	535# (F); 137# (R)		
Floor Load Playing			
Min. Required Floor	169"*		
Space Outside Court			

Concession of the local division of the loca	
100	
INTERNATIO	NAL GAME STATS
Glass Backboard Size	e 42" x 72"
Breakaway Rim	BA3180S
Beam Size	
Ballast Weight	6" Sq.
Total Weight	1500#
Padded Base Dimensio	3228#
Total 8" (d) x 2" (w) Wheel	() × 00 (I)
Stored Dimensions	
Beam Devisions	76"(w) x 204"(l) x 83"(h)
Beam Padding	Included
Rear Hold Down	Included
Deadlock Device	Included
Backboard Padding	17 colors
Base Padding (16 colors)	3" Thick Premium Sewn
Base Color	Bright White
Front Levelers	Bright White
Floor Load Transport	Automatic
Floor Load Playing	386# (F); 421# (R)
Min. Required Floor	634# (F); 173# (R)
Min. Required Floor Space Outside Court	202"*

\*CONSULT A BISON PRODUCT SPECIALIST FOR OPTIONAL MANUAL ABC SYSTEM IF SPACE AVAILABLE IS LESS THAN SHOWN.

#### Standard Features on T-Rex Americana & **T-Rex International Portables**





4





NE	T-REX <sup>®</sup> PORTABLE BASKETBALL SYSTEMS	
HS	BA898G T-Rex	
OFFICIAL	Competition Budget conscious programs who still desire the 8' safe play area found on our T-Rex Americana but have limited space behind the	
COMPETITION GAISafe Play Area at 10'96"Glass Backboard Size42" x 7	STATS court end line and limited budgets will find T-Rex Competition the perfect choice.	
Breakaway RimBA318Beam Size4" Sq.Ballast Weight1000#	Designed with many of the same features as our Americana and International portables, Competition raises for play and lowers for transport and storage with the same extension spring	
Danast Worght         2350#           Total Weight         2350#           Padded Base Dimension         40"(W)           Total 8" (d) x 2" (W) Wheels         2 (F), 4	counterbalance technology as its big brothers	
Stored Dimensions         76"(W           Beam Padding         Includ           Rear Hold Down         Includ	60"(I) x 78"(h) While designed for value, the competition backboard, direct beam mount Baseline™ 180° breakaway goal and DuraSkin® backboard padding are identical to other models and guarantee rigid, durable and safe play year after year.	
Deadlock Device         Includ           Backboard Padding         17 co           Base Padding (16 colors)         2" Th           Base Color         Brigh	T-Rex Competition comes complete with easy to adjust front leveling and stabilizing feet, self-lubricating pivot bearings, 2" thick vinyl covered sewn base padding system, lower beam pad, front positioning pins, rear	
	AVX       AVX       Competition is the perfect system for small programs, high schools, rec centers or side courts that require the safety of an 8' safe play area but at a value price.	
	Forklift or dock required for delivery. Contact Bison for	

### BA895G T-Rex® Side Court

For some programs, the 5½' safe play setback of **T-Rex Side Court** is a great solution. The shorter extension still allows durable, rigid play but requires less room for storage, less space outside the court end line and is a perfect practice or recreational portable.

T-Rex Side Court has most of the key design features of its larger T-Rex Competition unit including the same glass backboard, DuraSkin backboard padding and spring assist technology but the reduction in safe play area, the substitution of our traditional BA35S breakaway goal and making the vibration deadening device, beam padding and rear hold down kit optional make a standard T-Rex Side Court cost up to 10% less than T-Rex Competition.

SIDE COURT GAME STATS Safe Play Area at 10' 66" **Glass Backboard Size** 42" x 72" **Breakaway Rim** BA35S Beam Size 4" Sq. Ballast Weight 800# Total Weight 1900# Padded Base Dimension 40"(w) x 74"(l) Total 8" (d) x 2" (w) Wheels 2 (F), 2 (R) Stored Dimensions 76"(w) x 130"(l) x 78"(h) Beam Padding Optional **Rear Hold Down** Optional Backboard Padding 17 colors Base Padding (16 colors) 2" Thick Sewn Base Color Bright White Front Levelers Lead Screw Floor Load Transport 350# (F); 600# (R) Floor Load Playing 575# (F); 375# (R) Min. Required Floor Space Outside Court

other off-loading options.

### Standard Features on T-Rex Competition & T-Rex Side Court Portables

100"



Front Foot Leveling







Vibration Deadening Device (BA898G only)



Baseline<sup>™</sup> 180° Breakaway (Upgrade on BA895G)

Rear Hold Down Kit (optional on BA895G)

Shown with optional lettering









### **T-REX® PORTABLE BASKETBALL SYSTEMS**



# PARTNE

### BA894GSR **T-Rex**<sup>®</sup> Club

T-Rex Club satisfies the need of many programs looking for a quality spring assisted portable system with a full size glass backboard and breakaway goal but are dealing with even more limited space and budgets. **Club** is designed to have many of the durability, stability and safety features of other T-Rex systems but the base has been downsized for space and cost considerations. While Club costs and weighs much less than other models, its 950# of factory installed hidden ballast still provides superior tip over stability even without use of optional rear hold downs. Its lighter overall weight and size allow easier set up, tear down, transport and storage.

L	
CLUB GAN	NE STATS
Safe Play Area at 10'	54"
Glass Backboard Size	42" x 72"
Breakaway Rim	BA35S
Beam Size	4" Sq.
Ballast Weight	950#
Total Weight	1700#
Padded Base Dimension	40"(w) x 65"(l)
Total 8" (d) x 2" (w) Wheels	2 (F), 2 (R)
Stored Dimensions	76"(W) X 124 (I) X 78 (II)
Beam Padding	Optional
Rear Hold Down	Optional
Backboard Padding	17 colors
Base Padding (16 colors)	2" Thick Stapled
Base Color	Bright White
Front Levelers	Lead Screw
Floor Load Transport	N/A
Floor Load Playing	N/A
Min. Required Floor Space Outside Court	72"

### BA894USR T-Rex Recreational

T-Rex Recreational is identical to T-Rex Club above except the backboard is constructed of 1/2" thick clear, unbreakable polycarbonate instead of glass making it perfect for facilities where there is concern of vandalism or other activities that might threaten traditional tempered glass backboards. In addition, T-Rex Recreational comes with a locking device to eliminate unwanted and unsupervised raising and lowering of the basket

authorization.

If your program intends to use T-Rex Recreational outdoors, order BA894USRO for an outdoor version of T-Rex Recreational that substitutes Bison outdoor backboard padding and weather resistant pressure treaded plywood for OSB board as backing for the base padding system. In addition, BA894USRO includes a security lock system to insure that the unit cannot be lowered and rolled from its installed location without

#### **RECREATIONAL GAME STATS** Safe Play Area at 10' 54' Polycarbonate Backboard Size 42" x 72" Breakaway Rim BA35S **Beam Size** 4" Sa **Ballast Weight** Total Weight 950# 1700# Padded Base Dimension 40"(w) x 65"(l) Total 8" (d) x 2" (w) Wheels 2 (F), 2 (R) Stored Dimensions 76"(w) x 124"(l) x 78"(h) **Beam Padding** Optional Rear Hold Down Optional Backboard Padding Base Padding (16 colors) BA68U, BA72U 2" Thick Stapled **Base Color** Bright White Front Levelers Lead Screw Floor Load Transport N/A Floor Load Playing Min. Required Floor Space Outside Court N/A 72"

### Standard Features on T-Rex Club & T-Rex Recreational Portables



Shown with optional lettering

Shown with optional lettering

U ŝ


Ķ

Hidden Ballast Compartment









### Unbreakable Polycarbonate Backboard (BA894USR, BA894USRO only)





www.bisoninc.com

0

B

6



### T-REX® PORTABLE BASKETBALL ACCESSORIES 🚳

# BALED Correct Call<sup>™</sup> LED Backboard Alert Systems

Popular at the collegiate level...LED Alert Systems are coming soon to a high school near you • Bison's LED system is easy to install behind virtually any manufacturer's glass backboard (42" or 48" high) with no drilling and no visual hardware • Will interface with virtually any scoreboard system that is capable of sending a signal from the official scoreboard time clock or shot clock to this 12 volt LED system • Six separate preassembled LED light strips are mounted in aluminum tracks with high tack, self adhesive mounting tape system for quick and easy installation • System includes LED strips for one backboard, transformer and all necessary components except the wiring that is required to run from the scoreboard signal location to the transformer box • Call a Bison Customer Service Specialist for details • Five-year limited warrantv.

Note: Correct Call Alert Systems are not returnable once backing is removed from the adhesive tape. Make sure your LED strips are compatible with your backboard before removing adhesive.



#### SCBKT2 Folding Shot Clock Bracket

This sturdy bracket is specifically designed to allow installation of beam mounted shot clock brackets on T-Rex portables • Folds to the rear to allow passage through doorways and halls when T-Rex is collapsed for storage in off season.

#### BA898HD Optional Rear Hold-Down Kit

For all T-Rex portables...Meets NCAA and High School Federation rules requiring rear floor attachment for competition portable goals • Kit includes threaded floor anchor, eyebolt and turnbuckle to attach to built-in eye on rear of all T-Rex portables • Included standard with T-Rex Competition, Americana and International portables • Adds a measure of stability and safety • One required per goal.



SCBKT6 Rear Shot Clock Bracket Two-sided rear shot clocks have gained in popularity...this bracket will mount most rear shot clocks to most manufacturers' portables • Easy angle adjustment • May require minor field modification on some portables or with some rear shot clocks • Five-year limited warranty.



#### BA898GBPAD

**Optional T-Rex Beam Pad** Add this optional beam pad to BA895G, BA894GSR, BA894USR or BA894USR0 T-Rex Portables. Standard on BA898G • White vinyl over 1" thick dense foam

• 50" long • Attaches with Velcro straps.



Add optional custom logos, lettering, sponsor names or full color graphics to any T-Rex portable. See page 79 for details on the wide variety of options available. Bison's Art Department will work with you to create the perfect look for your program.



### THE GAME'S MOST POPULAR BACKBOARD PADDING

#### BA68U DuraSkin<sup>®</sup> Backboard Padding Color Options

Original DuraSkin molded bolt-on padding for your T-Rex...is now available in 17 school colors including Black, Royal, Scarlet, Forest Green, Maroon, Navy, Kelly Green, Orange, Columbia Blue, Gold, Purple, Vegas Gold, Cardinal, Burnt Orange, Brown, Pink and traditional Gray, all intended to coordinate with but not exactly match the base padding colors • See page 17 for more details.









#### WARNING! All Max systems require installation of 25

4" x 8" x 16" solid concrete cap blocks prior to use. The ballast tray and padded safety cover are designed specifically for use of the specified ballast. Failure to install the specified weight could result in serious player injury and invalidate all warranties. While the specified blocks are available at most lumber or home centers for a nominal cost, Bison can ship ballast package BA853BLST for an additional cost. portable system with these floor anchors and brackets

### BA800 For Concrete, Tile or Synthetic Floors

Kit includes two each of VB25 floor anchors and brackets...Requires core drilling into existing floors.

#### BA800FL For Floating Wood Floors

Kit includes two each of VB25FL floor anchors and brackets for floating floors...Requires core drilling and routing into existing floors.





8





#### PORTABLE/ADJUSTABLE BASKETBALL SYSTEMS Club Court Portable Basketball Systems 54" Tempered Glass OFFICIAL PARTNER Choose Super Glass Club Court with 54" tempered glass backboard and 48" safe play area. Acrylic Club Court with 48" clear acrylic backboard and 36" safe play area or Graphite Club Court with 48" molded graphite fan backboard and 36" safe play area. All Club Court portables come standard with the following features: Direct Mount Goal Design Spring Assisted Infinite Goal Height Adjustment from 6½' to Official 10' for Backboard Durability • 11/2" Thick, Black Padded Front Base and Riser • Easy Flip Down Front Panel for Transport Fully Enclosed Oversized Ballast Enclosure to Hold Customer Supplied Ballast (see chart and BA833BLST below) Flex Goal · Goal Mounts Directly to Extension Arm, Eliminating Stress **Optional BA54U-BK** on Backboard During Play backboard padding · Easily Folds Without Tools for Movement 48" Safe Play Area at 10' Through 78" High Double Doors Order ABC52 or ABC53 for Optional Front Pad Lettering (See page 79) • Easy-to-Read Goal Height Indicator Labels Telescopes from · Non Marking Transport Casters 61/2' to 10' Optional Thick, Black Letterinc Padded Base and Post 48" Clear Larger Weight Box Acrylic and Casters than 48" Molded Similar Units 36" Safe Play Graphite Area at 10' BA833XL 36" Safe Play Area at 10' Front Rubber Feet Add Stability BA833 Special liftgate delivery charge or cotheme manual Hitting required if BA832 **Open To Roll** deck/fork8ft not available **Close To Play** BA832 Graphite BA833 Acrylic BA833XL Super Glass BA833BLST Club Court Ballast Kit Backboard Size 36" x 48" Fan 32" x 48" Rectangle 36" x 54" Rectangle Approximately 425# of solid concrete cap blocks Backboard Type Molded Graphite Acrylic Glass to properly eliminate tip over on all Club Court Goal Type BA26 BA29JR BA32 portable goals. Order one BA833BLST for each Total System Weight 840# 855# 1400# (with ballast) BA832 and BA833 • Order two for each **Customer Supplied** 425# 425# 850# BA833XL. Ballast Weight Padded Base Size 29" (w) x 41" (l) 29" (w) x 41" (l) 34" (w) x 46" (l) WARNING! 48" (w) x 78" (l) x 78" (h) Total Stored Dimensions 48" (w) x 78" (l) x 78" (h) 54" (w) x 84" (l) x 78" (h) Club Court portables are designed for customer installation of solid concrete cap blocks prior to Setback at 10' - 36" 10' - 36" 10' - 48" 9' - 32" 9' - 32" 9' - 44" use. Failure to install the specified ballast could 8' - 28" 8' - 28" 8' - 40" result in serious player injury and invalidation of all warranties. While specified blocks are available Lowest Playing Height 6½' 61/2 61/2' Warrantv at most lumber or home centers for a nominal cost, Bison can ship ballast package BA833BLST One-Year Limited One-Year Limited One-Year Limited Entire System for an additional cost







### **PORTABLE/ADJUSTABLE BASKETBALL SYSTEMS**

### **Playtime**<sup>•</sup> Elementary Portables

Playtime complete basketball standards roll in and out of the gym or multipurpose room with ease...Formed steel base provides sturdy foundation for tubular structure • Telescoping structure easily adjusts goal height from 8' to 61/2' in 6" increments • White powder coated finish • Choose 36" x 48" fan-shaped backboard of molded graphite or 32" x 48" rectangular backboard of clear acrylic • Official size, 5/8" solid steel goal • Playtime systems are for physical education, elementary school or shooting practice only and are not intended for aggressive competitive play • Safe Stuff structure padding included

· Lower base trim protects your floor from damage

 Some assembly required • Factory installed 100# Special liftgate delivery charge or cotrome manual lifting required if ballast hidden in base.

Playtime	BA803	BA803A
Backboard Size	36" x 48"	32" x 48"
Backboard Type	Molded Graphite	Clear Acrylic
Goal Type	BA26	BA26
Total System Weight (with ballast)	330#	350#
Ballast Weight	Built-in	Built-in
Total Stored Dimensions	48" x 48" x 84"	48" x 48" x 84"
Lowest Playing Height	61⁄2'	61/2'
Warranty		
Entire System	One-Year Limited	One-Year Limited



deck/forklift not available

# Goal Telescopes 61/2' to 8' Padding Included BA803

BA803A

### PORTABLE GAME BASE AND ACCESSORIES

#### PB130 Portable Game Base



Indoors or outdoors, these portable weighted bases support a wide range of PE games...Use for volleyball, badminton, pickle ball, tennis. tetherball, paddle tennis, hoop games, jump rope or other creative games • 24" diameter royal blue powder coated bases are factory weighted • Durable non-marking wheels and molded urethane bottom ring protect floors during transport and use • Includes 1¾" diameter x 10' galvanized steel upright • Order nets, base padding and other accessories separately • Includes one pair of game attachment collars • One year limited warranty.



#### BM10N **Badminton Net** Official 21' x 30" size.

**Volleyball Net** 

Official 32' x 36" size

for maximum visibility.

with fluorescent top tape

**PB100BP** 

Padding

Base

**SVB08** 

Improve safety with this specially

designed pad that covers 360° around

the PB130 portable game bases...1" thick foam with sewn cover in black vinyl

• Velcro attachment.

### PB050 Universal **Portable Base**

Versatile portable base... This base can be used for a variety of purposes including low cost PE net games · Base can be weighted with optional SC50B ballast bag • 12" x 16" base has floor friendly feet . Post is 60" high . Net not included 90-day limited warranty.

### PB150BB Basketball Accessory

Easy slip-on ring creates a goal for elementary shooting games...15" diameter ring with net hooks • Adjusts to any height for thumbscrew tightening • Ring and net only, order base with pole separately.



### 800-247-7668



### PORTABLE DIVIDER NETS





### DN1250 Portable Divider Net System

Separate courts for safe play without expensive ceiling mounted divider curtains...12' high, 50' long black mesh net has durable reinforced vinyl edges and stores in a zippered storage bag when not in use • Net is supported by two factory weighted bases with telescoping poles for easy set up and storage • So versatile it can be used in any indoor or outdoor location • Portable bases and posts can also be used for P.E. net games at any height, including volleyball, badminton and tennis with purchase of SVB08 recreational volleyball net • Extend the divider net in 50' increments with purchase of additional DN12 bases and DN50 nets • One-year limited warranty.

#### DN12 Divider Net System Adder Base

**DN50** 

Extend divider net...Add bases and nets • Same weighted base and 12' telescoping net support pole as DN1250 system above.

#### DN50 12' x 50' Divider Net

Add additional nets...Extend divider system • Includes zippered storage bag and pole attachment hardware.

#### BA801BP Portable Base Padding

Improve player safety...Specially designed pad that covers 360° around the divider net base • 1" thick foam with black vinyl sewn cover • Velcro attachment.







100



**Factory Rebate Coupons Inside Each Scorebook** 



800-247-7668





SBBB

### IN-STOCK SHOOTING STATION" PACKAGES

**CAUTION!** Wall structure purchaser assumes all mounting liability. **SEE PAGE 81 FOR SAFETY WARNING** 

Bison Shooting Stations provide a wall mount system to match any budget and level of need. Prior to purchase, verify that your wall is suitable in construction, size and layout to support the package weight and stress from use.

#### Field Modifiable Wall Mounted Structure Packages These complete kits provide all the necessary components (except wall mounting fasteners) to install a rigid, durable basketball system to the wall of your existing facility...Choose from 1'-4' or 4'-8' extensions and different backboard options shown in chart below. Cut and drill extension tubes at desired extension length • See pages 17 and 73 for optional backboard padding and page 15 for optional goal height adjusters • 5-year warranty on structures • See details on pages 18-21 for warranties on backboards and goals.

PKG500

12" to 48

		-		1
Package Model #	Wall to Backboard Extension Range	Backboard	Goal	
PKG14STFS	12" to 48"	BA495 Fan Steel	BA34 Breakaway	
PKG48STFS	48" to 96"	BA495 Fan Steel	BA34 Breakaway	
PKG14STRG	12" to 48"	BA42XL 42" x 72" Glass	BA35S Breakaway	
PKG48STRG	48" to 96"	BA42XL 42" x 72" Glass	BA35S Breakaway	

BA407G 42" x 54" Glass

see Basketball Court Diagrams on Pages 74, 75, and 80.

### PKG650 Adjustable Height Glass Shooting Station


Tempered glass backboard...Same heavy-duty wall structure and wall mounting boards as PKG600 below except includes 54" x 42" unbreakable side court tempered glass backboard (BA407C) for competition look and ball rebound • 36" extension at 10' rim height • Adjustable from 8' to 10' • Official size breakaway goal (BA32) with one-year limited warranty • Ten-year limited warranty on structure • Unconditional lifetime warranty on backboard.

### PKG675 Official Adjustable Height Glass

#### Shooting Station (not shown)

PKG500

Same structure and rim as PKG650 above but with official size 72" x 42" "Unbreakable" (BA42XLC) glass backboard • Unconditional lifetime warranty on backboard.



**BA35S Breakaway** 



Convenient, cost effective system for players of all ages...All the components necessary to mount a durable, playable, institutional quality fan-shaped steel backboard and official size institutional breakaway goal to a structure that will allow goal height adjustment from 10' to 8' • Removable hand crank allows easy adjustment without ladder • Safe play area is 36" at official 10' goal height (40" at 9' and 38" at 8') • Use of 2" x 8" wall boards for load spreading wall attachment is superior to similar systems where the steel is mounted directly to the wall • All steel structure is heavy gauge tube with a 1/8" minimum wall thickness and silver powder coated finish • All pivot points are 1/2" diameter • Customer provides wall mounting hardware • Ten-year limited warranty on backboard and structure . One-year limited warranty on goal.









12

#### **CAUTION!**

Wall structure purchaser assumes all mounting liability. SEE PAGE 81 FOR SAFETY WARNING

When traditional competition wall structures are more than your facility requires, choose from fixed height or adjustable packages with steel, glass, molded graphite or acrylic backboard options.

#### PKG300 ZipCrank Adjustable Shooting Station

Hand crank moves this 54" x 36" glass backboard with ease...Easy-to-operate removable hand crank adjusts goal height from official 10' to as low as 7½' for play by kids of all ages • Official size breakaway goal and direct goal mount design make backboard virtually unbreakable during normal play • Steel structure mounts to wall by means of three load spreading struts • Customer provides wall mounting anchors • Mounts indoors/outdoors • 30" safe play area at 10' • Five-year limited warranty on board and structure.



IN-STOCK SHOOTING STATION<sup>™</sup> PACKAGES Ø

PKG300



#### PKG275 QwikChange" Acrylic Shooting Station"

For the look of a professional court at a budget price...Official size flex goal raises and lowers with ease on this system that features a 32" x 48" clear rectangular backboard • Direct mount goal design • No ladders or tools • 7½' to 10' goal height adjusts from the playing surface • Entire system mounts easily to the wall with two load spreading struts • Customer supplies suitable wall mounting hardware • Mounts indoors/outdoors • 22" safe play area at 10' • One-year limited warranty on system.

#### PKG250 QwikChange<sup>™</sup> Graphite Shooting Station<sup>™</sup>

**Our lowest cost adjustable wall mount system...** Move the goal height from 7½' to 10' in 6" increments with a broom handle from the floor • 36" x 48" molded graphite fan-shaped backboard and official size flex goal are direct mounted to the steel structure for superior backboard durability • QwikChange structure is attached to wall with two struts to spread load on wall • Customer provides wall mounting anchors • Mount indoors/outdoors • 22" safe play area at 10' • One-year limited warranty on system.









#### IN-STOCK WALL MOUNT STRUCTURE PACKAGES **CAUTION!** Stationary and Side Fold Wall structure purchaser assumes all mounting liability. SEE PAGE 81 FOR SAFETY WARNING **Complete wall mount structure packages** in-stock for immediate delivery. **IN-STOCK** PARTNER Extra Heavy, Solid Steel, Machined Pivot Bushings with 5/8" Grade 5 Pivot Bolts Stationary on Side Fold Structures (not just a hole drilled into tubing!) Structures adjust backboard face anywhere Superior Strength and Rigidity from Heavy, Welded Chain from 48" to 144" from wall at time of 33% More Steel than Comparable Attachment Bracket **Custom-Built Structures** installation...Easy-to-order and install and Chain Tensioning telescoping structures • Available for immediate Turnbuckle delivery • Extra heavy steel tubular design with Silver Powder Coated silver powder coated finish • Packages include Finish Reduces Visual structure, wall boards, support chains, Interference Compared to a Triple Set Screws and Fail-Safe Final Unbreakable 42" x 72" glass backboard, Typical Black Structure Through Bolting Make Telescoping breakaway goal, DuraSkin backboard padding Components Stable and Secure (choose from 17 colors), instructions and all mounting hardware except that required to anchor wall boards to wall . If you need rim height adjustability see page 15 for optional goal height adjusters • Lifetime limited Slotted Mounting Heavy Wall, 2" warranty on wall mount structures. Brackets for Seamless Tubing Prefinished 2" x 8" Timbers Fine Tuning Goal Height 100% Welded Joints Predrilled Side Fold (no clamps to and Ready work loose!) for Mounting Swing left or right for storage close to wall without tools or ladders...Structures position backboard face anywhere from 48" to 144" from wall at time of installation without field modification • Available for immediate delivery • Extra heavy, steel tubular design with silver powder coated finish . Heavy, solid Stationary Telescoping Wall-to-Backboard steel, machined pivot bushings with 5/8" Extensions from 4' to 12 grade 5 pivot bolts (not just a hole drilled into tubing!) Slotted mounting brackets for fine tuning goal height • Packages include Telescoping Structures for Fail-Safe Measuring... structure, wall boards, support chains, There is no need to compute exact extension Unbreakable 42" x 72" glass backboard, requirements before ordering wall mounted structures breakaway goal, DuraSkin backboard padding from Bison. Our structures are specially designed to (choose from 17 colors), release hook, allow adjustment within a specified range at instructions and all mounting hardware except installation. You'll also avoid costly field modifications that required to anchor wall boards to wall . If caused by measurement mistakes. you need rim height adjustability see page 15 for optional goal height adjusters • Lifetime

Side Fold

Model #	Extension Range	Components Included
STATIONARY		
PKG46STRG	48" to 72"	BA42XL Official Unbreakable Short Glass Rectangular Competition Backboard, BA35S ProTech Competition Breakaway Goal, BA68U DuraSkin Padding
PKG68STRG	72" to 96"	BA42XL Official Unbreakable Short Glass Rectangular Competition Backboard, BA35S ProTech Competition Breakaway Goal, BA68U DuraSkin Padding
PKG82STRG	96" to 144"	BA42XL Official Unbreakable Short Glass Rectangular Competition Backboard, BA35S ProTech Competition Breakaway Goal, BA68U DuraSkin Padding
SIDE FOLD		
PKG46SFRG	48" to 72"	BA42XL Official Unbreakable Short Glass Rectangular Competition Backboard, BA35S ProTech Competition Breakaway Goal, BA68U DuraSkin Padding
PKG68SFRG	72" to 96"	BA42XL Official Unbreakable Short Glass Rectangular Competition Backboard, BA35S ProTech Competition Breakaway Goal, BA68U DuraSkin Padding
PKG82SFRG	96" to 144"	BA42XL Official Unbreakable Short Glass Rectangular Competition Backboard, BA35S ProTech Competition Breakaway Goal, BA68U DuraSkin Padding



See YouTube.com/bisoninc for Product Videos You

limited warranty on wall mount structures.

Wall-to-Backboard

Package





### 4 CORNER ZIP CRANK" HEIGHT ADJUSTER 🕥



### **ZipCrank**<sup>®</sup> Goal Height Adjusters

From adult to youth play in 60 seconds...ZipCrank corner mount rim height adjusters are designed to avoid reduced backboard and rim rigidity common with other height adjustable goal systems • Movable framework slides up and down on two chrome plated 1" diameter rods riding in machined steel bushings • Height adjusters are installed between the backboard and the backboard support structure and when retrofitted on existing courts moves face of backboard 41/4" toward the free throw line • May require minor field drilling on some existing retrofit applications
Adjusts rim infinitely from official 10' to 8' heights and includes easy-to-read height indicator labels • Manual models are operated with the hand crank provided or with optional BA931 Cordless Winch Winder

• Electric models operate with hard wired wall mounted **BA975KS** Wall Mounted Key Switch • See chart below for ordering details including use on center strut structures • Five-year limited warranty.

Backboard Type	Manual Operation	Electric Key Switch Operation		
42" x 72" backboard with 4				
corner mounts	BA980RS	BA980RSE		
48" x 72" backboard with 4				
corner mounts	BA980RT	BA980RTE		
Fan shaped backboard	BA980F	N/A		
Oher backboards with				
approximate 35" (w) x 20" rear				
mounting patterns	BA980F	N/A		
Backboards that mount to single				
6" or 65/8" diameter support	See page 16 for adapters and			
structures	consult a Bison Product Specialist			

Electric Actuator

### **Operation Options**



Standard Manual Crank Operation

#### Standard Manual Crank Operation

Each ZipCrank Height Adjuster is supplied with one manual adjustment rod that allows easy up and down operation from the gym floor.



Optional BA931 Cordless Winch Winder Operation

#### BA931 Cordless Winch Winder Kit Increase the ease and speed of adjusting Bison

ZipCrank Goal Height Adjusters with this cordless, rechargeable winch winder • Kit includes cordless drill, battery charger, special ½" square drive adapter and BA935 extension drive rod.



Optional BA975KS Electric Key Switch Operation

#### BA975KS Electric Key Switch

**Traditional key operated switch with cover...** Up-Down labeled cover plates also available in 1, 2, 3, 4 and 6 gang box options. Call for details.







### GYM UPGRADE PACKAGES

## **Gym Upgrade Packages**

When it's time to upgrade your basketball court, Bison's Official Gym Upgrade Packages will save you money and guarantee single source compatibility...There is a package to fit your existing wall or ceiling mount structure regardless of manufacturer • All components are designed and built by Bison for guaranteed compatibility • Premium and standard upgrade packages available, all with backboard,

goal and backboard padding • All packages contain one of each of the listed Bison basketball components • Order two

packages to upgrade both ends of the court. BEFORE



#### 0FC4234-RY


### **BUY IN PACKAGES & SAVE!**

	Backboard		Goal		Padding		
Package Description	Model/Size	Warranty	Model	Warranty	Model	Warranty	Color
<b>OFX423180</b> Official Premium 180° Short Board Upgrade Package	BA42XL 42" x 72"	Unconditional Lifetime	BA3180S	Four-Year Limited	BA68U	Ten-Year Replacement	17 Colors Please Specify
<b>OFX4235E</b> Official Premium Short Board Upgrade Package	BA42XL 42" x 72"	Unconditional Lifetime	BA35S	Three-Year Limited	BA68U	Ten-Year Replacement	17 Colors Please Specify
<b>OFS4234</b> Official Standard Short Board Upgrade Package	BA42E 42" x 72"	Ten-Year Limited	BA34	One-Year Limited	BA68U	Ten-Year Replacement	17 Colors Please Specify
<b>OFC4235E</b> Official Premium Conversion Board Upgrade Package	BA42XLC 42" x 72" Conversion	Unconditional Lifetime	BA35S	Three-Year Limited	BA68U	Ten-Year Replacement	17 Colors Please Specify
<b>OFC4234</b> Official Standard Conversion Board Upgrade Package	BA42XLC 42" x 72" Conversion	Unconditional Lifetime	BA34	One-Year Limited	BA68U	Ten-Year Replacement	17 Colors Please Specify
<b>OFX483180</b> Official Premium 180° Tall Board Upgrade Package	BA48XL 48" x 72"	Unconditional Lifetime	BA3180T	Two-Year Limited	BA68U	Ten-Year Replacement	17 Colors Please Specify
<b>OFX4835E</b> Official Premium Tall Board Upgrade Package	BA48XL 48" x 72"	Unconditional Lifetime	BA35E	Flve-Year Limited	BA68U	Ten-Year Replacement	17 Colors Please Specify
<b>OFS4834</b> Official Standard Tall Board Upgrade Package	BA48 48" x 72"	Ten-Year Limited	BA34	One-Year Limited	BA68U	Ten-Year Replacement	17 Colors Please Specify



### **Center Strut** Backboard and Height Adjuster Adapters If your existing center strut ceiling mount structure is not designed to mount to

If your existing center strut ceiling mount structure is not designed to mount to backboard corners...these adapters allow installation of Bison backboards and/or ZipCrank height adjusters to your existing center strut structures • Caution! May reposition face of backboard in relationship to court lines • Select from the chart below.



Model #	Center Strut Diameter	Backboard Mounting Pattern
BA600YF	6"	35" (w) x 20" (h) (fan)
BA600YR	6"	62" (w) x 36" (h) or 62" (w) x 42" (h)
BA658YF	65/8"	35" (w) x 20" (h) (fan)
BA658YR	65/8"	62" (w) x 36" (h) or 62" (w) x 42" (h)







### GYM EQUIPMENT ACCESSORIES



### BA68U DuraSkin<sup>®</sup> Indoor Backboard Padding

Are you old enough to remember when no one could jump high enough to contact the bottom of the backboard? Do you remember the old glue-on gray foam padding that constantly needed repair or reattachment with duct tape or replacement? If so, you also may remember that Bison revolutionized backboard safety padding in 1990 when it first introduced durable, bolt-on **DuraSkin** padding, now available in industry leading 17 colors. DuraSkin mounts to all 72" wide glass backboards regardless of manufacturer with eight ¼" bolts and its thick skin, durable inner foam and molded in steel inserts allow Bison to offer an industry leading **ten-year unlimited warranty**.

While other manufacturers have tried to copy DuraSkin, it remains the standard in the industry with over 150,000 sets sold since its 1990 introduction.

### BA950LR Gym Overhead Aut-O-Loc™ Safety Belt

Protect fans, players, floors and bleachers from damage if any overhead apparatus fails due to improper installation, maintenance or other failures...Use on ceiling suspended basketball or volleyball systems, wrestling mats, batting cages or any equipment that could cause injury or damage • Also commonly used on wall mounted basketball systems • Required in some states and in some circumstances by NCAA rules • Each BA950LR includes mounting clamps to connect to 3½" outside diameter ceiling supported structure and comes with retractable 34' of safety belt attached to equipment structure
Patented single use design improves safety by eliminating the reuse of a unit that has been activated by a gym equipment attachment failure • Device prevents equipment free fall by sensing both speed and acceleration engaging its catch mechanism only when it is serving its intended safety purpose • Operates much like an automotive seat belt • Recommended for 100% of the overhead equipment in every facility • Five-year limited warranty.







### BA925LR Manual Backstop Winch

Many retractable swing up basketball backstop installations do not require electric backstop winches...BA925LR mounts to the wall and comes with an easy-to-operate hand crank with ¾" square drive • Can easily be adapted to replace existing tired and difficult to operate manual winches • Can also be operated with optional **BA930** Portable 110 Volt Hand Winch Driver • Order **SUCBLFT** ¼" aircraft cable and any needed cable pulleys and brackets separately • Wood wall mount board included • Five-year limited warranty.

### BA930 Portable 110 Volt Hand Winch Driver

BA925LR

Makes raising and lowering manual crank swing up structures faster and easier...7 AMP, ½ HP high torque winch • Reversible up and down operation • Two speed motor• Includes both ½" (BA93250) and ¾" (BA93275) square drive adapters to operateBA925LR manual winch or other manufacturers' manual winches • To use BA930 to operateBison ZipCrank rim height adjusters, order BA935 Drive Shaft separately. • One-year limited warranty.

#### BA935 ZipCrank Height Adjuster Drive Shaft (not shown)

Order BA935 to raise and lower Bison ZipCrank Height Adjusters using BA930 or similar power tools • Includes BA93250 ½" squre drive adapter.









Actual colors are not guaranteed to match printed catalog images.





#### BA973LR BA974LR Electric Backstop Winches


Lightweight, but not lightweight when it comes to power, safety

and durability • ¾ HP instantly reversible motor develops 1250# of cable lift at a speed of 9 feet per minute • ¼" diameter, 7000# aircraft cable winds on a 4½" diameter grooved aluminum drum • Hardened, positive locking, steel worm gears are designed with a 200:1 reduction to eliminate backlash and slippage common on belt driven winches • Additional features include easy to set limit switches, cable take up tension roller, UL listing and optional remote control operation • Includes key switch, cord and 110 volt plug • Order **BA973LR** for ¾ HP Electric Backstop Winch or **BA974LR** for 1 HP Electric Backstop Winch • Order **SUCBLFT** for cut to length ¼" aircraft cable.

### **UNBREAKABLE COMPETITION GLASS BACKBOARDS**



BA48XL



### Unbreakable "XL" Glass Backboards

Built-in support structure absorbs over 98% of the stress from goal contact without transferring it to the glass...Goal is mounted "off glass" so even excessive hanging and abuse will not cause stress • Never again be concerned about the risk of injury or inconvenience of glass breakage • We are so confident of our "XL" design durability that for over five years we have offered a \$250 installation reimbursement in addition to our unconditional replacement warranty without a single request for reimbursement • Every "XL" unbreakable backboard features a polished aluminum extrusion framework, glass cushioning gasket, high strength steel support structure, 1/2" tempered glass with fire impregnated bright white border and shooters square and unconditional lifetime warranty • All Bison glass backboards on this page are predrilled for quick installation of original DuraSkin backboard padding.

Rear Stabilizer Bar Eliminates Stress on Glass

#### BA42XL 42" Short Unbreakable "XL" Glass **Backboard**

The 42" x 72" short board version of our "XL" backboard line...This backboard has the industry standard 351/2" x 62" structure mounting design and 5" x 4" goal hole pattern to make upgrade retrofitting to any manufacturer's short board ceiling or wall mount structure foolproof

#### Unconditional lifetime warranty.

#### BA48XL 48" Tall Unbreakable "XL" Glass Backboard



Same as BA42XL except 48" x 72" size...With 42" x 62" structure mounting pattern and 5" x 5" goal mounting pattern • Compatible with all manufacturer's tall board structures · BA48XL is the only unbreakable 48" backboard in the industry and is the perfect solution to upgrading old traditional 48" glass boards that are now in use in thousands of gyms across the country

Unconditional lifetime warranty.

18

Bison is confident you will never need to replace these boards - so confident that we offer a (\$250 installation reimbursement for any broken BA42XL. BA42XLC, BA48XL or BA48XLC backboard replaced under Bison's lifetime warranty!

#### BA42XLC 42" Short Unbreakable "XL" Glass **Conversion Backboard**

Make the transition...Go from old fan-shaped steel or glass backboards to popular 42" x 72" rectangular glass backboards normally without modification or relocation of your existing wall or ceiling support structures • The 35" wide x 20" high rear structure mounting pattern is the standard in the industry for most fan-shaped gym backboards and structures • Unconditional lifetime warranty.

### BA48XLC 48" Tall Unbreakable "XL" Glass **Conversion Backboard**

This board is intended primarily for replacement of broken, existing 48" boards, mounted on fan style, wall or ceiling structures (35" x 20") common in older gyms... If you are replacing fan steel or glass backboards on both ends of a court, Bison recommends use of BA42XLC short backboards • Consult a Bison Product Specialist for selection of the right board for your application • Unconditional lifetime warranty.

See page 80 for Backboard Drawings

#### **CAUTION!**

Studies have demonstrated that 42" x 72" glass backboards reduce the risk of player injury from backboard contact. BA42XL and BA42XLC are recommended for all new installations and fan-to-rectangle conversions. Bison makes 48" x 72" backboards (BA48, BA48XL and BA48XLC) available ONLY for replacement app



800-247-7668



See page 80 for Backboard Drawings

### OTHER GYMNASIUM BACKBOARDS 🖗



# BA42E Standard 42" Short Backboard

Excellent value...Meets or exceeds all NCAA and National High School Federation rules • Predrilled for original DuraSkin backboard padding • 42" x 72" x ½" tempered glass with fire impregnated, bright white border and shooters square • Polished aluminum framework • 36" x 62" structure and 5" x 4" rim mounting pattern • 10-year limited warranty.

BA407G

BA495



#### BA48 Standard 48" Tall Backboard


Traditional size, improved quality...This 48" x 72" board is a common fixture in gyms across the US and meets all appropriate rules for competition play • Board features 42" x 62" structure mounting pattern and 5" x 5" goal mounting pattern and will replace virtually any manufacturer's original tall glass backboard • 10-year limited warranty.

#### BA407G Unbreakable Glass Side Court

A scaled down version of our popular unbreakable 42" x 72" competition glass backboard...Reduced to 42" x 54" to reduce weight and cost without sacrificing features • Goal is mounted "off glass" so even excessive hanging will not cause stress • Unconditional lifetime warranty.

#### BA495 Dura Steel<sup>™</sup> Fan-Shaped

Steel, and lots of it, highlight this 39" x 54" official size backboard...Great option to replace rear mount side court backboards for greater durability • 12 ga. skin • Heavy-duty mounting support structure • 5" x 5" hole pattern • Standard 20" x 35" fan-type backboard mounting holes • Superior front mount design • Heaviest backboard of its type • White powder coated finish • Official orange shooter's square and border • Ten-vear limited warrantv.



# BA407C Side Court Conversion Glass

The most affordable glass option available... This backboard is identical to our full-sized, official conversion backboard (BA42XLC) except its 42" x 54" size makes it the most affordable glass option for side courts, recreation centers or other applications where weight or size is a serious consideration  $\bullet$  Play is identical except board has 9" per side less glass to hit on errant shot  $\bullet$  ½" tempered glass  $\bullet$  Simply remove an existing fan board and bolt up this board for a low cost conversion from steel fan to rectangular glass  $\bullet$  Unconditional lifetime warranty.

BA44XL Extended Life Competition Fan-Shaped Glass

Unbeatable warranty because this is a better built fan-shaped glass backboard...Built-in support strut greatly improves durability • Official size 39" x 54" • Cushioned ½" tempered glass • Heavy-duty aluminum framework • Fire-impregnated white border and shooter's square • Industry standard 20" x 35" mounting brackets • Unconditional lifetime warranty.

### **LED ALERT SYSTEM**



#### BALED Correct Call<sup>®</sup> LED Backboard Alert Systems

Popular at the collegiate level...LED Alert Systems are coming soon to a high school near you • Bison's LED system is easy to install behind virtually any manufacturer's glass backboard (42" or 48" high) with no drilling and no visual hardware • Will interface with virtually any scoreboard system that is capable of sending a signal from the official scoreboard time clock or shot clock to this 12 volt LED system • Six separate preassembled LED light strips are mounted in aluminum tracks with high tack, self adhesive mounting tape system for quick and easy installation • System includes LED strips for one backboard, transformer and all necessary components except the wiring that is required to run from the scoreboard signal location to the transformer box • Call a Bison Customer Service Specialist for details • Five-year limited warranty.

Note: Correct Call Alert Systems are not returnable once backing is removed from the adhesive tape. Make sure your LED strips are compatible with your backboard before removing adhesive.



800-247-7668

Transformer



### 心 COLLEGE/HIGH SCHOOL BREAKAWAY GOALS

No two programs are alike and Bison offers the widest range of breakaway goal options on the market. All Bison breakaway goals are designed with durability, player safety and consistent ball rebound in mind. Most Bison breakaways meet NCAA rules regarding rebound elasticity testing. Regardless of which Bison breakaway is right for you, count on Bison to provide quality at a price that meets your needs and budget.



Now with Por

5/8" High

Tensile Steel

Ring

### Baseline<sup>®</sup> 180° **Breakaway Goal**

From the left baseline, right baseline, down the lane or any angle in between. Baseline

will provide consistent breakaway pressure even during the most aggressive slam dunk action...This is the most technologically advanced breakaway goal available today with the ring assembly floating on 13 hardened chromium steel ball bearings for smooth flexibility from any direction • Pressure release mechanism is field adjustable to insure the preferred feel and adherence to NCAA ring testing rule for the life of the goal • Meets National High School Federation and NCAA standards Includes anti-whip net and mounting hardware.

### BA3180S Baseline<sup>™</sup> Collegiate 180°

For 42" x 72" backboards...The preferred goal to use on all short 42" glass backboards at any level of play · Four-year repair or replacement warranty.

### BA3180T Baseline<sup>™</sup> Universal Prep 180°

Universal board mounting design...Same mechanism as Collegiate above but fits both 48" x 72" and 42" x 72" glass boards • Use at all levels of play • Two-year repair or replacement warranty.

þ	
3	۶.
BA3180T	$e^{i} = 2^{i}$
÷	$\Phi^{\pm}$

Low

Maintenance Breakaway

Mechanism

Safety Padded

Coverplate

leets NCAA Rule egarding rebound elasticity

٥.

÷1

э

÷.

BA3180S

### BA35F Elite Plus **Breakaway**

Bison Elite is now even better...Always one of our most popular breakaway goals for high school and college play, we now include our super safe and durable hideaway net attachment system previously found only on our Baseline 180° Breakaway • Other features include safety padded cover plate, AcuFlex™ adjustable tension release mechanism, 4-point lubrication system and extra heavy, fully welded 1/4" rim support and antiwhip net . Elite Plus mounts to any 42" or 48" high glass backboard with hardware included and meets all National High School Federation and NCAA standards. Five-year limited warranty.



www.bisoninc.com

20





Hideaway Net

Attachment

System

Fully Welded

1/4" Rim Support

Anti-Whip Net



The ONLY true 180° **Breakaway Goal with** a Positive Lock

OFFICIAL PARTNER

**Release Mechanism!** 

### HIGH SCHOOL/RECREATIONAL BREAKAWAY GOALS 🚳



### BA35 ProTech<sup>®</sup> Breakaway

**Bison's original breakaway goal is still the best value...**Heat treated ball and socket, positive lock mechanism provides excellent rebound consistency over the life of the goal • ¼" rim support • Simple, maintenance-free design • Steel coverplate • Backplate fits all hole patterns on 42" and 48" rectangular and fan-shaped glass backboards • Continuous netlocks • Meets National High School Federation and NCAA standards • Includes mounting hardware and competition net • Unconditional three-year replacement warranty.

#### BA35S ProTech<sup>®</sup> Breakaway for 42" Short Backboards

For 42" glass backboards only...Same features as BA35 above except rim mounting hole pattern is 5" x 4" only • Results in bottom of backplate being approximately 1" higher on backboard • Unconditional three-year replacement warranty.



Economical yet durable...Meets or exceeds NCAA and National High School Federation standards • Same breakaway mechanism as Bison's BA35 ProTech goal • Steel coverplate • Backplate mounting pattern fits 42" and 48" high glass backboards • Includes competition net and mounting hardware • One-year limited warranty.

### BA32XL Hang Tough<sup>®</sup> Breakaway

Our most affordable competition breakaway goal...Same heavyduty construction as ProTech but with simplified breakaway mechanism that provides consistent and long life for programs at all levels • Universal backplate • Meets National High School Federation standards • Includes competition net and mounting hardware • 90-day limited warranty.



### BA32 **Heavy-Duty** Side Court and Recreational Flex Goal

An affordable flex goal that can take heavy use and abuse...Simple, lowmaintenance design can be used indoors or outdoors  $\bullet$  5/8" steel rim with 3/16" x 1½" support  $\bullet$ 15° deflection, auto return  $\bullet$  Universal backplate mounts to all standard boards  $\bullet$  Durable powder coated finish  $\bullet$  Not recommended for interscholastic high school or collegiate play  $\bullet$  Continuous netlocks  $\bullet$  Includes mounting hardware and nylon net  $\bullet$  One-year limited warranty.







### Mount Flex Goal Rear mount backboard protection with same proven mechanism as Bison's

BA32RXT FlexCourt Rear

Rear mount backboard protection with same proven mechanism as Bison's popular BA32 flex goal...Fits all brands of rear mount steel backboards • Fully enclosed mechanism • Continuous netlocks • High tensile strength 5/s" rim • Includes mounting hardware and nylon net • One-year limited warranty.

### OTHER BASKETBALL GOALS/NETS



#### BA51H Anti-Whip Net

**Competition grade, affordable price...**Heavy braided nylon to reduce net whip common with lighter weight nets • Bright white • Use for competition or as upgrade to normal residential or playground string nets. **Note: Pink nets for noncompetition indoor use only.** 



BA35ARC

22

#### BA35ARC Replacement Hideaway Net Attachment Cables

Vinyl coated wire replacement cables are compatible with Bison BA3180S, BA3180T, BA35E and BA35A Breakaway Goals • Sold in pairs.

### BA27A Front Mount Super Goal

Excellent upgrade from standard front mount goals at a lower cost than double rim or breakaway goals...Full <sup>5</sup>/<sub>8</sub>" computer designed reinforcing bar gives "super support" when a player suspends from the goal • Additional <sup>5</sup>/<sub>8</sub>" brace strengthens the vulnerable joint between rim and backplate • Continuous netlocks • ¼" thick universal backplate • Packaged two goals per carton • Includes mounting hardware and nylon net • Two-year limited warranty.

#### BA27 (not shown) Standard Front Mount Competition Goal

Standard 5/8" steel rim...3/16" thick universal backplate for mounting to virtually all boards • ½" reinforcing bar, computer engineered for maximum support • Continuous netlocks • High-penetration continuous welded joints • Durable powder coated finish • Packaged two goals per carton • Includes mounting hardware and nylon net • One-year limited warranty.

#### BA21A Rear Mount Super Goal

Stronger than other manufacturers' standard rear mount goals...<sup>1</sup>/4" continuous welded support ring for over half of the rim circumference • Continuous netlocks • Heavy-duty <sup>3</sup>/16" thick universal backplate mounts to all rear mount boards • Additional bracing at the backplate joint gives greater strength when player suspends from goal • Durable, baked powder coated finish • Packaged two goals per carton • Includes mounting hardware and nylon net • Two-year limited warranty.

### **Removable** Goal Adapters



#### TR75 **Removable Goal Package**

Excellent option to add shooting stations to areas where a permanent goal would interfere with other activities...Official size goal slides easily into mounting track for quick on and off Bracket can be mounted directly to wall or any flat surface • Not suitable for slam dunk action • Select wall mounting anchors (not included) based on wall construction • Only adults should install or remove rims from bracket • One-year limited warranty.



**Our most affordable goal...** Affordable, yet features official size and powder coated finish • Multiple hole pattern fits many common, low cost backboards • Complete with nylon net and hardware • Use with TR74 and TR76 • *Note: Will not fit 5" x 5"* and 5" x 4½" mounting patterns • 90-day limited warranty.

**BA26** 

Goal

**Economy** 

### TR74 Removable Goal Bracket

Includes wall bracket only... Same bracket as TR75 • Use with BA26 goal only • Not suitable for slam dunk action • Customer provides wall mount anchors • Only adults should install or remove rims from bracket • One-year limited warranty.

#### TR76 Double Height Removable Goal Bracket Allows 12" goal

height adjustment... Wall bracket only

 Mount goal higher for upper grades and lower for younger kids
 Use with BA26 goal only
 Not suitable for slam dunk action
 Customer provides wall mount anchors
 Only adults should install or remove rims from bracket
 One-year

limited warranty.

### TR70RP Rim Removal Pole and Bushing

Remove the rim from TR75, TR76, TR95 or TR96 without leaving the ground...Just screw pole into threaded bushing in rim and lift for safe and easy rim removal to avoid unwanted use, vandalism or theft • For use by adults only.

Bison



800-247-7668



G-in-l Easy-Up

6-in-1 Adjustable 61/2' to 9' Goal for Any Age

### Easy-Up" Youth Mini Goals

Over 40,000 Easy-Up<sup>™</sup> Mini Goals are in service in youth camps, YMCAs, YWCAs, elementary schools, church recreation centers, basketball camps and city recreation facilities.

For over 30 years, Easy-Up has put the rim within reach and helped to teach aspiring young basketball players proper shooting techniques... Equipment with official 10' goal height can be converted in less than five minutes with no use of tools • Only Easy-Up will fit on virtually any style of single-ring goal, breakaway or non-breakaway, regardless of manufacturer, age or condition • An Easy-Up goal lowers rim and moves rim 24" closer to free throw line • The full size rim allows play with either full sized or reduced size balls depending upon player age • Standing as low as 2' above the floor, one person can easily attach the tubular frame to a 10' goal with a unique cam operated lever • Total system weight is less than 40# • 48" x 32" backboard is molded of high impact ABS plastic • Ships completely assembled • Not suitable for dunking or hanging from goal • One-year limited warranty on structure and goal, **lifetime limited warranty on backboard**.

### TR86 6-in-1 Adjustable Easy-Up™

Age appropriate goal height for kids of all ages now available in a single adjustable unit...This one model can be set at  $6\frac{1}{2}$ , 7',  $7\frac{1}{2}$ ,  $8^{\prime}$ ,  $8\frac{1}{2}$ ' or  $9^{\prime}$  goal height for kids as young as four years old • Two minute height adjustment without tools.



6-in-1 Adjustment is

Quick and Easy

TR86

See YouTube.com/bisoninc for Product Videos You Tube



Less Than 40# Lifting Weight



For Transport or Storage Folds with three thumb screws to 48" x 32" x 7" and has builtin carrying handle.



71/2' Goal Height for Ages 3-5



61/2 +0 91

8' Goal Height for Ages 5-7



81

71/1

81/2' Goal Height for Ages 8-10

**WARNING!** Easy-Up Youth Mini Goals are not for residential or outdoor institutional use. Adult installation is required. Use in supervised play only. ABSOLUTELY NO HANGING OR DUNKING.







### 🐞 BASKETBALL BALL CARTS

### Heavy-Duty Ball Carts These May Be the Last Ball Carts You'll Ever Buy

Possibly the last ball cart you'll ever need to buy...Designed and tested to support up to 250#, these carts might last forever • Constructed of welded 1" square heavy wall tubing with ¾" steel chrome plated, horizontal ball supports • Choose from standard or lockable model with ball capacities to match your program's needs • Carts are available in six popular colors and can be customized with optional ABC92 lettering • Fits men's or women's basketballs • Floor-friendly casters • Some assembly required • Five-year limited warranty.



OFFICIAL

PARTNER

5-YEAR

Limited Warranty

BA185-SC with Optional ABC92 Lettering

> BA125-RY with Optional ABC92 Lettering

#### **Ball Carts**

Choose a cart for 12 or 18 balls...Choice of six colors shown below • Optional ABC92 lettering can be applied on both ends • The best ball carts you'll ever own • Five-year limited warranty.

BA125 **Ball Cart** Holds 12 balls. BA185 **Ball Cart** Holds 18 balls.

5-YEAR

Limited Warranty



#### Lockable Ball Carts Locking End Carts now have capacity for 16 or 24 balls...Lock to protect your basketball investment • Customer provides padlock • 23" width for easy storage • Six color options shown below • Optional ABC92 lettering can be applied

on one end (two lines) • Five-year limited warranty.

BA165 **Ball Cart** 16 ball capacity.

BA165-SV with Optional

ABC92 Lettering

BA245 **Ball Cart** 24 ball capacity.

#### BA175 **25 Ball Security** Locker

Secure your investment in inflatables...Sturdy black coated wire and tubular locker • Hinged, lockable top (lock not included) • Overall dimensions 26" (w) x 46" (I) x 43" (h) • Easy to roll with convenient handle and heavy-duty swivel casters • Holds approximately 25 basketballs, volleyballs, footballs, soccer or miscellaneous game balls and equipment • One-year limited warranty.



G BA175



#### BA187 SharpShooter™ Ball Cart Built for rapid fire

shooting practice... Durable ball cart holds a total of 19 women's or men's basketballs including 7 on the top row that gravity feed to one end for maximum shots per minute • Choice of six colors shown below

• Five-year limited warranty.

#### ABC92 Custom Lettering

**Custom lettering for your school name or nickname...**up to 10 letters per side or line • See page 79 for available lettering colors • Customer applies lettering at assembly.

Powder coat color options for BA125, BA165, BA185, BA187 and BA245 Ball Carts.







# OFFICIAL PARTNER

### SPORT PRIDE" GYM AND FIELD SPORTS PRODUCTS

Maximize school, team or program spirit by including Bison Sport Pride™ equipment in your plans when you redecorate, renovate or build your facility. Bison's design team will work with you using your existing logos or artwork, work from your rough concept or show you a variety of awesome stock standard team logos.

Choose from a wide variety of Bison sport and event related equipment, all designed taking advantage of our full color printing resulting in color photo quality images.







Assemble

Design

Print





Goalpost Padding






Graphic Gymnasium Wall Padding



Scorers Tables in Bleachers







Graphic Wall Padding



COAST BASEBA



Volleyball Padding Graphic Wall Padding

3 1 R A s A

Graphic Outdoor Padding

Scorers Table



### SPORT PRIDE" ILLUMINATED SCORERS TABLES

### ST85FI **Sport Pride**<sup>™</sup> Illuminated Scorers Tables

Let the light shine through with Bison Sport Pride Illuminated Scoring Tables...Tables have profile identical to Bison's full color graphic models so tables can be configured in any length and in any combination of styles to meet your facility's needs and budget • Support legs and 16" deep table top fold for easy transport and storage on built-in, non-marking casters • Front graphics are printed on a durable, translucent substrate and protected by unbreakable clear polycarbonate for a lifetime of sharp, bright images • Can be used either on the floor with chairs or mounted on a customer fabricated platform a few rows up in most bleachers • Ends are fully padded and can be lettered with school name • Top edge has matching safety padding . Each table includes a 120 volt power strip with surge protector • See Convertible drawing on the following page for profile information • Requires 20 amp, 120 volt service • Illumination is provided by three fluorescent lamps (included) · Five-year limited warranty on tables except lamps.



Possession Arrow Included Yes

### SPORT PRIDE" FULL COLOR GRAPHIC SCORERS TABLES



**Sport Pride**<sup>T</sup> Full Color Graphic Scorers Tables

The perfect blend of safety, function and school pride...Realistic color graphics, same as found on our popular Sport Pride wall padding, cover the entire front and sides of these scorers tables • Available in 12' or 8' models • Any number of 12' and 8' tables can be placed side-by-side with graphics coordinated to create any length of continuous scorers table capacity • Tables fold easily for transport and storage • Choose from Convertible or Space Saver models • See selection chart and profile information on following page • Includes full color printed graphics on front panel and mascot or school name on each side pad • Super narrow storage width • Full color printing process allows infinite color selection • Folding 16" deep table with drink holders • Padded front and sides have 14 oz. anti-mildew, UV protected and fireretardant vinyl over 2" thick urethane foam • Built-in, floor-friendly transport casters • 110 volt receptacles for computer, shot clock, etc. • One-year limited warranty.

"The Bison scorers table we purchased was more than we bargained for! The graphics were outstanding, the quality was excellent and the price was reasonable. I was impressed with the turnaround time and how well it was constructed. It has had a positive impact on our school spirit. Anyone who walks into the gym notices the table right away. When people ask who we got it from, I direct them to Bison with positive recommendations."

Rob Murphy St. Ignatius High School Thunder Bay, Ontario

and Storage



ST85F 8' Convertible Table on Floor







### SPORT PRIDE" SCORERS TABLES



PARTNER

### Convertible Scorers Table

#### (Freestanding on Floor)

The most common use of our convertible 8' or 12' scoring tables is setup on the floor with chairs providing the seating • Purchase Bison **STC500S** chairs to provide seating coordinated with your scoring table.

### **Convertible** Scorers Table

#### (Installed in Bleachers)

When space between the court and the bleachers is limited, Bison convertible scoring tables can be used at any height in the bleachers using a wooden field constructed platform • This allows scoring and statistical personnel to sit on existing bleacher seats • Bison will provide a universal design platform drawing on request.


### Space Saver Scorers Table

#### (Up Against Bleachers)

This extra tall table allows the table to be positioned on the gym floor, up against the first row of bleacher seats • The height is designed to allow personnel to sit comfortably on the second row of bleacher seats


Space Saver is the best choice if the gym does not want to put scoring tables in the bleachers but has limited floor space outside the sidelines
Normally requires at least 48" of space between front of bleachers and court sidelines.

Sport Pride <sup>®</sup> Graphic Scorers Tables						
	ST125F	ST85F	ST85B			
Style (Seats)	12' Convertible (6)	8' Convertible (4)	8' Space Saver (4)			
Approx. Graphic Size	34" x 144" (36 sq. ft.)	34" x 96" (24 sq. ft.)	46" x 96" (32 sq. ft.)			
Approx. Overall Dimensions	34" (w) x 34" (h) x 144" (l)	34" (w) x 34" (h) x 96" (l)	34" (w) x 46" (h) x 96" (l)			
Graphics	Full Color	Full Color	Full Color			
Table Depth and Height	16" (d) x 31" (h)	16" (d) x 31" (h)	16" (d) x 41" (h)			
Stored Dimensions	20" (w) x 34" (h) x 144" (l)	20" (w) x 34" (h) x 96" (l)	20" (w) x 46" (h) x 96" (l)			
Possession Arrow Included	Yes	Yes	Yes			












Convertible Tables in Bleachers






Space Saver Tables

Special liftgate delivery charge or entreme monal lifting required it dock houses and entreme



"Mt. Olive is a small school and it was nice to have someone pay attention to every detail to make our scorers table the very best. Our Sports Boosters donated the money to purchase a Bison Sport Pride scorers table and they wanted our table to mirror the Wildcat painting in our gym. The customer service I received was second to none and the artwork is amazing!"









#### SC500 Slimline Possession Arrow

**Space saving thin design...**Leaves more room for scorekeeper duties • Bright red illuminated electronic arrows • 120 volt, 6" power cord 6" (h) x 20" (w) x 2" (d) enclosure • One-year limited warranty.





## ST84F 8' School Spirit Activity Table

Step up to the big leagues...But at a little league price • Great for use as a basketball or volleyball scorers table



Easy Transport and Storage



Velcro Front and Side Panel Attachment price • Great for use as a basketball or volleyball scorers table but equally at home at speech and debate, wrestling matches, bake sales or anywhere school spirit is alive and well • Front and side panels are fully padded for player protection
Printing of full color graphics on the front panel and mascot or school name on side panels is included in price of ST84F
Easy to store, all panels attach with Velcro • Padded front panel is approximately 30" x 96" • 2" thick front and 1" thick side padding • Seats four comfortably • 5 minute set up and tear down • Stores in area 8' x 3' x 1' • Full 30" x 96" table top • One-year limited warranty.

### SPORT PRIDE<sup>™</sup> TEAM SEATING

#### Team Chairs Upgraded for Superior Comfort and Durability









### STC500S **Sport Pride**<sup>®</sup> Team Chairs

**Upgraded for superior durability...**Now with .75" x 1.63" rectangular legs and support structures but with the same comfortable 3" thick padded, 18" wide seat • Compare with other manufacturers' seats

with lighter weight steel legs, thinner padding or inferior construction • Available in a wide variety of frame and vinyl cover colors and a nearly infinite array of 1 or 2-color silk screened logo and lettering options • Minimum order 4 chairs • Work with Bison custom art specialist to select frame and vinyl color and to design great custom lettering and logo designs • Choose from Black, Maroon, Scarlet, Orange, Kelly, Forest, Royal, Navy, Purple and White frames • Choose from Black, White, Scarlet, Maroon, Orange, Purple, Royal, Navy or Forest vinyl seat covers • See **STC036** for transport cart • Order one **STC500CONN** per chair to connect chairs in a row • Now with three-year limited warranty.





#### STC036 Sport Pride<sup>™</sup> Chair Transport Cart

**Stores up to 36 Team Chairs...** Transports, too • Floor friendly casters • Solid steel frame • Loaded dimensions 31" (w) x 60" (l) x 75" (h) • One-year limited warranty.

#### STC300S Sport Pride<sup>™</sup> Team Stools Instant seating wherever you want it...Locker rooms, game timeouts or any time • Tubular steel frame • 20<sup>™</sup> comfortable seat height • Must be ordered in multiples of five • Bison's Art Department will assist in design • Choose from Black, Maroon, Scarlet, Orange, Kelly, Forest, Royal, Navy, Purple and White frames • Choose from Black, White, Scarlet,

Maroon, Orange, Purple, Royal, Navy or Forest vinyl seat covers

• One-year limited warranty.



### STC100 Sport Pride" Chair Back Covers

Customize standard folding chairs...Show your program's spirit • Full color graphic printing for logos and lettering • Durable sewn vinyl construction • Fits Bison Team and most standard folding chairs • Bison's Art Department will assist in design • Minimum order of four chair covers.







### **INDOOR PADDING SYSTEMS**



PARTNER

If you need safety padding...we've got you covered. Bison has the perfect team to design and construct padding to protect players from virtually any surface from simple flat walls to columns, doorways and overhead obstructions. With a wide variety of foams, fabrics, backing substrates and mounting methods, we will help you provide the padding system that best satisfies your program's needs. Let our graphic design staff work with you to make your padding system not only offer superior safety but also exhibit your program pride with full color, durable graphic designs.



Full Color Graphic Wall Padding Solid Color Wall Padding





**Custom Factory Cutouts** 



Molded Outlet Openings



Flange Mounting System



**Hidden Z Track Mounting System** 




Wood Backed Velcro<sup>®</sup> Track **Mounting System** 



Soft Back Velcro® Track Mounting System



**Custom Entry Padding** 



### Specialty Wood Backed Padding Applications

Protect players from injury...columns, beams, entry ways, corners, stages and other protruding surfaces need special padding systems Bison can provide custom designed padding for virtually any application Work with our padding design staff to pad your most challenging

surface • Available to meet either Protector™ 2" polyurethane or Firewall<sup>™</sup> 2" neoprene specifications (see page 31).



#### WP466-BK Removable **Bleacher/Stage Padding**

Need low cost protective padding for bleachers, stages or other vulnerable corners?...L-shaped padding has 7" wide legs with heavy black vinyl cover sewn over dense 1" thick foam . May be attached with the Velcro provided • Sold in sets of four 4' long sections so each WP466-BK will protect 16' of corner protrusions.









Corner Padding



Velcro® or Laced Pole Wraps

Beam Padding

### Custom Soft Backed Pole Wraps

Wrap around design can use lace or Velcro closure...available in 1" or 2" thick Protector<sup>™</sup> polyurethane foam or Firewall<sup>™</sup> neoprene foam • Can be sized to fit virtually any size posts • Bison padding design department will help you determine the right design and specification for your facility.

### **Custom Sewn Soft** Backed Padding

Virtually any size, virtually any flat design...Soft backed sewn padding can be designed in a wide variety of foam thickness and specifications • 18 color options (see page 31) and multiple hanging and mounting methods • Contact our padding design specialists to design soft backed sewn padding to fit your needs



### **INDOOR PADDING SYSTEMS**







There is no limit to the design options available to enhance your gym's sex

appeal...options are limited only by you and our art department's imaginations • Our digital printing process can provide photo quality, full color graphics and bright letters and logos in a near infinite range of colors · Recognize a significant program donor, honor past championship teams, communicate an important program theme or just make your wall padding pop • Durable images that will look good for years • Sport Pride graphic padding can be provided in any size or configuration built to our standard Protector<sup>™</sup> specifications, our Firewall<sup>™</sup> specifications (see page 31) or any of our wall padding upgrade options below.













### Solid Color Padding

Provide player protection around the entire gym or just under the basket...Bison solid color wall padding is available in a wide range of styles and colors to match any local code, architectural specification or gym color scheme · Choose from 18 standard colors shown on page 31

· See selection chart on the next page and upgrade options below.

### PADDING UPGRADE OPTIONS



#### WPUP3U

Upgrade any 2" polyurethane foam wall padding to 3" polyurethane foam for added player protection or to meet local codes or project specifications.

#### WPUP3N

Upgrade any 2" neoprene foam wall padding to 3" neoprene foam for added player protection or to meet local codes or project specifications.



#### WPUP2HD Upgrade any 2"

polyurethane foam wall padding to 2"

high density foam for added player protection or to meet local codes or project specifications.



WPUPFRC Upgrade any wood backed wall padding to add a fire retardant coating to the 7/16" OSB backing to meet



**WPUPVONAR** Upgrade to add Vonar® fire retardant fabric to any wood backed wall padding to meet local codes or project specifications.



specifications.





30 www.bisoninc.com

### **INDOOR PADDING SYSTEMS**

#### Wall Padding Solid Color Vinyl Options **GL-Athletic Gold CL-Columbia Blue** FG-Forest Green 80-Burnt Orange KL-Kelly Green /G-Vegas Gold **DR-Dark Royal OR-Orange CD-Cardinal** SC-Scarlet **PR-Purple MR-Maroon BR-Brown RY-Royal** NY-Navy **PK-Pink GR-Gray BK-Blac**

NOTE: ALL COLORS ARE NOT AVAILABLE ON FIREWALL PADDING

### **Protector** Wall Padding Specifications (Standard Specs)

All full color graphic and solid color Protector wall padding including custom corner, column, door and stage padding is constructed of polyurethane foam with an Indentation Load Deflection (ILD) of 43-53 lbs. per 50 cubic inches and 1.50 pounds per cubic foot density per ASTM Tests B1 and A • Foam conforms to California Fire Code TIB 117:2013 Section 3 and FMVSS 302 • Foam also conforms to ISO 20743:2007 Antibacterial and AATCC 30 Antifungal Standards • 14 ounce vinyl covering has a ASTM D2261 tear strength of 92 x 83 pounds per inch and has been treated for mildew and UV protection • Vinyl conforms to NFPA-701 CSFM and Class A ASTM E-84 • Wood backed padding is mounted on 7/16" OSB composite board with the foam attached to the OSB with water based adhesive.

### **Firewall**<sup>•</sup> Wall Padding Specifications (Standard Specs)

Full color graphic and solid color firewall padding including custom corner, column, door and stage padding is constructed of neoprene foam with Indentation Load Deflection (ILD) of 90-110 per ASTM D3574 Test B1 and a density of 1.90 - 2.10 pound per cubic foot per ASTM D3574 Test A • Firewall neoprene foam passes California Fire Code TIB 117:2013 • 16 oz leather grain vinyl has a tounge tear strength of 75 x 75 lbs/inch and has been treated with anti-mildew and UV protection; Conforms to NFPA-701 CSFM and has an ASTM E-84 Class A fire rating • Wood backed padding is mounted on 7/16'' OSB composite board with the foam attached to the OSB with water based adhesive • Assembled padding has been tested and is certified to meet NFPA 286 • Firewall is available in **limited solid color vinyl colors.** Call for details.











#### Wall Padding Options

John					
Model Number	Style	Foam	Backing	Vinyl Cover	Mounting System
WP2USFW	Protector™	2" Polyurethane	7/16" OSB	14 oz. Solid Color	Flange
WP2USZW	Protector™	2" Polyurethane	7/16" OSB	14 oz. Solid Color	Z-Track
WP2USVW	Protector™	2" Polyurethane	7/16" OSB	14 oz. Solid Color	Velcro
WP2USVS	Protector™	2" Polyurethane	Soft Back	14 oz. Solid Color	Velcro
WP2UGFW	Protector™	2" Polyurethane	7/16" OSB	14 oz. Graphic	Flange
WP2UGZW	Protector™	2" Polyurethane	7/16" OSB	14 oz. Graphic	Z-Track
WP2UGVW	Protector™	2" Polyurethane	7/16" OSB	14 oz. Graphic	Velcro
WP2UGVS	Protector™	2" Polyurethane	Soft Back	14 oz. Graphic	Velcro
WP2NSFW	Firewall	2" Neoprene	7/16" OSB	16 oz. Solid Color	Flange
WP2NSZW	Firewall	2" Neoprene	7/16" OSB	16 oz. Solid Color	Z-Track
WP2NSVW	Firewall	2" Neoprene	7/16" OSB	16 oz. Solid Color	Velcro
WP2NSVS	Firewall	2" Neoprene	Soft Back	16 oz. Solid Color	Velcro
WP2NGFW	Firewall	2" Neoprene	7/16" OSB	16 oz. Graphic	Flange
WP2NGZW	Firewall	2" Neoprene	7/16" OSB	16 oz. Graphic	Z-Track
WP2NGVW	Firewall	2" Neoprene	7/16" OSB	16 oz. Graphic	Velcro
WP2NGVS	Firewall	2" Neoprene	Soft Back	16 oz. Graphic	Velcro



### All Weather Outdoor Padding

Neither snow nor rain nor dark of night...Oh wait, that's the US Postal Service motto, but it also applies to our All Weather Outdoor Padding and you can add heat, humidity, hail, sleet, wind, sunlight, frost and virtually any other common weather term to describe our padding's durability • Typical All Weather Padding features ¾" BC SYP exterior grade plywood, 100% rust-proof stainless steel, brass or aluminum hardware and fittings, 3" thick mildew-resistant polyurethane foam and heavy outdoor durable vinyl coverings • Choose from sunfast solid color or full color graphic options • Each assembled panel, regardless of size, is vented at the bottom to allow moisture to escape, increasing both functional and aesthetic longevity • Outdoor padding is available in many sizes, styles, custom configuration and ir



escape, increasing both functional and aesthetic longevity • Outdoor padding is available in many sizes, styles, custom configuration and in colors shown on page 79. All Weather padding comes standard with flange style mounting but consult our Bison Padding Specialists to determine if "Z" Track Mounting, Chain Link (included) or Velcro Mounting better fits your specific needs for part or all of your installation.










#### **Outdoor Padding Specifications**

Unless otherwise indicated, all outdoor Full-Color Graphic, Two-Color Lettered, and Solid Color vinyl outdoor padding is constructed of ¾" FDN CCA treated southern yellow pine plywood with adhesive applied 3" anti-microbial polyurethane foam. All outdoor padding is covered with fabric backed, flame retardant, mildew and UV resistant 16 oz. leather grained vinyl. All vinyl is tightly stretched around the foam and stapled to the plywood with rust-proof stainless steel staples no less than 2" apart. Mounting styles will vary depending upon specific requirements. Specifications may vary on custom sizes, shapes, and configurations to meet site-specific requirements.

#### WPRAIL Fence Rail and Dugout Padding

**Easy to order, easy to install...**8" wide x 1" thick polyurethane foam is covered in 14 oz. vinyl in your choice of 16 popular colors • Standard length is 6' but can be made in shorter lengths as desired • Designed to wrap around typical chain link style fence with top rail up to 2½" diameter



and attached with **WPRAILCT** cable ties (order separately) • Will flex around corners if needed • Brass attachment grommets are spaced 6" apart for secure attachment • Padding is 100% sewn construction with high tensile outdoor thread • Priced by the lineal foot.


Chain Link Fence Mounting

800-247-7668



32

### HOW TO SELECT YOUR NEXT VOLLEYBALL SYSTEM 💭




**Net Height Adjustment Ease** Fine tuning of the net height to meet volleyball rules can be time consuming and irritating especially for inexperienced net system setup staff. Some manufacturers including Bison offer net systems that allow small net height adjustments with an integrated hand operated adjustment lead screw with only minor or no reduction in net tension. See Bison VB1100 and VB7000 for Bison options.

Winch Durability The winch is the "heart" of a volleyball system and is critical to providing proper net tensioning, smooth operation, and long-term durability. Bison has always offered a lifetime warranty on the winches we include with all 3" diameter carbon fiber, aluminum, and steel posts and we recently made additional design and assembly improvements to this winch to further reduce the risk of failure in the field. We have also expanded our in-house testing to insure that every winch that leaves our facility will match the quality that our customers deserve. Is there any reason to buy a volleyball system that doesn't have a lifetime post and winch warranty?

**Floor Attachment** Most programs want the convenience of posts that drop into floor sockets permanently mounted in the floor. Some gymnasiums, such as upper level gyms, facilities with portable floors or ice refrigerant lines in the sub floor, however, are difficult if not impossible to fit with floor sockets. In these cases, portables that only require floor anchors might be preferable. Truly portable systems (no floor anchoring) are available and generally have a higher price tag and/or require significantly more storage area.

**Post Weight** Starting in the 1990's, lightweight aluminum posts gained popularity due to their relative ease of set up and storage. Some buyers have, however, become disenchanted with their aluminum systems due to lack of durability and rigidity. The value of lightweight posts will depend upon how often you set up and tear down your equipment and, in the case of many manufacturers, your tolerance for excess post deflection when the net is tensioned. Some aluminum systems outperform those from other manufacturers. The newest technology available uses carbon fiber to achieve **lighter than aluminum, as stiff as steel results**.

**Deflection** For ideal playability, the top rope of a competition net is usually tensioned between 150# and 250#, depending on the system. This tension causes some inward deflection of even the most rigid steel posts. Excessive deflection makes net tensioning and net height adjustment difficult and results in unsightly bent posts. Choose a system that you feel balances weight, features and deflection. Steel and carbon fiber posts are most rigid. Aluminum posts are less rigid and deflection varies greatly from manufacturer to manufacturer.



**Program Level** Your needs will vary depending upon the intended level of play. Systems with telescoping net height adjustment, where the top of the net is always level with the top of the posts, are most popular with collegiate and elite high school programs. Other systems that offer features like tennis to volleyball height adjustment are common for programs that want to use the same systems for competition power volleyball one day and recreation and physical education classes the next. Generally these systems offer not only versatility but also tight budget affordability.







-----

**Post Size** If you are installing a new system including floor sockets, the size of the selected posts will automatically match your new sockets. Retrofitting new systems into existing sockets, however, requires purchasing posts to match your sockets. There are three competition sizes in the industry: 3", 3½" and 4" (100mm). Most manufacturers offer adapters which allow you to put smaller posts into bigger sockets. Some are free (including Bison's), others are at an additional cost. Installation of large posts in small sockets is possible but not ideal. Check with the manufacturer before you buy. Totally replacing existing sockets is an undesirable and expensive option in most cases. See page 47 for options.

**Transport and Storage** In a perfect world, you would snap your fingers and your volleyball system would magically appear. While it's not a perfect world, your equipment selection will, in large part, determine your future set up time and efforts. For many programs, Bison's Centerline Magic self-storing system is the answer. If you are selecting from the wide range of other transportable pole systems, consider issues such as pole weight, available storage and transport dollies to make the best decision for your program.

**Budget** There is a wide range of systems that meet all applicable NCAA, National High School Federation and USVBA rules. Like any equipment, the amount you wish to spend depends upon your budget and the features your program needs. Generally, you pay more for the convenience of lightweight aluminum. New high tech carbon fiber systems are priced above aluminum but have many additional features including superior resistance to deflection.

**Post Padding** Most programs want padding to match their school or facility colors. Some manufacturers offer limited colors or charge extra for expanded color options. Adding lettering to the padding is now very popular as it helps increase school spirit and improves the look of your courts. By and large, stick-on vinyl letters are not a good long-term lettering option as they will curl over time. Most complete Bison systems ordered offer printed lettering or, in some cases, full color graphic padding at no extra charge. Bison also offers optional full color graphic padding as an upgrade option.

Warranty You'll want to know that the manufacturer will stand behind the product in the event of needed repairs or part replacement. Look for written warranties and buy from manufacturers who have a strong reputation for dependable customer service. Purchasing through a local dealer is not only friendly to the local economy but improves your service when you need help.

see Volleyball Court Diagram on Page 80.

### INDOOR VOLLEYBALL SYSTEMS AT A GLANCE

All facilities and programs are not created equal so it's not surprising that the selection of volleyball systems is not a one-style-fits-all proposition. Bison offers the widest range of designs available in the industry, one with features that will be the perfect fit for your program.



#### VB7222 CarbonLite<sup>®</sup> Composite

At 17#, the lightest weight competition volleyball post on the market making it perfect for facilities where set up is frequent. The 3" outer post and telescoping inner post are constructed of computer wound carbon fiber resulting in a superior weight to post rigidity ratio.



The only ca an internal easy and ac fits in 3" flo

VB7000 CarbonMax<sup>•</sup> The only carbon fiber volleyball system with an internal net height adjustment feature for easy and accurate net fine tuning. 32# post fits in 3" floor sockets.





Se

#### VB1000 Centerline<sup>®</sup> Elite Aluminum

Division I college and elite high school programs that desire the perfect balance between weight, cost and post deflection have made this a top seller. The most rigid aluminum system on the market, this 34# telescoping post fits any 3" floor sockets.



#### VB2000 Centerline<sup>®</sup> Elite Steel Hybrid Some programs set up and

Some programs set up and tear down courts infrequently and prefer the maximum rigidity of a heavy steel system. At 61#, this 3" telescoping post design allows the least pole deflection possible at a cost below comparable carbon fiber or aluminum systems.





#### VB3000 Lady CarbonMax<sup>™</sup> Composite This one-piece 100%

Chicon I

rhis one-piece 100 % carbon fiber post is the popular choice for facilities that want a system exclusively for use at women's net height. With no net height adjustment to worry about, set up is quick and foolproof. 19# post installs in any 3" floor sockets.

	CarbonLite VB7222	CarbonMax VB7000	Lady CarbonMax VB3000	Centerline Aluminum VB1000	Centerline Aluminum EZ VB1100	Centerline Steel Hybrid VB2000	Match Point Aluminum VB6000
Post Material	Carbon Fiber	Carbon Fiber	Carbon Fiber	Aluminum	Aluminum	Steel/Aluminum	Aluminum
Post Diameter	3"	3½" above floor	3½" above floor	3"	3"	3"	3½"
Socket Diameter	3"	3"	3"	3"	3"	3"	3½"
Post Weight w/o Winch	16#	32#	19#	34#	39#	61#	39#
Post Weight w/Winch	21#	37#	24#	39#	44#	66#	43#
Net Height Range (Approx.)	72" to 98"	78" to 98"	87" to 89"	72" to 98"	72" to 96"	72" to 98"	42" to 96"
Net Height Adjustment	Telescoping	Internal Lead Screw	Foot Pad Only	Spring Assisted Telescoping	Internal Lead Screw	Spring Assisted Telescoping	Slider Bar
Approx. Deflection*	1.50"	.98"	1.25"	1.97"	1.35"	1.25"	2.81"
Side-by-Side Option Available	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Post Warranty	Lifetime Limited	Lifetime Limited	Lifetime Limited	Lifetime Limited	Lifetime Limited	Lifetime Limited	10-Year Limited
Winch Warranty	Lifetime Limited	Lifetime Limited	Lifetime Limited	Lifetime Limited	Lifetime Limited	Lifetime Limited	10-Year Limited
Outer Post Finish	Clear Resin	Clear Resin	Clear Resin	Silver Vein Powder Coated	Silver Vein Powder Coated	Silver Vein Powder Coated	Silver Vein Powder Coated
Relative Cost	\$\$\$\$	\$\$\$\$\$	\$\$\$	\$\$\$	\$\$\$\$	\$\$\$	\$\$

\*Compare to some popular aluminum systems with 3"+ of deflection.

Lady Carbonk





### INDOOR VOLLEYBALL SYSTEMS AT A GLANCE 🍔



#### VB1100 Centerline Aluminum EZ

Designed to make net height adjustment as easy as a turn of a handle. This 3" diameter aluminum telescoping post is identical to our ever popular Centerline Aluminum System but with the addition of our EZ Net Height Adjustment System. The 39# post fits in 3" diameter floor sockets. When it's time to purchase your next volleyball standards, don't make your selection on brand name recognition alone or you may overlook the best system for your site. Consider the following design features and you are sure to have a system you will be satisfied with for years.



#### VB6000 Match Point<sup>™</sup> Aluminum

Designed for high schools on a budget, rec centers or any facility that wants a lightweight yet durable power volleyball system. The unique 43" to 96" infinite net height adjustment track allows competition volleyball and PE tennis or pickleball on the same system. The 39# post fits in all 3½" diameter floor sockets.

	Arena II Portable VB8100	Arena JR Portable VB8100JR	QwikCourt Portable VB8200	QwikCourt Portable VB8250	Centerline Portable VB1000T	Match Point Portable VB6000T
Post Material	Steel	Steel	Aluminum	Aluminum	Aluminum	Aluminum
Post Diameter	3"	3"	3"	3½"	3"	3½"
Socket Diameter	N/A	3", 3½", 4"	N/A	N/A	N/A	N/A
Post Weight w/o Winch	N/A	N/A	N/A	N/A	N/A	N/A
Post Weight w/Winch	N/A	N/A	N/A	N/A	N/A	N/A
Net Height Range (Approx.)	80" to 98"	84" to 98"	72" to 98"	72" to 98"	82" to 98"	42" to 96"
Net Height Adjustment	Spring Assisted Telescoping	Spring Assisted Telescoping	Spring Assisted Telescoping	Sliding Track	Spring Assisted Telescoping	Slider Bar
Approx. Deflection*	.50"	1.25"	2.00"	2.00"	1.25"	2.75"
Side-by-Side Option Available	Yes	Yes	No	No	No	No
Post Warranty	Lifetime Limited	Lifetime Limited	Lifetime Limited	10-Year Limited	Lifetime Limited	10-Year Limited
Winch Warranty	Lifetime Limited	Lifetime Limited	Lifetime Limited	10-Year Limited	Lifetime Limited	10-Year Limited
Outer Post Finish	Silver Vein Powder Coated	Silver Vein Powder Coated	Silver Vein Powder Coated	Silver Vein Powder Coated	Silver Vein Powder Coated	Silver Vein Powder Coated
Relative Cost	\$\$\$\$\$\$\$	\$\$\$\$\$	\$\$\$\$\$	\$\$\$\$	\$\$\$	\$\$



#### VB8100 Arena II™ Freestanding Portable

Large arenas and multiuse facilities where elite level volleyball is played but where floor sockets or anchors are difficult, expensive or impossible due to ice rink refrigerant lines, portable flooring systems, upper floor location or other constraints may find this system an excellent option.



See

Page 41

#### streamlined base. Complete system includes 3" Centerline<sup>®</sup> aluminum pole system that can be used both in the bases and

VB8100JR Arena<sup>™</sup> JR

Truly portable with no anchor or loose ballast and a super

Freestanding

Portable

in gym floor sockets. Order just the padded bases to use with your own 3", 3½" or 4" poles.

#### VB8200/VB8250 QwikCourt<sup>™</sup> Portable

Bison's lowest cost self-contained portable volleyball base system. Perfect for use where socket installation is not feasible but an affordable competition or recreational volleyball system is needed for long term or temporary use. Bases can be used with virtually any post system.







### 🖨 CARBON FIBER VOLLEYBALL SYSTEMS

LIGHTEST

WEIGHT

**NET HEIGHT** 

ADJUSTMENT

CRANK

# VB7222 CarbonLite<sup>™</sup> Composite

At 17#, the lightest weight competition volleyball post on the market making it perfect for facilities where set up is frequent. The 3" outer post and telescoping inner post are

constructed of computer wound carbon fiber resulting in a superior weight to post rigidity ratio. Fits all manufacturers' 3" floor sockets.

#### VB7222 MATCH STATS Upper post material 21/2" Carbon Fiber Lower post material 3" Carbon Fiber Floor socket diameter 3" (Free Socket Adapters) Non-winch post weight 17# Winch post weight 22# Approx. post deflection 1.5" Post warranty Lifetime Limited Winch style 26:1 Worm Gear Winch warranty Lifetime Limited Net height indicator Engraved Net height adjustment method Telescoping with Stop Pins Adjustable foot Yes Free graphic padding Yes (see chart)

CarbonLite Model #	Description				
VB7222	Complete system includes posts with padding, net tensioning winch, VB1250K competition net with cable covers, antennas with boundary tapes, and VB23 floor sockets plus FREE CHAIN NET HEIGHT GAUGE, NET STORAGE BAG, AND FULL-COLOR PADDING GRAPHICS!	Yes			
<b>VB7222NS</b>	Same as VB7222 without floor sockets. SOCKET ADAPTERS FREE UPON REQUEST.				
VB7202	Complete side-by-side double court system includes 3 posts with padding, 2 winches, 2 nets, 2 pairs of antennas, and 3 floor sockets plus FREE CHAIN NET HEIGHT GAUGE, NET STORAGE BAG, AND FULL-COLOR PADDING GRAPHICS!	Yes			
<b>VB7202NS</b>	Same as VB7202 without floor sockets. SOCKET ADAPTERS FREE UPON REQUEST.	Yes			
VB72	Posts and winch only. Order padding, net, antennas, and floor sockets separately.	No			
VB722	Court adder increases the number of side-by-side courts and includes post and winch only. Order other components separately. Call for details.	No			

### vв7000 CarbonMax<sup>®</sup> Composite

al only

The only carbon fiber volleyball system with a crank style internal net height adjustment feature for easy and accurate net fine tuning. 32# post fits in 3" floor sockets.

"Our Division I program is a perennial National Championship contender, and we work hard to provide our players with superior equipment. As a longtime user of Bison Centerline Elite Aluminum Systems, we thought we had the best...that was until we discovered CarbonMax. Our equipment manager loves the lightweight design that doesn't compromise on rigidity. The ability to adjust the net height with the turn of a crank without loosening the net is an added bonus." John Cook Head Women's Volleyball Coach, University of Nebraska 2017 NCAA Division I Champions, and AVCA Hall of Fame Member



VB7000 MATCH STATS					
Upper post material	3" Aluminum				
Lower post material	31/2" Carbon Fiber				
Floor socket diameter	3" (Free Socket Adapters)				
	32#				
Non-winch post weight	37#				
Winch post weight	.98"				
Approx. post deflection	5-Year Limited				
Post warranty	26:1 Worm Gear				
Winch style	Lifetime Limited				
Winch warranty					
Net height indicator	Engraved				
Net height adjustment	Internal Lead Screw				
method					

Yes

Yes (see chart)

CarbonMax Model #	Description	Free Graphic Padding
VB7000 Complete system includes posts with padding, net tensioning winch, VB1250K competition net with cable covers, antennas with boundary tapes, and VB23 floor sockets plus FREE CHAIN NET HEIGHT GAUGE, NET STORAGE BAG, AND FULL-COLOR PADDING GRAPHICS!		Yes
VB7000NS	DONS Same as VB7000 without floor sockets. SOCKET ADAPTERS FREE UPON REQUEST.	
VB7002	Complete side-by-side double court system includes 3 posts with padding, 2 winches, 2 nets, 2 pairs of antennas, and 3 floor sockets plus FREE CHAIN NET HEIGHT GAUGE, NET STORAGE BAG, AND FULL-COLOR PADDING GRAPHICS!	Yes
VB7002NS	B7002NS Same as VB7002 without floor sockets. SOCKET ADAPTERS FREE UPON REQUEST.	
VB70	Posts and winch only. Order padding, net, antennas, and floor sockets separately.	No
VB700	Court adder increases the number of side-by-side courts and includes post and winch only. Order other components separately. Call for details.	No





Adjustable foot

Free graphic padding



## CARBON FIBER VOLLEYBALL SYSTEMS 🂭

# advCarbonk

## VB3000 Lady CarbonMax<sup>®</sup> Composite

This one-piece 100% carbon fiber post is the popular choice for facilities that want a system exclusively for use at women's net height. With no net height adjustment to worry about, set up is quick and foolproof. 19# post installs in any 3" floor sockets.

"Our volleyball coach loves Bison's Lady CarbonMax composite volleyball system. We've used this system for a few seasons now and are pleased with its trouble-free performance. The standards are very easy to set up, they're lightweight and dependable. " Bill Clements Activities Director, Dakota Valley High School North Sioux Citv. SD



-	-
VB3000 MA	ICH STATS
Post material	3½" Carbon Fiber
Floor socket diameter	3" (Free Socket Adapters)
Non-winch post weight	19#
Winch post weight	24#
Approx. post deflection	1.25"
Post warranty	Lifetime Limited
Winch style	26:1 Worm Gear
Winch warranty	Lifetime Limited
Net height indicator	Women's Only
Net height adjustment method	Foot Pad Only
Adjustable foot	Yes
Free lettered padding	Yes (see chart)



#### Lady CarbonMax Free Model # Lettering Description VB3000 Complete system includes posts with padding, net tensioning winch, VB1250K competition net Yes with cable covers, antennas with boundary tapes, and VB23 floor sockets plus FREE CHAIN NET HEIGHT GAUGE, NET STORAGE BAG, AND PADDING LETTERING! **VB3000NS** Same as VB3000 without floor sockets. SOCKET ADAPTERS FREE UPON REQUEST. Yes VB3002 Complete side-by-side double court system includes 3 posts with padding, 2 winches, Yes 2 nets, 2 pairs of antennas, and 3 floor sockets plus FREE CHAIN NET HEIGHT GAUGE. NET STORAGE BAG, AND PADDING LETTERING! VB3002NS Same as VB3002 without floor sockets. SOCKET ADAPTERS FREE UPON REQUEST. Yes **VB30** Posts and winch only. Order padding, net, antennas, and floor sockets separately. No VB300 Court adder increases the number of side-by-side courts and includes post and winch only. No Order other components separately. Call for details

## ALUMINUM VOLLEYBALL SYSTEMS 🚔

## VB1100 Centerline® Aluminum EZ

EZ features the same basic design as our popular VB1000 telescoping aluminum Centerline System but with the added convenience of an internal lead screw that allows fine tuning of the net height with the simple turn of a handle on the pole usually with minimal or no net tension reduction. 39# post fits in all manufacturers' 3" floor sockets.

> Free Lettering

> > Yes

Yes

Yes

Yes

No

No

Centerline	method	manufacturers' 3"
Velleyball	Adjustable foot Yes	
O and an Marc	Free lettered padding Yes	
CarbonMax Model #	Descriptio	n
VB1100	Complete system includes posts with padding, net tr with cable covers, antennas with boundary tapes, NET HEIGHT GAUGE, NET STORAGE BA	and VB23 floor sockets plus FREE CHAIN
VB1100NS	Same as VB1100 without floor sockets. SOCK	ET ADAPTERS FREE UPON REQUEST.
VB1102	Complete side-by-side double court system includes 2 pairs of antennas and 3 floor sockets plus FREE C BAG AND PADDING L	CHAIN NET HEIGHT GAUGE, NET STORAGE
VB1102NS	Same as VB1102 without floor sockets. SOCK	ET ADAPERS FREE UPON REQUEST.
VB11	Posts and winch only. Order padding, net, and	ennas and floor sockets separately.
VB110	Court adder increases the number of side-by-side	courts and includes post and winch only.

VB1100 MATCH STATS

Upper post material

Lower post material

Winch post weight

Post warranty

Winch style

Winch warranty

Net height indicator

Net height adjustment

Floor socket diameter

Non-winch post weight

Approx. post deflection

21/2" Aluminum

3" Aluminum

39#

44#

1.35"

5-Year Limited

26:1 Worm Gear

Lifetime Limited

Internal Lead Screw

Engraved

3" (Free Socket Adapters)



NeW





Order other components separately. Call for details.



**NET HEIGHT** 

ADJUSTMENT

CRANK

## ALUMINUM/STEEL VOLLEYBALL SYSTEMS



MOST

POPULAR

TRADITIONAL

STEEL

## VB1000 Centerline<sup>®</sup> Elite Aluminum

Division I college and elite high school programs that desire the perfect balance

between weight, cost and post deflection have made this a top seller. The most rigid aluminum system on the market, this 34# telescoping post fits any 3" floor sockets.

"Steel is great in cars or buildings, but when the University of Arizona volleyball team practices in the Wildcats basketball arena, we got tired of hauling the heavy systems in and out. I'd never considered aluminum systems because of negative comments from other coaches. I am now a firm believer that weight alone is not the measure of a quality volleyball system. While Centerline Elite aluminum standards won't make our team better, it has made our equipment managers happier." **Dave Rubio** *Head Women's, Volleyball Coach, University of Arizona* 




	_
VB1000 MA	TCH STATS
Upper post material	2½" Aluminum
Lower post material	3" Aluminum
Floor socket diameter (ask about 1 <sup>7</sup> /8")	3" (Free Socket Adapters)
Non-winch post weight	34#
Winch post weight	39#
Approx. post deflection	1.97"
Post warranty	Lifetime Limited
Winch style	26:1 Worm Gear
Winch warranty	Lifetime Limited
Net height indicator	Engraved
Net height adjustment method	Spring Assisted Telescoping with Stop Pins
Adjustable foot	Yes
Free lettered padding	Yes (see chart)

Centerline		
Aluminum		Free
Model #	Description	Lettering
VB1000	Complete system includes posts with padding, net tensioning winch, VB1250K competition net	Yes
	with cable covers, antennas with boundary tapes, and VB23 floor sockets plus FREE CHAIN NET HEIGHT GAUGE, NET STORAGE BAG, AND PADDING LETTERING!	
VB1000NS	Same as VB1000 without floor sockets. SOCKET ADAPTERS FREE UPON REQUEST.	Yes
VB1002	Complete side-by-side double court system includes 3 posts with padding, 2 winches, 2 nets, 2 pairs of antennas, and 3 floor sockets plus FREE CHAIN NET HEIGHT GAUGE, NET STORAGE BAG, AND PADDING LETTERING!	Yes
VB1002NS	Same as VB1002 without floor sockets. SOCKET ADAPTERS FREE UPON REQUEST.	Yes
VB10	Posts and winch only. Order padding, net, antennas, and floor sockets separately.	No
VB100	Court adder increases the number of side-by-side courts and includes post and winch only. Order other components separately. Call for details.	No

## VB2000 Centerline<sup>®</sup> Elite Steel Hybrid

Contorline

Some programs set up and tear down courts infrequently and prefer the maximum rigidity of a heavy steel system. At 61#, this 3" telescoping post design allows the least pole deflection possible at a cost below comparable carbon fiber or aluminum systems.





L	-
VB2000 M/	ATCH STATS
Upper post material	21/2" Aluminum
Lower post material	3" Steel
Floor socket diameter	3" (Free Socket Adapters)
Non-winch post weight	61#
Winch post weight	66#
Approx. post deflection	1.25"
Post warranty	Lifetime Limited
Winch style	
Winch warranty	26:1 Worm Gear
Net height indicator	Lifetime Limited
Net height adjustment method	Engraved Spring Assisted
Adjustable foot	Telescoping with Stop Pins Yes
Free lettered padding	Voo (oos da a

Steel Hybrid Model #	Description	Free Lettering
VB2000	Complete system includes posts with padding, net tensioning winch, VB1250K competition net with cable covers, antennas with boundary tapes, and VB23 floor sockets plus FREE CHAIN NET HEIGHT GAUGE, NET STORAGE BAG, AND PADDING LETTERING!	Yes
VB2000NS	Same as VB2000 without floor sockets. SOCKET ADAPTERS FREE UPON REQUEST.	Yes
VB2002	Complete side-by-side double court system includes 3 posts with padding, 2 winches, 2 nets, 2 pairs of antennas, and 3 floor sockets plus FREE CHAIN NET HEIGHT GAUGE, NET STORAGE BAG, AND PADDING LETTERING!	Yes
VB2002NS	Same as VB2002 without floor sockets. SOCKET ADAPTERS FREE UPON REQUEST.	Yes
VB20	Posts and winch only. Order padding, net, antennas, and floor sockets separately.	No
VB200	Court adder increases the number of side-by-side courts and includes post and winch only. Order other components separately. Call for details.	No









## MATCH POINT" VOLLEYBALL SYSTEMS 🖨

BEST

VALUE

## VB6000 Match Point Aluminum

Designed for high schools on a budget, rec centers or any facility that wants a lightweight vet durable power vollevball system. The unique 43" to 96" infinite net height adjustment track allows competition volleyball and PE tennis or pickleball on the same system. The 39# post fits in all 31/2" diameter floor sockets.



L	_		
<b>VB6000 MAT</b>	CH STATS		
Post material	31/2" Aluminum		
Floor socket diameter*	3½" (Free Socket Adapters)		
Non-winch post weight	39#		
Winch post weight	43#		
Approx. post deflection	n 2.81"		
Post warranty	10-Year Limited		
Winch style	Worm Gear		
Winch warranty	10-Year Limited		
Net height indicator	Labeled		
Net height adjustment method	Slider Bar		
Adjustable foot	No		
Free lettering on padding	Yes (see chart)		

\* Ask about adapters for smaller existing floor sockets.

Match Point Aluminum Model #	Description	Free Lettering
VB6000	Complete system includes posts with padding, net tensioning winch, VB1250KU competition net, antennas with boundary tapes, and VB26 floor sockets plus FREE PADDING LETTERING!	Yes
VB6000NS	Same as VB6000 without floor sockets. SOCKET ADAPTERS FREE UPON REQUEST.	Yes
VB6050	Recreational system includes posts, net tensioning winch, VB1250KU competition net, and VB21 floor sockets for tile, concrete, or synthetic floors (upgrade to VB26 floor sockets for floating floors at an additional cost).	No
VB6050NS	Same as VB6050 without floor sockets. SOCKET ADAPTERS FREE UPON REQUEST.	No
VB6002	Complete side-by-side double court system includes 3 posts with padding, 2 winches, 2 nets, 2 pairs of antennas, and 3 VB26 floor sockets plus FREE PADDING LETTERING!	Yes
VB6002NS	Same as VB6002 without floor sockets. SOCKET ADAPTERS FREE UPON REQUEST.	Yes
VB60	Posts and winch only. Order padding, net, antennas, and floor sockets separately.	No
VB600	Court adder increases the number of side-by-side courts and includes post and winch only. Order other components separately. Call for details.	No



## SVB5050W Match Point Post or Wall Mounted Volleyball System All the features of Bison's popular Match Point

systems on a convenient track system...Track

system mounts to customer's supplied posts, walls or any surface strong enough to support desired net tensioning • Net can be infinitely adjusted from 42" (tennis) to 96" (men's volleyball) net height • System includes VB1250K competition volleyball net, net tensioning winch, net storage bag and net cable covers • Order VB13 boundary antennae separately • Tracks must be mounted between 34' and 40' apart to be compatible with net provided • With customer supplied net rope extension tracks could be mounted wider but net might sag or require additional supports to maintain net height

· Five-year limited warranty on track and winch.



800-247-7668



## PORTABLE VOLLEYBALL SYSTEMS



## VB8100 Arena II" Freestanding Portable

Large arenas and multiuse facilities where elite level vollevball is played but where floor sockets or anchors are difficult, expensive or impossible due to ice rink refrigerant lines, portable flooring systems, upper floor location or other constraints may find this system an excellent option.

"We've used the Bison Centerline Aluminum Volleyball System for years in our program and have loved it. A major facility renovation forced us to move to temporary quarters for a season and we faced the dilemma of using a portable floor in a facility with no floor sleeves. Bison's Arena II Volleyball System worked perfectly for us. It provided us the free standing portability needed without sacrificing net rigidity, ease of set up, player safety or overall quality. And, it looks AWESOME!" **Debbie Brown** 



Former Head Vollevball Coach. University of Notre Dame and AVCA Hall of Fame Member

Arena II Model #	Description	Free Lettering
VB8100	Complete system includes internally-ballasted "down official" and "platform" end bases with padding, net tensioning winch, VB1250K competition net with cable covers, and antennas with boundary tapes, plus FREE CHAIN NET HEIGHT GAUGE, NET STORAGE BAG, AND PADDING LETTERING!	Yes
VB8102	Complete side-by-side double court system includes end bases with padding, padded center post with transport dolly, 2 winches, 2 nets, and 2 pairs of antennas, plus FREE CHAIN NET HEIGHT GAUGE, NET STORAGE BAG, AND PADDING LETTERING!	Yes
VB8102DJ	Same as VB8102 except both end bases have built-in official's platforms. SOCKET ADAPTERS FREE UPON REQUEST.	Yes
VB810	Center post and winch with transport dolly. Add any number of side-by-side courts to VB8100, VB8102, or VB8102DJ. Order VB810P center post padding, nets, and antennas separately.	No

	-			
VB8100 MA	TCH STATS			
Upper post material 21/2" Steel				
Base post material	3" Steel			
Approx. post deflection	.50"			
Post warranty	Lifetime Limited			
Winch style	26:1 Worm Gear			
Winch warranty	Lifetime Limited			
Net height indicator	Engraved			
Net height adjustment method	Spring Assisted Telescoping			
Free lettered padding	Yes (see chart)			



## VB8100JR Arena<sup>™</sup> JR Freestanding Portable

Truly portable with no anchor or loose ballast and a super streamlined base. Complete system includes 3" Centerline® aluminum pole system that can be used both in the bases and in gym floor sockets. Order just the VB80JR padded bases to use with your own 3", 31/2" or 4" poles.

> Substitute VB10T/VB100T for shortened posts if you intend to use posts only in the portable bases

Order optional VB73A Officials Platform (shown) separately.

Arena JR Model #	Description	Free Lettering
VB8100JR	Complete system includes 2 end bases with transport dolly, 2 posts, net tensioning winch, VB1250K competition net with cable covers, and antennas with boundary tapes, plus FREE CHAIN NET HEIGHT GAUGE, NET STORAGE BAG, AND PADDING LETTERING!	Yes
VB8102JR	Complete side-by-side double court system includes 2 padded end bases with transport dolly, 1 padded center post with transport dolly, 3 posts with padding, 2 winches, 2 nets, and 2 pairs of antennas, plus FREE CHAIN NET HEIGHT GAUGE, NET STORAGE BAG, AND PADDING LETTERING!	Yes
VB810JR	Center post base, post and winch only. Add any number of side-by-side courts to VB8100JR. Order VB810P padding, nets, and antennas separately.	No
VB80JR	One pair of bases with base and post padding only. Customer supplies posts, net, and antennas.	No

### VB810 Arena<sup>™</sup> Court Adder

Want more side-by-side courts?...Order as many Arena Court Adder center posts as you wish • Each court adder includes base, pole, net tensioning winch and transport dolly • Order net, antennae and VB810P padding system (specify color) separately • Only for use as center post on Arena II, Arena Jr and QwikCourt Volleyball Systems • Lifetime limited warranty on post and winch (no pole or padding) • Order VB810P for complete Arena Court Adder base and post padding • Order VB810BASE for base only.



VB8100JR MATCH STATS

Upper post material

Lower post material

Base socket diameter

21/2" Aluminum

3" Aluminum

3", 3½", 4"

1.25"



VB810


VB810F







## PORTABLE VOLLEYBALL SYSTEMS 🍔



### VB8200/VB8250 QwikCourt<sup>®</sup> Portable

VB8200 QwikCourt<sup>••</sup> Centerline When your facility needs a relatively low cost competition system in areas where floor sockets are impractical or impossible.

VB8250 QwikCourt<sup>™</sup> Match Point When you want a reliable portable volleyball system for recreational use when floor sockets are not available.

### VB82P Optional Colored

**Padding System for QwikCourt** Substitute one of the colors of padding found on page 79 for the standard black padding on QwikCourt at an additional cost.

L		-		
MATCH STATS	VE	38200	V	<b>B</b> 8250
	21/	2" Aluminum	N/	/A
Upper post material	-	Aluminum	3	1/2" Aluminum
Lower post material Approx. post	F	97"	2	2.81"
deflection	L	ifetime Limited		10-Year Limited
Post Warranty	12	26:1 Worm Gea	r	Worm Gear
Winch Style		Limited Lifetime	T	10-Year Limited
Winch Warranty	+	Engraved	1	Labeled
Net height indicato Net height adjustment metho	1	Spring Assisted Telescoping		Slider Bar
Free lettered	-	Yes (See chart)		Yes (see chart)

QwikCourt Portable		Free
Model #	Description	Lettering
VB8200	Complete system includes 2 end bases with padding, 2 3" Centerline Aluminum posts with padding, net tensioning winch, VB1250K competition net with cable covers, and antennas with boundary tapes, plus FREE CHAIN NET HEIGHT GAUGE, NET STORAGE BAG, AND PADDING LETTERING!	Yes
VB8250	Same as VB8200 except includes 3½" Match Point Aluminum volleyball posts.	Yes
VB82	One pair of bases with base and post padding only. Customer supplies posts, net, and antennas.	No

## Centerline<sup>®</sup> and Match Point<sup>®</sup> Portables

#### VB1000T Centerline™ Portable Systems

College or high school programs that want all the features of an elite system but find floor socket installation is impossible or impractical. This system only requires installation of four easy-to-install threaded floor anchors.

#### VB6000T Match Point<sup>®</sup> Portable Systems

Budget conscious programs that need portability but won't sacrifice playability. Floor anchors are easier and less costly to install than floor sleeves required on typical in-floor systems.

<b>VB6000T MA</b>	CH STATS
Post material	31/2" Aluminum
pprox. post deflection	2.75"
Post warranty	10-Year Limited
Winch style	Worm Gear
/inch warranty	10-Year Limited
et height indicator	Labeled
let height adjustment nethod	Slider Bar
ree lettered padding	Yes

L	-				
VB1000T MATCH STATS					
Ipper post material	2½" Aluminum				
Lower post material	3" Aluminum				
Approx. post deflection	1.25"				
Post warranty	Lifetime Limited				
Winch style	26:1 Worm Gear				
Winch warranty	Lifetime Limited				
Net height indicator	Engraved				
Net height adjustment method	Spring Assisted Telescoping				
Free lettering on padding	Yes				


### VBTBASE T-Base Adapter

**Convert virtually any 3", 3½" or 4" volleyball standards into a portable system...**Without sacrificing net tensioning • Purchase separately or in complete systems VB1000T or VB6000T above • Eliminates the need to install costly and sometimes impractical or impossible floor sockets for traditional posts • Order four Bison floor anchors separately (VB25, VB25FL or VB25TF) based on gym flooring system • Features heavy steel construction, floor friendly transport wheels, easy-to-use, built-in floor attachment knobs and durable powder coated finish • If ordered without poles, customer will need to order two **VB354** sleeve adapters for any 3½" pole system or two **VB340** sleeve adapters for any 3" pole system.





## SAND AND OUTDOOR VOLLEYBALL



**Centerline**<sup>®</sup> SVB1000 Aluminum Pole

> Lifetime . Warranty Winch

Removable TwistLock Stainless Steel Socket

> Twist 120° to Install or Remove

Permanent TwistLock **Foundation** 

## SVB1000 Centerline<sup>®</sup> Elite Sand Volleyball System

You supply the sand...Bison will supply the rest • You won't need to sacrifice ease of setup, safety or net tensioning with Bison's Centerline Elite Sand Volleyball Systems . Bison's exclusive TwistLock removable stainless steel sand sockets not only allow easy removal of posts when not in use but also eliminate the problem of sand or water filling the socket • Centerline Sand Volleyball posts have all the great features that have made Centerline Elite a standard in the industry plus special features for outdoor and indoor sand court use including stainless steel hardware and other weather and sand proofing features • As an added bonus, the same 3" Centerline posts can be used indoors on your hardwood floor court and outdoors without modifications for maximum equipment utilization • Complete system includes special Centerline 3" sand aluminum posts, lifetime warranty net tensioning winch, competition TwistLock stainless steel sockets, player safety padding (see page 79 for color options), competition Kevlar top rope net (substitute SVB1250K for VB1250K for installation at official 8.5M 2 on 2 sand volleyball play) antennae, net and antennae storage bag, net rope cover and net height indicator . You'll also get FREE post pad lettering on all complete system orders • Order SVB73 Sand Volleyball Officials Stand and boundary kit separately • Systems meet all applicable high school and college rules.

#### SVB1250K Competition Sand Volleyball Net

Our VB1250K top quality Kevlar top rope net with heavy white side tapes except shortened to 8.5 meters for official NCAA 2-on-2 sand volleyball • One-year limited warranty.

### SVB1002 Centerline Side-by-Side **Double Court Sand Volleyball Systems**

Need two courts but want to save money?...Bison side-by-side courts are the answer . Three posts, two net tensioning winches, three TwistLock sand ground sockets, two nets, two antenna and post padding are all included in this complete package • As an added bonus, free pad lettering on the outside end posts, free net and antenna storage bag and free net chain net height indicator makes this a truly complete package.

### SVB100 Centerline Sand Volleyball **Court Adder**

Need even more side-by-side courts?...Purchase one court adder plus additional VB1250K nets, VB510P post padding, VB13 antennae/boundary markers and SVB23 sand ground sockets to string as many courts together as desired • Each SVB100 includes one Centerline Elite Sand Volleyball post and lifetime warranty net tensioning winch • Order SVB10 for replacement pair of Centerline sand volleyball posts with winch only.



#### SVB27 TwistLock<sup>™</sup> Sand Vollevball Sockets

Now you see it...Now you don't . Unique twist lock design allows the socket to be installed or removed from a permanent concrete base

foundation in a matter of seconds 

 No more water or sand filled sockets or sockets that protrude above the sand . These stainless Approx. 6" steel sockets will not rust even if left installed year round • The unique concrete foundation with embedded base plate design has a leveling feature to allow precise post leveling and eliminate installation errors • TwistLock sockets come standard with Centerline Elite single and side-by-side systems but can be ordered Approx. 6" separately to use with any other indoor competition volleyball

systems for maximum utilization of existing equipment • Fits 4" posts • Order VB354 adapters for use of SVB27 sockets with 31/2" posts or VB340 adapters for use of SVB27 socket with 3" posts.



SVB26 Boundary Kit Bright orange 1/4" rope with excellent outdoor durability... Includes storage reel and corner stakes Can be used on grass or sand.



### SVB73 Sand Vollevball **Official's Platform** with Padding

AGLES EAGLES EAG

See page 44 for

printed top and

bottom net tapes.

Perfect for sand courts... Same great features as our indoor Clamp-On Officials Platform but with special sand skids instead of wheels to avoid sinking into the sand . Not compatible with SVB5000 Sand Volleyball Systems · Includes gray padding system conforming to all NCAA, National High School Federation and USVBA rules . Substitute padding in black, maroon, navy, royal or scarlet · Five-year limited warranty on stand.

#### SVB28 Premium Sand Boundary Kit Kit comes complete with 1/2"

vellow rope spliced into a continuous loop to mark the outer boundary of an official sand volleyball court...Includes galvanized ground anchors that screw below the playing surface for maximum player safety . Two-year limited warranty.

800-247-7668





24" Diameter x 30" Deep Concrete Footing



## SAND AND OUTDOOR VOLLEYBALL 🖨



SVB5000 Shown with Optional ABC52 Lettering

## SVB5000 Match Point<sup>®</sup> Competition Outdoor Volleyball System

Sand volleyball can now be played at the same level as on the hardwood court...Rugged system designed for California-style power volleyball • 3½" posts are galvanized and powder coated for maximum rust resistance • Net is infinitely adjustable to insure exact net height for competition or recreational volleyball • Tightens with the same mechanism found on our Match Point competition systems • Includes post padding, net and antennas • Optional padding lettering or logo available for team or sponsor recognition (see page 79) • Install permanently in concrete or use optional SVB210 ground sleeves • Five-year limited warranty.

Model SVB500	00 Components	Warranty
SVB50-S	Competition Outdoor Volleyball Standards	Five-Year Limited
VB1250KU	Competition Net	One-Year Limited
VB13	Sideline Antennae	90-Day Limited
VB51P	Post Padding (see page 79 for colors)	90-Day Limited Outdoor

#### SVB5050 **Outdoor Volleyball System** Same system as SVB5000 except without antennas and

**Same system as SVB5000 except without antennas and padding...**Five-year limited warranty.

#### SVB500 Court Adder for SVB5000 or SVB5050

**Designed for adding additional courts with a single post...** Includes post, net tensioning and adjustment mechanism • Other components sold separately • One SVB500 adds one side-by-side court, order multiple SVB500s to add more courts • Five-year limited warranty.

#### SVB210 Ground Sleeve (not shown)

For removable installation of SVB5000, SVB5050 or SVB500... This steel sleeve, buried in concrete, allows for easy removal of posts when not in use • When installed according to instructions, the top of the sleeve is approximately 6" below the top of the sand, so sand can be used for other activities • Durable molded plastic cap keeps sand out

• Each system requires two sleeves.

The perfect volleyball system for playing in the sand or grass whenever the goal is fun...
Recreational leagues, beach resorts, campgrounds, playgrounds, parks, school yards, any place where a group gathers to play volleyball • 3½" diameter aluminum extruded posts permanently install in a 30" deep x 8" diameter concrete footings or can be installed using VB21 ground sleeves (optional) to allow easy removal of the poles when not in use • Rigid, lightweight aluminum is 100% rust-proof • Net is infinitely adjustable from men's competition volleyball height, 7' 11<sup>5</sup>/s", to as low as 42" tennis height
• Poles are capped to keep out moisture • Crankless net tightening • Powder coated finish • Includes net with fluorescent top tape and all necessary hardware • Two-year limited warranty on standards.

SVB2000A Aluminum Recreational Volleyball System









fluorescent top tape for maximum visibility...Nylon top rope • Black webbing • Fits SVB2000A and most net games • Weather-resistant • Net color subject to change • 90-day limited warranty.



## VB21 31/2" Round Ground Sleeve

sold individually.

These aluminum ground sleeves allow removal of your SVB2000A aluminum volleyball system...Sleeves mount permanently in a 30" deep x 10" diameter hole filled with concrete • Cap keeps out rain, snow and dirt • SVB2000A requires two sleeves, each

## SVOLLEYBALL NETS AND NET ACCESSORIES



### VB1250SP Sport Pride<sup>®</sup> Volleyball Net Band

See your program's name or logo on the sports

page...Customize this add-on white net tape • Velcro's onto any manufacturer's net in less than five minutes • Now with improved flexibility and print durability • Full-color logo or lettering on a white background • Permanent ink for lasting school spirit • Remove and reinstall as you replace nets • Complete with off season storage reel • One-year limited warranty.

> Net Band Storage Reel



### VB1250K Kevlar Competition Volleyball Net

Designed specifically to install easily and bowstring tight on most Bison competition volleyball systems...features include no stretch Kevlar top rope, tenex bottom rope with rope ratchet tensioner, knotless woven webbing, heavy white vinyl side tapes, ratchet style side tape tensioning devices and extra-long top and bottom ropes to allow use on volleyball systems with posts spaced from 35' to 45' apart • Official size 32' x 1 meter net meets all NCAA, USVBA, FIVB and National High School Federation rules • Net includes four top and bottom rope cable covers and a zippered storage bag • Two-year limited warranty.


### VB1250KU Universal Competition Kevlar Volleyball Net

Similar design as VB1250K Competition net above...great spare net for practice or competition • Compatible with not only Bison systems but also can be used on most other manufacturers' net systems • Use on volleyball systems with posts spaced from 35' to 45' apart • Features include heavy white side tapes, knotless mesh, Kevlar top rope, bottom rope with rope ratchet and set of four ratchet style side tape tensioners • One-year limited warranty.

### SVB1250K Official Kevlar Sand Volleyball Net

Same high quality competition net as VB1250K above except...official 8.5 m (28') long • One-year outdoor warranty.





### VB1250ST School Spirit<sup>®</sup> Side Tape Covers

 $P^{\mu}$ 

Show your school pride...See your school name on the sports page or TV highlights • Velcro attached side tapes have a white background • Select from letter styles below • See page 79 for color options (one color only) • 10 letters maximum, 24" x 2" imprint area • Printed on both sides • Sold in pairs (per net) • Fits most manufacturers' competition nets • One-year limited warranty.

### VB35P Cable Covers

Protects players on any manufacturer's system...Each 24" long • Can be shortened with a scissors in 2" increments to 16" • Set of four.



### VB13 SideLine<sup>™</sup> Antennas

**Clearly mark court** boundaries with this combination antennas and bright white boundary tape... Attaches easily with hook and loop fasteners • Two-piece antennas self-store in boundary tape storage pocket allowing antennas to remain attached to net when removed from posts · Fits both 1 meter and 36" high nets . Meets all NCAA, National High School Federation, FIVB and USVBA rules • Order VB13SL for replacement boundary tapes (without antennas) • 90-day limited warranty.

800-247-7668



## VOLLEYBALL ACCESSORIES 🖨

**Officials Platform** The perfect balance of stability and storability...meets all NCAA, National High School Federation, USVBA and FIVB rules • Easy pull pin folding design • Powder coated heavyduty steel construction • Floor friendly wheels and floor pads • Standard gray padding system but substitute Black, Maroon, Navy, Royal and Scarlet

VB76 Freestanding Folding

at no extra cost • One-year limited warranty.







VB73A Adjustable Clamp-On Officials Platform Popular design is compatible with most manufacturers' volleyball systems...whether 3", 31/2" or 4" • Integrated ratchet style clamp device attaches platform to pole quickly and securely . Comfortable width platform adjusts in 1" increments from 47" to 53" height for officials and play at all net heights . Standard gray 1" thick player protection padding meets all NCAA, National High School Federation, USBA and FIVB rules • Transports on two floor friendly urethane wheels and rests on non-skid rubber floor pads when in use • Powder coated 1" heavy wall tube construction • Black, Maroon, Navy, Royal and Scarlet padding is available at no additional cost • Order SVB73 for use on sand volleyball courts • Five-year limited warranty.



### **VB94 Volleyball Four Post Transport Cart**

Heavy-duty design allows compact and easy storage and transport of up to two complete volleyball systems...Compatible with any brand of 3", 31/2" or 4" outside diameter posts . Non-marking, 4" swivel casters . Bonus storage for net and padding • Durable, white powder coated finish • Reduces damage to posts and floor • Total width when loaded is 30", allowing transport through most doors · Eliminates multiple trips from storage to set up equipment • One-year limited warranty.



#### VB96 Six Post Deluxe **Volleyball Cart**

Easy loading, easy transport, easy storage... For all your volleyball program's needs • Safely and securely holds 6 padded posts or up to 12 without padding . Versatile fabric cradle holds nets, antennas, cable covers, balls or padding . Top storage rack can hold officials stand or padding allowing everything you need to be wheeled through a 36" wide door . Sturdy powder coated steel structure with 4" floor friendly, swivel casters for easy movement . Five-year limited warranty.

**VB96** 



### Volleyball Post Padding

Multiple options to protect your players...all meeting NCAA, National High School Federation, USVBA and FIVB rules • All padding is constructed of 1" thick high density foam, sewn 14oz vinyl and Velcro closures and covers posts to a height of 6' . Designed to fit Bison volleyball standards but will fit most other manufacturers' floor socket style posts . Sold in pairs except VB510P Center Post Padding • Five year limited warranty.

#### VB51P Solid Color Padding

Choose any of the colors of vinyl shown on page 79.

#### VB51PL Universal Lettered Padding

Choose from any of our vinyl colors shown on page 79 then add up to 10 letters on all four sides of the padding in your choice of lettering styles shown below and ink colors shown on page 79 • Consult the Bison Art Department if you wish to upgrade to two-color lettering • Far superior to vinyl lettering adhered to padding.







wheels and 8" tall receiver socket Choose VB9130 for 3" poles. VB9135 for 31/2" poles or VB9140 for 4" poles.



#### VB92 Volleyball Standard Wall Storage Rack

Keep any 3" to 4" diameter volleyball standards safely stored without damage...Order one VB92 for each pair of standards . Mount to any wall with customer supplied mounting hardware

#### **VB51PG Full Color Graphic** Padding

Virtually any color or design can be created with the assistance of our Art Department staff • Durable UV inks on 14 oz. vinyl • May require a BNART artwork design charge • Allow 2-3 weeks for delivery Order VB51PGUP to upgrade free lettered padding included in some complete Bison volleyball nackages

#### VB510P Center Post Padding

Designed specifically to cover the center post on side-by-side courts when nets are attached to both sides of post • Due to design, center post padding cannot be lettered or graphically printed • Choose from colors on page 79 • Sold individually.







## DILEYBALL ACCESSORIES



### VB1253W Net Storage Winder Tired of wadded

up, dirty, and tangled volleyball nets?...Here is your answer • Roll and store nets when not in use • 24" dome base has non marking wheels to roll easily to and from storage • Nets hang neatly and dependably on rotating top spider Stores up to 3 nets

### VB123 NetSet" Volleyball Net Tensioning Gauge

Never guess at proper net top rope tension again...Find the best tension setting for your system and count on an

setting for your system and count on an exact repeat every time • Gauge installs between the winch and the top rope on all Bison and most manufacturers' competition systems • Easy-to-read 1-2-3 tension indicators • Mark your desired setting with a permanent marker so no matter who sets up the system, it will be the same as the last time • Anodized aluminum body, chromium steel spring, red line indicator, plated steel internal plunger and heavy-duty spring clip connectors • Two-year limited warranty.

See YouTube.com/bisoninc for Product Videos You Tube

### VB98HG Chain Net Height Gauge

Eliminate the need for tape measures or bulky poles with this easy-to-use chain net gauge...Multiple indicators for all common net heights • Complete with small zippered storage bag, instructions and spring clip to store gauge behind padding attached to the pole or net rope.





## **COMMON VOLLEYBALL REPLACEMENT PARTS**



### VB1200RR **Rope Ratchet Net Tensioning Kit**

Replace or supplement side tape tensioning devices...set of four rope ratchet tensioners will provide bowstring tight net tensioning on Bison or many other manufacturers' competition volleyball nets • Pull rope through ratchet to tension and easily release without tools.



### Replacement 26:1 Centerline<sup>®</sup> Volleyball Winch

Replace your net top rope tensioning winch on your Bison system or on other manufacturers' 3" or 3½" outside diameter volleyball systems • Computer machined backlash free winch with folding handle will provide up to 250# of top rope net tension on any manufacturer's net • Includes post attachment clamp • Order VB10W30 to mount to 3" diameter posts, order VB10W35 to mount to 3½" diameter posts • Five-year limited warranty.

### VB60W Replacement Match Point<sup>™</sup> Volleyball Winch

Replace your net top rope tensioning device...on Bison Match Point™ volleyball systems. One-year limited warranty.

## VB13SL Replacement VB13 Boundary Tape Only

Replace the boundary tapes using your existin VB13 two-piece antennae...90-day warranty.



VB1250KRR Replacement Bottom Rope Ratchet for Bison Volleyball Nets Pull rope through ratchet...release without tools

### VBVELCRO Replacement Bottom Net Rope Collars

Use to replace lost collars that came with most Bison volleyball systems. Sold in pairs.









## VOLLEYBALL FLOOR SOCKETS AND ANCHORS 🤤













## **Bison Premium** Floor Sockets

Volleyball and badminton systems come in multiple sizes, all gym flooring systems are not the same and every facility has different floor cover priorities. Bison has a premium floor socket for every application.

All Bison floor sockets start with Bison's exclusive aluminum extrusion that not only eliminates rust but eliminates the sloppy fit found with other manufacturers' welded steel floor sockets. Bison now offers 3" and 3½" steel floor sockets if preferred (see below).

A unique shimming system allows Bison volleyball floor sockets to easily install in the floor at an approximate 2% outward angle to compensate for post deflection found on even the most rigid steel systems.

Floor plates are available in four different styles including our most popular hinged brass, lockable hinged brass, swiveling chrome plated steel and plated aluminum. With our mini hinged brass badminton socket cover, you won't have to have oversize covers in your gym floor.







Elear Cooket Colection Chart





BM30-CV Small Hinged Brass

## Floor Socket Cover Plates Only

Replace existing worn out or damaged floor plates or install to provide easy access to subfloor electrical plugs, anchors or other hidden components. Choose from four options.



#### VB23ST/VB26ST Steel Floor Sockets with Hinged Brass Covers

Bison now offers steel 3" (VB23ST) and 31/2" (VB26ST) floor sockets as a substitute for our preferred extruded "proper fit" aluminum sockets • Same hinged brass floor plate as VB23 and VB26 • You can now choose either aluminum or steel sockets at the same cost.



### **FREE! Upon Request**

Floor Socket Gauge Kit

Aren't 100% sure of your existing volleyball floor socket size?....these sample pole sizes will guarantee that you select the right size poles to fit your sockets. Set of 3 (3", 31/2", 4").

See YouTube.com/bisoninc for Product Videos

You	
Tube	

FIGOL SOCKET		art									
Floor Plate Style	Floor Type	Cover OD	Cover Opening	Cover Only	1½" Square Socket	23/8" Diameter Socket	Aluminum 3" Diameter Socket	Steel 3" Diameter Socket	Aluminum 3½" Diameter Socket	Steel 3½" Diameter Socket	Aluminum 4" Diameter Socket
Large Hinged Brass	Floating Wood	8"	6"	VB23-CV	N/A	N/A	VB23	VB23ST	VB26	VB26ST	VB27
Large Lockable Hinged Brass	Floating Wood	8"	6"	VB23LK-CV	N/A	N/A	VB23LK	N/A	VB26LK	N/A	VB27LK
Large Swivel Chrome Plated Steel	Floating Wood	8"	4½"	VB23CH-CV	N/A	N/A	VB23CH	N/A	VB26CH	N/A	VB27CH
Large Plated Aluminum	Non Floating Tile, Concrete, Synthetic	7½"	4"	N/A	N/A	VB24	VB235	N/A	VB21	N/A	VB22
Small Hinged Brass	Floating Wood	4½"	3"	BM30-CV	BM21	N/A	N/A	N/A	N/A	N/A	N/A
Socket Depth	N/A	N/A	N/A	N/A	12"	12.5"	10"	10"	10"	10"	13"







## VOLLEYBALL FLOOR SOCKETS AND ANCHORS

#### FREE! Upon Request 🗹 **Volleyball Sleeve Reducers**

(with complete system orders, some restrictions apply)



#### VBDSS Socket Depth Adapter (not shown)

If your existing sockets are extra deep...You many need depth adapters to allow proper installation of your volleyball poles • Bison will provide, free of charge, custom depth adapters with the purchase of any Bison volleyball system • Provide diameter and depth of existing sockets and model of Bison system.

sockets







**Oversize Volleyball Post Adapters** You can now install 3½" or 4" diameter volleyball posts in gyms with 3" or 31/2" existing floor sockets...3 models to choose from • Welded steel construction • Powder coated finish • Select VB4035 to

Install 3" diameter or 31/2" diameter volleyball posts in any manufacturer's 4" or 3½" floor sockets...Machined aluminum for a rattle free fit, each sleeve has two setscrews to allow it to be affixed to either the floor sleeve or to the pole depending on the facility's preference • Select VB354 to install 31/2" posts

in 4" sockets, select VB340 to install 3" posts in 4"

sockets, select VB335 to install 3" posts in 31/2"

install 4" posts in 31/2" sockets • Select VB4030 to install 4" posts in 3" sockets • Select VB3530 to install 31/2" posts in 3" sockets . Sold in eaches . Note that since the bottom of the pole will now be at the approximate height of the gym floor, the pole will extend 8" - 10" more than usual above the floor • One-year limited warranty.



Just what you need to install volleyball sockets in floors with lower level or crawl space directly below volleyball court... Prefabricated form can be used as is or field modified • Use in conjunction with any Bison floor socket . Heavy welded steel with powder coated finish . Requires experienced installer for proper use.



#### **Pickleball** or **Badminton** Post **Adapters**

Use Bison 111/16" pickleball or . badminton posts in existina volleyball sockets Specify

VB25TF Thin

Slab Drill-In

**Floor Anchor** 

Wide range of thin

slab applications...

Use on athletic floors

that have plaving

surface installed

BM300A for 3" sockets, BM350A for 3½" sockets or BM400A for 4" existing sockets · Aluminum adapters install without tools for quick setup.



#### VB25 Standard **Drill-In Floor** Anchor

Allows anchoring of portable volleyball or basketball systems to existing concrete, synthetic or tile floors without major concrete excavation ... Provides 1/2" threaded hole with spring loaded plug • Requires core drilling and grouting.



#### VB25FL Drill-In Anchor for Common **Floating Floors**

Same as VB25 except with flange to add additional anchor support when installed on floating maple floor systems... Includes all necessary hardware • Requires concrete core drilling, routing of wood floor and grouting of anchor into concrete · Provides 1/2" threaded hole with spring loaded plug.

directly over a concrete surface such as tile or synthetic and where the concrete is too thin to allow the use of VB25 or VB25FL • Same 1/2" threaded insert hole with spring loaded plug • No hardware is provided as this anchor is used in a wide range of applications . Consult a Bison Product Specialist.

## **VB23IK Hinged Brass** Floor Plate Cover Installation Kit

Install Bison Hinged Brass Floor Socket Covers with professional results...Two-piece router template kit can be used over and over for perfectly sized pockets in floating wood floors . One 1/4" shank router bit included • Customer supplies router • Order VB23IKRB for replacement router bits.



Thru Hole Template



800-247-7668

Step Bore Template



## TETHERBALL SYSTEMS 🗹



### TB300 Indoor/Outdoor Portable Tetherball Set

Play anywhere....1%" diameter, 10' galvanized steel two-piece pole mounted to 24" diameter steel base with 130# of built in ballast for stability • Easy roll wheels • Includes ball, rope and top ring • Non-marking rubber ring on bottom of base • Quick set up with no hole to dig or loose weight bags to carry • One-year limited warranty on pole and base.

### TB100 In-Ground Tetherball Set

**Long-lasting outdoor durability...** Includes 1<sup>7</sup>/8" diameter galvanized steel two-piece pole, PVC ground sleeve for easy pole removal when not in use, rope attachment ring and tetherball with rope • One-year limited warranty on pole.

#### TB100P **Tetherball Pole and Ground Sleeve Only** Order ball separately.

#### TB50-B **Replacement Tetherball** Quality ball with rope and attachment clip.



## BADMINTON SYSTEMS

### BM10 Competition Baciminton System For official competition or physical education class...Suits every level of play • 111/16" square aluminum standards

For official competition or physical education class...Suits every level of play • 1<sup>11</sup>/<sub>16</sub>" square aluminum standards designed to set up and tear down quickly • System includes official net • Order **BM21** sockets and brass floor plates separately • Consult with a Bison product specialist for replacement systems for existing sockets • Two-year limited warranty.

### BM100 Badminton Court Adder

Create any number of side-by-side courts with this single post...Order net and floor sockets (if applicable) separately • Two-year limited warranty.

#### BM10P Portable Badminton System

**Competition play without sockets or floor anchors...** Portable yet sturdy • Each end support is designed with a 1<sup>11</sup>/<sub>16</sub>" square post with built-in ballast outrigger and floor friendly transport wheels • Quick and easy set up, tear down and storage • Two-year limited warranty.

#### **BM10N Official Badminton Net**

Nylon competition badminton net...Official 20' x 2½' size • Fits any standard badminton system • 90-day warranty.

### BM21 Standard Badminton Floor Socket for 1<sup>11</sup>/<sub>16</sub>"

### Square Badminton Posts (not shown)

**Compact hinged brass cover..** hides 12" deep socket designed for  $1^{11/16"}$  square badminton or other game posts •  $4\frac{1}{2}$ " outside and 3" opening diameter.



#### BM1016 Badminton Post Cart

Transport and store...up to 16 Bison BM10 competition badminton posts • Floor friendly casters • Can be used for any badminton or pickleball post that is smaller than 1¾" square or round • Compact 22" x 22" footprint • Stores posts upright • One-year warranty.





**BM10** 

POWDER

COATED

TOUGH

**Badminton Post Adapters** Use Bison 1<sup>11/16</sup>" pickleball or badminton posts in existing volleyball sockets • Specify **BM300A** for 3" sockets, **BM350A** for 3½" sockets or **BM400A** for 4" existing sockets • Aluminum adapters install without tools for quick setup.

BM10P







## TENNIS SYSTEMS



Modern tennis was first played in Birmingham, England, in approximately 1860 and has grown to worldwide popularity. Tennis can be played on grass, clay or hard surfaced courts. Equipment and rules have changed since the origins of the sport but today's game requires guality equipment regardless of the level of play.





### TN05 Recreational Tennis System

These 3" diameter 3/16" wall steel posts have ¼" diameter welded steel net side lacing loops and dome net cable guides for durability...Tennis green powder coated finish • Includes backlash free net cable tensioner, TN10N net and TN10CS center court hold down strap • Use as permanent posts or order optional TN23 or TN235 sockets for easy removal • One-year limited warranty.

TN05



### TN10P Portable Tennis System

Now you can set up a quality tennis court anywhere with an appropriate playing surface...Popular TN10 style 3" diameter aluminum posts with lacing bars, dome net cable guides and backlash free internal winch • Freestanding post assemblies are connected at the bottom by a three-piece, 42' rigid but lightweight 4" square aluminum tubing spreader • Entire system including posts and spreader bar are assembled and disassembled • Breaks down for easy transport and storage into five pieces, longest piece being 15' • System includes TN10 net and TN10CS center net hold down strap • Three-year limited warranty (excluding net).

### TN10N Premium Tennis Net

For net replacement on any tennis court...Use indoor or outdoors • Includes center court net hold down straps and all required net attachment ropes • 40' net with 46' coated top cable • One-year limited warranty.

#### **TN10CS Center Court Hold Down Straps**


For net replacement on any tennis court...Replacement center strap assembly • Includes ground anchor.

#### **TN23 Indoor Tennis Floor Socket/Floor Plate**

Remove tennis posts with ease...10" deep socket installs into court surface • Hinged brass floor plate covers socket when posts are removed.

### TN235 Outdoor Tennis Ground Socket/Ground Plate


Same as above but made for the outdoor court...100% removable aluminum cover.



**TN10** 

### 50 www.bisoninc.com





## PICKLEBALL SYSTEMS 😒

Pickleball is the fastest growing net game in sports and combines elements of tennis, badminton and ping pong. Played indoors or outdoors on competition or recreational courts. Great game for players of all ages and skills. Played with paddles and a plastic ball as singles or doubles. Bison systems are available for all levels of play, indoors and outdoors, permanent installation, removable installation or portable.

#### PK10XL Competition Pickleball System Can be used indoors or outdoors either permanently installed in concrete or installed in

Can be used indoors or outdoors either permanently installed in concrete or installed in floor/ground sockets • 3" round tempered, extruded aluminum posts with a green powder coated finish • Chrome plated internal winch to tension top cables • Removable handle to reduce vandalism or net theft • Meets all IFP and USAPA rules • System includes posts, indoor/outdoor PK10NXL net and TN10CS court net hold down strap and anchor • Order **PK23** or **PK235** sockets separately for easy removable installation • Two-year limited warranty.

### PK05XL Recreational Pickleball System

3" diameter, <sup>3</sup>/16" wall steel standards have <sup>1</sup>/<sub>4</sub>" diameter welded steel net side lacing bar and dome net cable guides • Meets all IFP and USAPA rules • Includes backlash free net cable tensioner, PK10NXL net and TN10CS center court hold down strap • Install for permanent use or order optional **PK23** or **PK235** sockets for easy removable installation • One-year limited warranty.

#### PK10NXL Competition Pickleball Net

Official 21'9" x 36" high net with 1¾" mesh  $\bullet$  4mm nylon coated top cable  $\bullet$  Meets all IFP and USAPA rules  $\bullet$  One-year limited warranty.

#### PK23 Indoor Pickleball Floor Socket/Cover Plate

Remove pickleball posts with ease  $\bullet$  3" diameter x 10" deep socket installs into court surface  $\bullet$  Hinged brass floor plate covers socket when posts are removed  $\bullet$  Requires two per system.

#### PK235 Outdoor Pickleball Ground Sockets/Cover Plate

Same as above but designed for outdoor courts • 100% removable aluminum cover • Requires two per system.

### PK10 PE Pickleball System

Pickleball has grown in popularity and this system can be installed in sockets indoors or outdoors for recreational use by players of all ages • 1<sup>11</sup>/<sub>16</sub>" square aluminum standards have a white powder coated finish and include easy-to-use crankless net tensioning system, a PK10N net and center net hold down weights • Compatible with PK21 floor sockets (sold separately) • Can also be used in existing indoor 3", 3½" or 4" volleyball floor sockets for PE use with adapters shown below • Two-year limited warranty.

#### PK10P Portable PE Pickleball System

Heavy weighted base with integrated transport wheels makes set up easy and fast in any indoor or outdoor location • System includes 1<sup>11</sup>/16" square, white powder coated aluminum uprights, crankless net tensioning system, PK10N net and weighted center net hold downs.

#### PK10N PE Pickleball Net

20' x 21/2' high with white top tape • 90 day limited warranty.

#### PK21 PE Pickleball Floor Sockets

For installation in all types of playing surfaces  $\bullet$  Rust free aluminum sockets with hinged brass floor plate  $\bullet$  Requires 2 per system.







PK10XL

PK05XL

PK10NXL





PK10







Weighted Center Hold Down







## How to select your next soccer goals



Your program is not just like everyone else's. Your level of play, playing surface, goal removal requirements and budget all define your needs. Many programs that use brand name alone as their selection criterion often miss out on features that better fit their requirements. Bison offers a wide range of goals to meet the needs of college, high school, club, recreation and youth programs. Consider the following design features before you invest in your next pair of goals.

# Eliminate Webi Fallurel

Torque Tested<sup>\*\*</sup> Backstay Attachment



No-Tip Transport/Ballast System On Many Styles



QwikTrack<sup>™</sup> Easy and Dependable Net Attachment



Football Field Compatibility



Large Corner Safety Radius

#### Manufactured or Locally Produced Goals

Over 80% of all portable goal tip over injuries and deaths reported in a recent study occurred with the use of homemade goals produced in shop class or at a local fabrication facility. Failure to understand and follow guidelines and testing requirements found in ASTM F2950-14 leads to lack of adequate tip over ballast or ground anchoring, unsuitable goal depth and heavy materials and construction that make goals top heavy. Off the shelf tubing commonly has sharp corners that affect safety. It is critical to purchase goals that have proper warning labels that also certify the goal meets the ASTM safety standards to reduce liability risk for your program.

#### **Portability**

Since many soccer fields serve double duty, portable goals make up a large percentage of the market. Even if the goal is not permanently attached to the ground, it might not be truly portable. Overall weight, use of rear stabilizing bars, transport systems and the quality of construction all contribute to the true portability. Common problems with hard to move portables include premature failure of welded corners and the potential for staff or player injury. Aluminum is the material of choice for portable goals. There are some lower cost steel portables but they are heavy, hard to move, prone to rust, and worst of all, dangerous if they tip over.

If you have full-time soccer fields, permanent or semi-permanent goals might fit your needs best. Generally, they offer a lower cost alternative with either steel or aluminum as viable options. Bison No-Tip Soccer goals are the perfect balance between portability, durability and safety.

#### **Football Gooseneck Post Compatibility**

Many high schools and collegiate soccer programs share facilities with football and other activities. It is vital that portable soccer goals are compatible with permanently installed football goalposts, allowing quick and easy conversion from football to soccer and back. Most official size (24' x 8') Bison Shootout portable goals, **excluding those with the No-Tip feature**, allow placement in front of permanent football goal posts using the same goal line for both sports by moving the rear horizontal stabilizer bar forward or backward. This is especially critical for fields with permanently painted field markings.

#### Post Size Compatibility

NCAA, National High School Federation and FIFA rules require that front uprights and crossbars be no less than 4" and no more than 5" wide for official play. Round, square, rectangular or oval shaped materials are all permitted. Round goals are often selected by clubs that play by FIFA rules but many other programs like round as well. If you choose square or rectangular goals, pay attention to the corners on the tubes. The bigger the radius, the greater the player safety. Bison offers round or square goals with large corner radii.

#### **Goal Size**

Official play at high school, college and many club levels requires 24' wide and 8' high goals. These are the goal opening dimensions. Youth goals are available in a variety of sizes and often local club rules, field availability or other factors will determine goal width. Generally, younger players use smaller fields and goals.

Competition 24' x 8':	U12 and up, high school, collegiate, international
Club Plus 21' x 7':	U10 - U12
Club 18½' x 6½':	U8 - U10
Youth 12' x 6½':	U6 - U8 and short-sided play
Bantam 9' x 41/2':	U4 - U6 and short-sided play

#### **Post Safety**

Over the past few years, there has been an increasing awareness of soccer player injury statistics. While most injuries occur in the open field, injuries including concussions, broken bones, cuts and damaged teeth caused by player contact with goals are common.



If you prefer square or rectangular goals, look for manufacturers who use a large corner radius on all upright and crossbar tubes. Choose portable goals with the greatest back depth (10' on 24' x 8' goals) and provide premium anchoring or built-in ballast systems as a part of the package. Soccer is currently the most played team sport that does not require padding on equipment that players might come in contact with during competition. In the last few years, however, there has been a steady move in the direction of allowing and using upright padding to protect players and reduce program liability. All play that is governed by National High School Federation rules now allows post padding. Only Bison manufactures goals that can maintain the official 24' width with or without upright padding. Bison DuraSkin for Soccer padding has virtually no negative impact on ball rebound. To assure safety and avoid unnecessary liability, NEVER purchase goals that do not meet ASTM F2950-14 safety standards.

#### Convenience

It's always easiest to buy in complete, ready-to-play packages. This insures all components are compatible. Features like transport systems and built-in safety ballast on portable goals make goal movement easier and safer. Net attachment methods are not all the same. Avoid systems that have loose clips or Velcro straps that get lost and goals with protruding net attachment hardware that presents a safety issue. Most programs prefer goals with built-in net attachment tracks like Bison's QwikTrack.

#### **Durability/Warranty**

When you invest in soccer goals, you want to be confident they will provide maintenance free service for many years. Aluminum goals have the advantage of a lifetime of rust free use. Some common aluminum goals, however, are prone to failure of welds where backstays attach to uprights. Big bulky goals get dragged across the field, putting stress on joints and resulting in the need for costly repairs. Bison's unique Torque Tested backstay attachment system, standard rear stabilizer bar and the inclusion of built-in transport and ballast systems on many goals allow Bison to offer an industry leading, **eight-year limited warranty** on 4" round and 4" square No-Tip goals. Compare standard features and published warranties to get the most value for your investment.

Purchasing through a local dealer is not only friendly to your local economy but improves your service when you need help.

see Soccer Field Diagram on Page 80.







## **NO-TIP<sup>™</sup> COMPETITION PORTABLE ALUMINUM SOCCER GOALS** (S)

#### **No-Tip**<sup>\*\*</sup> Portable **Aluminum Soccer Goals** No Loose Ballast **No Ground Anchors**

As the name implies, Bison No-Tip goals eliminate the need for undependable and inconvenient ground anchors, ballast bags or other goal tip over safety options that rely on human behavior to insure safety. Once properly filled with sand and installed, these No-Tip drums not only eliminate the threat of forward tipping onto players hanging on the goal crossbar but also allows easy transport on and off the field and the reduction in the stress on vulnerable welded goal joints that can cause premature goal deterioration. The combination of our No-Tip transport system and our torque tested backstay attachments system allow us to offer an industry leading eight-year limited warranty on all No-Tip goals.

Additional standard No-Tip goal features include extra deep goal depth, competition net, QwikTrack net attachment system, net storage bag and a super thick textured white powder coated finish. See chart below for aluminum opening extrusion shapes and overall goal size options.









No-Tip System Ballast/Transport Included



QwikTrack™ Net Attachment Included



MEETS

ASTM F2950-14

**Competition Net Included** 




Net Storage Bag Included



**Optional Player Safety** Padding (see page 58)











800-247-7668





## SHOOTOUT<sup>™</sup> COMPETITION PORTABLE ALUMINUM SOCCER GOALS



## SHOOTOUT MATCH STATS

500000	
i hia	Yes
Portable	Aluminum extrusions
Goal Opening Material	4" round or 4" square
Extrusion Size/Shape	
Number of Goal Sizes	3
Extra Rear Depth	Standard
Rear Ground Anchors	Included
Rear Ground Anener	Optional
Rear Ballast Bags	Included
Competition Net	Included
Net Storage Bag	
QwikTrack Net Attachment	t Standard
Cyctem	Optional
Side Post Safety Padding	
Monte ASTM F2950-14	Yes
Meets NCAA, NF and FIFA	Yes
Standards	100
Powder Coated Finish	Yes
	Five-year limited
Warranty	

SC44PP Safety Padding

MEETS

**ASTM F2950-14** 

## **ShootOut**<sup>®</sup> Portable Aluminum Soccer Goals



All Bison ShootOut soccer goals are constructed with special aluminum

extrusions in either 4" round or 4" square with rounded safety corners and our exclusive torque tested backstay attachment system reducing the stress on vulnerable joints that often result in premature goal weld failure. Available in three sizes. All ShootOut soccer goals feature extra rear depth for reduced tip over risk and a rear horizontal stabilizer bar that can be positioned closer to the goal face for compatibility with football goal posts on shared sport fields. Nets attach easily with our QwikTrack net clip system.

Additional standard features include ground anchor kit, competition net and super thick textured white powder coated finish, optional features include vertical post padding and ballast bags for use on artificial turf. ShootOut goals carry a five-year limited warranty. See chart below for aluminum opening extrusion and overall goal size selection. Wheel kit options available on page 58.





Competition Net Included

P

uded Ground Anchor Kit Included



Qwik Track<sup>™</sup> Net Attachment Included



Football Field Compatability (with SC106N net)



Optional Player Safety Padding (see page 58)



### ShootOut<sup>®</sup> Soccer Package Chart

	Age Range	Width	Height	Top Depth	Bottom Depth	4" Round Model #	4" Square Model #
<b>Official Competition</b>	U12+	24'	8'	4'	10'	SC2480PA40E	SC2480PA44E
Club Plus	U10-U12	21'	7'	4'	7'	SC2170PA40E	SC2170PA44E
Club	U8-U10	18½'	6½'	4'	6½'	SC1865PA40E	SC1865PA44E







## TOURNEY" 3" PORTABLE ALUMINUM SOCCER GOALS 🗐

## **Tourney 3"** Portable Aluminum Soccer Goals

**Need goals...**but have a limited budget? These 3" diameter extruded aluminum soccer goals have many of the premium features found on our 4" ShootOut goals but the reduced extrusion size and design features allow you to purchase more goals for the same money • Available in 5 sizes, all 3" goals include QwikTrack Net Attachment System, rear spreader bar and extra rear depth for superior tip over safety, white powder coated finish and rear ground anchors • Competition net and net storage bag included • While no manufacturers' 3" soccer goals meet NCAA, NF or FIFA rules, they are ideal for facilities where youth and club soccer is played • Order optional No-Tip ballast system or wheel kit separately • Goals meet ASTM F2950-14 safety standards • Bison 3" Tourney goals carry a three-year limited warranty. • See chart below.

L	
3" TOURNEY MA	TCH STATS
Portable	Yes Aluminum Extrusions
Goal Opening Material	3" Round
Extrusion Size	5 Hound
Number of Goal Sizes Extra Rear Depth	Standard
Rear Ground Anchors	Included
No-Tip Ballast (Transport	Optional
System)	Optional
Rear Ballast Bags Competition Net	Standard
Net Ctorodo B20	Standard
QwikTrack Net Attachmen	Standard
System Side Post Safety Padding	Not Available
Moets ASTM F2950-14	Yes
Meets NCAA, NF and FIFA	No
Standards Powder Coated Finish	Yes
Powder Coaled Fillion Warranty	Three-year limited
waitany	







**Competition Net Included** 

3" Round Extrusions



Optional No-Tip Transport/Ballast System



QwikTrack™ Net Attachment Included



Ground Anchor Kit Included



Rear Stabilizer Bar Included



SC50B Ballast Bag

Safety first...Use in place of ground anchors on artificial turf fields or as preferred anchoring method • Requires two per goal • Black vinyl bag with zippered sides • Capacity for 70# of sand or gravel (customer provided).











## S ALL ALUMINUM NO-TIP<sup>™</sup> PORTABLE SOCCER GOALS



## All Aluminum No-Tip **Portable Soccer Goal**

100% Aluminum...And a whole lot more • The latest development in Bison's super strong line of super safe soccer goals • Fully welded aluminum 4" square uprights and 2" square backstay assemblies feature extra welded gusset plates at critical corner connections to make them virtually unbreakable ● Bison's QwikTrack<sup>™</sup> net attachment system allows easy net attachment to upright, crossbar, bottom sides and rear of goal ● Only Bison offers patented No-Tip<sup>™</sup> integrated ballast and transport system insuring both safety and easy goal movement without ground anchors or loose ballast • All Aluminum No-Tip goals meet all NCAA, National High School Federation, FIFA, ASTM F2950-14 rules and specifications • Specially designed extrusions have extra heavy wall thickness and large corner safety radii to guarantee both durability and safety . These Bison soccer goals feature a super thick bright white textured powder coated finish and carry an eight-year limited warranty • 12" wide molded polyethylene drums roll easily even in tall, wet or muddy grass and provide permanent safe ballast when properly

filled with sand by customer at the time of installation • Goals include nets, net storage bag, net attachment system and No-Tip system • Sold in pairs • Eight-year limited warranty.

Safety Padding

	Age Range	Width	Height	Top Depth	Bottom Depth	Model #
Official						
Competition	U12+	24'	8'	4'	10'	SC2480PA44XL

## 😥 EURO" FUTBOL GOALS



Height Top Depth Bottom Depth Model # Age Range Width Official Competition U12+ 24' SC2480PA40EUR0 10'

## **Euro**<sup>®</sup> Portable Futbol Goal

Euro styling...makes Euro goal a popular choice for soccer purists • Official 24' x 8' competition goal is constructed almost entirely of 4" diameter white aluminum powder coated extrusions with Bison exclusive QwikTrack net attachment system allowing net to be attached to uprights, crossbar and ground components • European style backstays support net at top • Meets or exceeds ASTM F2950-14 • Goals include nets, net storage bag and net attachment clips • Sold in pairs • Eight-year limited warranty.

800-247-7668



4" Round Extrusion





## PERMANENT SOCCER & COMBINATION GOALS 🛞

## ShootOut 4" Square Aluminum Permanent/Semi Permanent Soccer Goals

Just what you would expect from Bison, goals that are durable, affordable and easy to install.

Bison permanent/semi permanent 4" square, powder coated soccer goals are constructed of aluminum extrusions for a lifetime of rustproof service...These goals include Bison's premium QwikTrack net attachment system popular on our aluminum portable goals eliminating loose Velcro net attachment • Goals can be permanently installed in concrete or be removable with the purchase of **SC44S** ground sleeves • Available in five sizes • Standard European 4' backstays to add top depth to goals (except SC0945IGA Bantam) • **Competition nets and net storage bags included** • Sold in pairs • All in-ground soccer goals have a five-year limited warranty.

, <b>,</b>	, <b>,</b>
Model	Goal Size
SC2480IGA	Competition 24'(w) x 8'(h)
SC2170IGA	Club Plus 21'(w) x 7'(h)
SC1865IGA	Club 18½'(w) x 6½'(h)
SC1265IGA	Youth 12'(w) x 6½'(h)
SC0945IGA	Bantam 9'(w) x 41/2'(h)









SC2480IGA

QwikTrack<sup>∞</sup> Easy and Dependable Net Attachment



#### SC44S Ground Sleeves

4" square, 24" deep sockets install in 8" diameter minimum 30" deep concrete footing for easy removal of goals when not in use...Sockets are extruded aluminum and include cap to keep out debris • Order two sleeves per goal (four per field).



4" Square Large Corner European Style Safety Radius Backstays Included

## **ShootOut**<sup>®</sup> Combo Aluminum Football/Soccer Goals

When soccer and football teams share space...Combo Goals are the answer • Constructed of weatherproof 4" square aluminum extrusions • Nets attach with popular Bison exclusive QwikTrack system • 4" square upright and crossbar extrusions have large corner radii for superior player safety and have a bright white, textured powder coated finish • Official 24' (w) x 8' (h) soccer goals and official 10' high football crossbar and 10' uprights that can be installed either at 23'4" high school width or 18'6" college width • Order FB10EXT-WT to extend uprights from 10' to 20' height • Choose in-ground permanent/semi permanent or portable (see details below) • Five-year limited warranties • Sold in pairs.

#### SC2480IGAFB Permanent/Semi Permanent Combo Goals

Install goals permanently in concrete footings or install using optional SC44S ground sleeves to allow easy removal... Includes European Style backstays, competition nets and net storage bags.

### SC2480PA44FB **Portable Combo** Goals

## Add the convenience of portability and built-in No-Tip ballast system to the versatility of

**Combo Goals...**Bison No-Tip system insures safety without the inconvenience of ballast bags, ground anchors or other anchor systems that are often forgotten, lost, discarded or ineffective • The rear ballasts double as transport wheels allowing movement on and off the field to improve space utilization. *Note: Due to the added weight of the football crossbar and uprights, goal transport typically requires four people* • Includes soccer nets.











## SOCCER ACCESSORIES



### Knotless HTPP Soccer Nets

These premium nets are designed specifically for Bison soccer goals but can be used on any soccer goal with comparable top and bottom depth...Constructed of heavy super high tenacity polypropylene (HTPP)

multifilament rachel knotless hexagon netting, these nets are non-abrasive for superior durability and safety . These white mesh nets have heavy rope edges to facilitate proper attachment to goal • Sold in pairs • Each pair of nets comes with a free mesh carry bag for easy transport or storage between games or during the off season • Ninety-day warranty • Sport nets are not returnable once open.

Model	Mesh Diameter	Width	Height	Top Depth	Bottom Depth
SC100N	4mm	24'	8'	4'	10'
SC106N	4mm	24'	8'	4'	6'
SC080N	4mm	21'	7'	4'	7'
SC072N	4mm	18.5'	6.5'	4'	6.5'
SC060N	4mm	12'	6.5'	4'	6.5'
SC050N	4mm	9'	4.5'	2'	4.5'
SC045N	4mm	9'	4.5'	0'	4.5'





### Soccer Upright Post Padding

Protect your players from injuries caused by contact with goal uprights...Football goal posts, volleyball uprights and basketball backboards are all required to be padded by NCAA and National High School Federation rules • Isn't it time that soccer players are given the same safety considerations as players of other sports? • Bison's revolutionary DuraSkin™ molded soccer padding virtually eliminates concerns about the effect of post padding on play • The padding covers the bottom 72" of the posts for improved players safety at all levels of play • One kit covers both posts on one goal • DuraSkin meets NHSF rules interpretation 1-4-1.

## National High School Federation 2004-2005 Soccer Rule Interpretation

Rule 1-4-1: The vertical portion of the goal post may be padded with commercially manufactured material for soccer goals. This material shall be white, have a maximum thickness of 1", be a minimum of 72" high and shall be properly secured. No markings other than a single manufacturer's identification/logo may appear on the goal post padding.

Goal Upright Size	DuraSkin Premium Padding	Shipping Wtg.
4" Square	SC44PP	20#/Kit
4" Round or Elliptical	SC40PP	15#/Kit



#### **Soccer Corner Flags**

Official corner flags in zippered storage bag...Choose SCO6CF with ground spikes for natural turf or SCO6CFW with sand fillable base for artificial turf or indoor use • Sets of 4.

### SC72NC QwikTrack **Replacement Net**

Attachment Clips Compatible with all Bison aluminum soccer, futsal, field hockey and team handball goals ... 72 clips attaches two nets to two goals.



#### SCNOTIP No-Tip<sup>™</sup> Retrofit Kit Retrofit Bison and most other brands and styles of portable soccer goals to improve tip over and


transport safety ... 12" wide molded polyethylene drums each hold approximately 60# of customer supplied sand for ballast and act as rollers for easy transport • Contact Bison for information on compatibility with existing goals . One kit retrofits two goals . Five-year limited warranty.



SCO4WK Tip and Roll Wheel Retrofit Kit Add a front transport system to most Bison soccer goals...10" wheels flip forward for use and back for play . One kit retrofits two goals.









manufacturer's goals...Double side Velcro straps, ground stakes and a storage bag make net attachment easy Attaches nets to two goals
 Kit does not satisfy applicable rules for portable goal tipover safety.

### SC04GA Ground Anchor Kit

Auger style anchors are superior to straight ground anchors... Proper use complies with NCAA and NFHS rules regarding anchoring and tip over of portable soccer goals . Set of 4 (two per goal).



SC06DK Soccer Skill Practice Disks 8" diameter durable orange plastic . Set of 24.

#### SC50B Ballast Bag

Safety first... Use in place of ground anchors on artificial turf fields or as preferred anchoring method • Requires two per goal . Black vinyl bag with zippered sides • Capacity for 70# of sand or gravel (customer provided).






58 www.bisoninc.com

FOOTBALL GOALS AND ACCESSORIES 🥘

## PerfectGoal<sup>®</sup> for High School and College



5<sup>9</sup>/<sub>16</sub>" Gooseneck Goalposts

**These are the heaviest Bison goalposts...** Choose 96" or 72" setback • 48" ground bury

•  $5^9/16"$  O.D. schedule 40 pipe is bent then powder coated • All Bison gooseneck goalposts feature Bison's exclusive PerfectGoal design for precise vertical and horizontal alignment and uncommon ease of installation •  $4\frac{1}{2}"$  steel tube crossbar and 20' long,  $2^{3}$ /8" diameter aluminum uprights • Order **FB10EXT** to increase upright height from 20' to 30' • Use with **FB55S** ground sleeves if desired • Sold


in pairs but available individually • Five-year limited warranty.

Model and Description	Setback
FB55HS-SY High School 59/16" Safety Yellow	72"
FB55HS-WT High School 59/16" White	72"
FB55CG-SY Collegiate 59/16" Safety Yellow	72"
FB55CG-WT Collegiate 59/16" White	72"
FB58HS-SY High School 59/16" Safety Yellow	96"
FB58HS-WT High School 59/16" White	96"
FB58CG-SY Collegiate 59/16" Safety Yellow	96"
FB58CG-WT Collegiate 59/16" White	96"

### 4<sup>1</sup>/<sub>2</sub>" Gooseneck Goalposts

Popular 4½" gooseneck styling and Bison's exclusive PerfectGoal design makes these goalposts an excellent value...Posts bury 48" into the ground for stability or use FB45S ground sleeves for removable installation • Posts have 60" setback and 20' long aluminum uprights • Crossbars are 4½" steel tube • Sold in pairs but available individually. • Five-year limited warranty.

Model and Description	Setback
FB45HS-SY High School 41/2" Safety Yellow	60"
FB45HS-WT High School 41/2" White	60"



FB55CG-SY Shown with Optional FBCPP-SC Padding, ABC52 Lettering and FBWDS Streamers

#### **Upright Extensions for Football Gooseneck Goalposts**

Increase the upright height from 20' to 30' on 5<sup>9</sup>/<sub>16</sub>" Gooseneck Goalposts or from 10' to 20' on Aluminum Combination Soccer/Football Goals with these 10' extensions...Includes four 10' aluminum upright extenders and adapter hardware • Order one kit per field • Specify white (FB10EXT-WT) or safety yellow (FB10EXT-SY) • Contact your Bison Product Specialist for details.



### FBCPPG Full Color Graphic Football Goalpost Padding

Virtually any color or design can be created ...with the assistance of our Art Department • 5" thick high density foam covered with weatherproof 14 oz. vinyl digitally printed and clear laminated for extended life • Protects players to a height of 72" • Meets all NCAA and National High School Federation rules • Velcro closures • Designed to fit all goal posts to 59/16" diameter

 Velcro closures 

 Designed to fit all goal posts to 5<sup>9</sup>/16" diameter and 4" square
 Sold in eaches
 Two-year limited warranty.

### FBCPP Solid Color Goal Post Padding

Same 5" thick, 72" high vinyl covered padding in your choice of solid colors found on page 79 • See page 79 for lettering options • Sold individually • Two-year limited warranty.



### PerfectGoal<sup>®</sup> Adjustable Height Ground Sleeves

These sleeves allow the removal of gooseneck style goalposts on multi-purpose fields...The only goalpost sleeve in the industry that allows accurate adjustment of the crossbar height to official 10' • Hot dip galvanized heavy wall steel base • 4" of total crossbar height adjustment • Built-in anti-rotation device • Aluminum cover to finish socket both when installed and removed • Requires minimum 30" diameter x 53" deep excavation • Order two per field • Some assembly required • Use only with Bison goalposts • Order FB55S for  $5^9/_{16}$ " goal posts and FB45S for  $4\frac{1}{2}$ " goal posts.



## FBWDS Wind Direction Streamers

Official 4" wide x 42" long, weather resistant streamers...Includes hardware to

attach to 2<sup>3</sup>/8" diameter uprights without drilling Durable orange outdoor flag material, double stitched • Can be used on other size uprights by drilling and bolting • Sold in sets of four.







## **MISCELLANEOUS TEAM GOALS**

### LC200 Official Steel Competition Lacrosse Goals

These goals meet all NCAA and National High School Federation rules for competition play...Popular flat iron style base allows use indoors or outdoors on any surface •  $1\%''(1.9'' ext{ 0.D.})$  schedule 40 pipe framework has thick ground bars allowing sturdy ground staking or use of ballast bags to stabilize • Orange powder coated finish • Includes four ground anchors • 6' (h) x 6' (w) x 7' (d) opening • Sold in pairs • Nets and net attachment kit included • One-year limited warranty.

### LC050N Official Lacrosse Nets

Designed to fit Bison lacrosse goals but will fit most official lacrosse goals...6mm white knotless webbing • Sold in pairs • 90-day limited warranty • Sports nets are not returnable once opened.



### FH200 Outdoor Field Hockey Goals

Durable design for high level competition...100% rustproof aluminum with premium black weatherproof ¼" UHMW kick boards • 5 cm (2") square extrusion face • White powder coated finish • Easy and dependable QwikTrack net attachment • Official size meets all USFHA and National High School Federation rules • Nets and net attachment kit included • Two-year limited warranty.

### FH200N Field Hockey Nets

Meets all association rules for official goals...12' (w) x 7' (h) x 4' (t) x 4' (b) square mesh with heavy braided corners and edges
Replacement net for FH200 • Sold in pairs • Sports nets are not returnable once opened • 90-day limited warranty.

### FH200WK Wheel Kit for Field Hockey

#### Goals (not shown)


**Transport with ease...** Take your goals to and from the field • 10" diameter wheels mount permanently to the back of field hockey goal frames to increase convenience and reduce risk of player injury or goal damage • Some drilling of goal required for installation • Includes wheels and hardware for two goals.




Center Line

100 vards

800-247-7668





50 yd

25 vd line



16 yd 25 yd

**Field Hockey** 

Goal line

### **MISCELLANEOUS TEAM GOALS**

### SCFUTSAL Official Futsal Goal

A great goal for a great game...2 meter (approximately 6'7") high and 3 meter (approximately 9'10") wide goal meets official rules • 100% aluminum construction with a durable white powder coated finish • 8 cm square (approximately 3" x 3") aluminum extrusion uprights and crossbars have large corner radii for player safety and Bison's exclusive QwikTrack net mounting system • Standard rear horizontal stabilizer bar adds durability and stability • Complete package includes two goals with rear stabilizer bars, two nets, QwikTrack net clips, indoor rubber floor protectors and two ballast bags • Sold in pairs • Two-year limited warranty.

### SCO3PP Futsal Safety Padding

Protect futsal players from contact with the corner posts... Vinvl-covered. 1/2" thick padding covers full 79" height of posts • Velcro attachment • Sold in kits to protect one goal • Order two kits per court.

### SCFUTSALN Futsal and Team Handball Net

Net is designed for Bison futsal goal but can be used on any futsal goal with the same dimensions...4" octogon mesh constructed of 3mm diameter netting • 3 meter (9' 10") wide and 2 meter (6' 7") high • 80cm (31½") top depth and 100cm (393/8") bottom depth • Sold in pairs • 90-day limited warranty • Sports nets are not returnable once opened.

### SCTEAMHB Official Team Handball Goal

Goal meets all official handball rules...2 meter x 3 meter opening • Constructed of 3" square aluminum extrusion tubing • Large safety radii on all corners of tubing corners • Features fast and easy QwikTrack net attachment • Anti-skid floor protectors and portable ballast bags and net included . Sold in pairs • Two-year limited warranty.



### SC50B Ballast Bag


**Futsal** 


Safety first...Black vinyl bag with zippered sides • Capacity for 70# of sand or gravel (customer provides) • One ballast bag included with each Bison futsal and team handball goal.



QwikTrack Net Attachment







8 cm (3" Square) Tubing


SC03PP Safety Padding



**Team Handball** 

QwikTrack Net

Attachment



### **INDOOR BLEACHERS**

## Easy Store<sup>®</sup> Indoor Portable Bleachers






**Easy Store**<sup>™</sup> **Indoor Bleachers** Portable indoor bleachers provide a mobile solution to seating needs in a wide range of indoor applications and can be used outdoors when desired... When in use, Easy Store bleachers rest on non-marking rubber feet . Just lift front to tilt bleachers onto stable 3" diameter transport casters • Choose from 71/2', 15' or 21' lengths in various heights • Heavy-duty 2" x 10" anodized aluminum seat planks • 100% aluminum structure • Planks have end caps for a finished look without sharp edges • High grade zinc plated hardware • See page 64 for information on powder coated seat planks • Five-year limited warranty.

#### **WARNING!**

The four tier Bison bleachers shown on this page meet some but not all code established for bleachers by various agencies. Bison assumes no responsibility for customer selection of bleachers that do not meet local or statewide codes for guard rails, kickboards or other standards.







Length	Tiers	Seating Capacity	Approx. Overall Dimension	Model #
7½'	2	10	2' 2" (h) x 3' (d) x 7½' (l)	BLI0702AA
7½'	3	15	2' 6" (h) x 5' 6" (d) x 7½' (l)	BLI0703AA
7½'	4	20	3' 6" (h) x 7' 8" (d) x 7½' (l)	BLI0704AA
15'	2	20	2' 2" (h) x 3' (d) x 15' (l)	BLI1502AA
15'	3	30	2' 6" (h) x 5' 6" (d) x 15' (l)	BLI1503AA
15'	4	40	3' 6" (h) x 7' 8" (d) x 15' (l)	BLI1504AA
21'	2	28	2' 2" (h) x 3' (d) x 21' (l)	BLI2102AA
21'	3	42	2' 6" (h) x 5' 6" (d) x 21' (l)	BLI2103AA

800-247-7668



## **OUTDOOR BLEACHERS**

## Weatherbeater<sup>®</sup> Outdoor Portable Bleachers



### Weatherbeater<sup>®</sup> Outdoor Bleachers

These outdoor bleachers are built for a lifetime of dependable, trouble-free sports seating... Weatherbeater bleachers come with recycled plastic ground runners to keep support framework raised

from grass or dirt • Recycled runners will not rot like wood runners used by other manufacturers • Available in  $7\frac{1}{2}$ ', 15' or 21' lengths in either 3 or 4 tier heights • 2 tier bleachers are only available in 15' lengths • Heavy-duty 2" x 10" anodized aluminum seat planks • 100% aluminum structure • Planks have end caps for a finished look without sharp edges • High grade zinc plated hardware • See page 64 for information on powder coated seat planks • Five-year limited warranty.

BL01503AA Shown with Optional BL15SEAT-SC Seat Planks



### Weatherbeater<sup>®</sup> Premium Outdoor Bleachers

An extra measure of comfort and safety...Same basic features as outlined above • The addition of an extra foot rest plank and heel kick panel not only improve safety but also provide comfort, child control and reduced dropped or lost loose objects like jackets, purses and backpacks
 Add color planks (see page 64) to customize your field • Five-year limited warranty.

Length	Tiers	Seating Capacity	Approx. Overall Dimension	Standard Structure Model #	Premium Structure Model #
71⁄2'	3	15	2' 6" (h) x 5' 6" (d) x 7½' (l)	BLO0703AA	BLO0703AXLAA
71⁄2'	4	20	3' 6" (h) x 7' 8" (d) x 7½' (l)	BLO0704AA	BLO0704AXLAA
15'	2	20	2' 2" (h) x 3' (d) x 15' (l)	BLO1502AA	BLO1502AXLAA
15'	3	30	2' 6" (h) x 5' 6" (d) x 15' (l)	BLO1503AA	BLO1503AXLAA
15'	4	40	3' 6" (h) x 7' 8" (d) x 15' (l)	BLO1504AA	BLO1504AXLAA
21'	3	42	2' 6" (h) x 5' 6" (d) x 21' (l)	BLO2103AA	BLO2103AXLAA
21'	4	56	3' 6" (h) x 7' 8" (d) x 21' (l)	BLO2104AA	BLO2104AXLAA








#### WARNING! The four tier Bison bleachers

shown on this page meet some but not all codes established for bleachers by various agencies. Bison assumes no responsibility for customer selection of bleachers that do not meet local or statewide codes for guard rails, kickboards or other standards.



BL01504AAXL Shown with Optional BL15SEAT-RY Seat Planks



## **INDOOR/OUTDOOR BENCHES**

## **Player Benches**

**Benches are available as either in-ground fixed models or widebase, freestanding portables...**Select benches with or without a backrest • 100% aluminum structure • 21' length for fourteen player capacity, 15' for ten players or 7½' for five players • Four 2" square leg supports on 21', three leg supports on 15' and two leg supports on 7½' • 2" x 10" x .08" minimum cross section anodized aluminum seats and backs • Planks have end caps for a finished look without sharp edges • Fixed models require a 30" deep concrete footing to install in-ground for lasting, safe, weatherproof seating • Portable models are constructed to provide a nearly tip-proof bench to transfer from football field to soccer, baseball or softball fields as seasons change • Portable benches can be used with or without rubber feet provided, can be anchored to ground or can be bolted down to courtside surfaces • Five-year limited warranty.



BNP1501BAA

### **Player Benches with Backrest**



Length	Seating	Fixed or Portable	Backrest	Legs/ Supports	Model #
21'	14	Portable	Yes	4	BNP2101BAA
21'	14	Fixed	Yes	4	BNF2101BAA
15'	10	Portable	Yes	3	BNP1501BAA
15'	10	Fixed	Yes	3	BNF1501BAA
7½'	5	Portable	Yes	2	BNP0701BAA
71/2'	5	Fixed	Yes	2	BNF0701BAA

#### **Player Benches without Backrest**



Length	Seating Capacity	Fixed or Portable	Backrest	Legs/ Supports	Model #
21'	14	Portable	No	4	BNP2101AA
21'	14	Fixed	No	4	BNF2101AA
15'	10	Portable	No	3	BNP1501AA
15'	10	Fixed	No	3	BNF1501AA
7½'	5	Portable	No	2	BNP0701AA
7½'	5	Fixed	No	2	BNF0701AA




BNF1501BAA with optiona powder coated backrest

### Powder Coated Aluminum Planks

Show your school colors on Bison's 4', 71/2', 15' and 21' benches or bleachers...Simply substitute your choice of royal, scarlet, navy, forest green, black or white planks for standard anodized aluminum seats that are included with Bison aluminum player benches, Weatherbeater bleachers and Easy Store bleachers . Choose any combination of colors for any quantity of seat planks • Each powder coated plank will incur an upcharge based on length • Order BL07SEAT1-XX for 71/2' planks, BL15SEAT1-XX for 15' planks and BL21SEAT1-XX for 21' planks • Orders of 25 or more planks can be powder coated in a wider variety of colors (allow six weeks).







800-247-7668



## ULTIMATE" PLAYGROUND BASKETBALL SYSTEMS 🆚

## **Fixed Height Ultimate**<sup>®</sup> Series

#### Try the Ultimate on your most demanding outdoor court and you'll never need to buy another

basketball system...From the massive 6" square, 3/16" wall pole and extension arm that buries a full 40" into the ground for incredible stability to the tip of the Ultimate goal that carries an unconditional lifetime warranty, these systems are designed to take the abuse common on today's playgrounds • Choose the standard 60" safe play area or upgrade to an extended 72" safe play area • Backboard choices include 42" x 60" or 42" x 72" steel or 42" x 72" perforated steel with white powder coated finish, 42" x 72" clear tempered glass or 42" x 72" clear unbreakable polycarbonate • Systems with steel boards come standard with Bison's Ultimate fixed goal • Glass and polycarbonate systems include outdoor breakaway goals • See page 73 for backboard and pole safety padding options • Double sided options are available on each system to get more play for less money . See chart below for options.







BA873U Shown with Optional BA870PP-BK Pole Padding and BA72U-BK Backboard Padding



See next page for similar features on a downsized system perfect for smaller budgets.

42" x 72"



Ultimate

BA871-BK

BA874-BK

BA873-BK

BA873U-BK

Model



60"

Request



Breakaway


Black

BA72U-BK

Polycarbonate

Order BA870PP-BK for optional pole padding on single sided systems, BA872PP-BK for optional padding on double sided systems.


Goal: 1-Year Limited



BA871-BK Shown with Optional BA870PP-BK Pole Padding

# The Ultimate for durability,

## 🍈 ULTIMATE" JR PLAYGROUND BASKETBALL SYSTEMS





## Ultimate<sup>®</sup> Junior Playground Systems

Designed with many of the premium features found on its big brother Ultimate Fixed Systems, but with a smaller price tag and different backboard options. **Ultimate Jr. systems** feature a 5" square, 1/s" wall steel pole that buries a full 36" into the ground. The 4" square extension arm places the face of the backboard approximately 36" from the front surface of the pole and provides a stable and rigid support for one of three different backboard and goal options shown below. Rim is direct mounted through the backboard into the extension arm so eliminates virtually all stress placed on the backboard during aggressive playground play. Backboards are also supported by the extension arm at the top. Order **BA870JRPP** for optional pole padding.

### PR15 Ultimate<sup>®</sup> JR Fan Aluminum Playground System

Fan shaped aluminum backboards are the most popular playground backboard in the industry...and will never rust • BA475SS 36" x 54" cast aluminum features heavy rear ribbing, white powder coated finish and orange shooter square and border • Includes Bison BA32 outdoor breakaway goal and premium nylon net. Ten-year limited warranty on system.

### PR17 Ultimate<sup>®</sup> JR Rectangular Steel Playground System

Same popular 42" x 60" steel backboard as found on our 6" Ultimate system...but at a reduced cost • BA47 backboard is constructed of 12 ga. steel playing surface with all edges safety rolled to eliminate sharp edges and provide extra rigidity • Additional welded rear structure makes this backboard nearly indestructible especially with mounted on Ultimate Jr. direct mount pole • System includes BA32 outdoor breakaway goal and premium nylon net • 10-year warranty on system.

### PR18 Ultimate<sup>™</sup> JR Unbreakable Polycarbonate Playground System

Want a backboard that is bullet proof...

PR18 is the answer • 36" x 60" clear polycarbonate backboard has heavy aluminum frame and rear support structure to insure that this system will hold up even in the toughest of conditions • Polycarbonate is the material used in bullet proof windows • System includes Bison BA32 outdoor breakaway goal and premium nylon net • Ten-year limited warranty on system.

Model #	Pole Size	Safe Play Area	Backboard Size	Backboard Type	Optional Backboard Padding	Optional Pole Padding	Goal
							BA32
PR15	5"	36"	36"x 54"	Aluminum Fan	N/A	BA870JRPP	Breakaway
							BA32
PR17	5"	36"	42" x 60"	Steel	BA60U-BK	BA870JRPP	Breakaway
				Clear			BA32
PR18	5"	36"	36" x 60"	Polycarbonate	BA60U-BK	BA870JRPP	Breakaway







## ULTIMATE" ADJUSTABLE PLAYGROUND BASKETBALL SYSTEMS 🍈

## HangTime<sup>®</sup> Adjustable Systems



Want playground durability in an adjustable rim height system? Ultimate HangTime provides maximum flexibility for use by players of all ages • The heavy-duty right angle crank can be locked to avoid unauthorized height adjustment with optional BALOCKHT HangTime rim height locking device • Choose from 6" square or 5" square heavy wall steel poles and unbreakable clear polycarbonate, tempered glass or steel backboards • All HangTime adjustable systems come standard with outdoor breakaway goal but Bison Ultimate fixed goal (BA39U) may be substituted at no extra cost • Pole system features 48" safe play area, textured black powder coated finish and flared pole padding • Other features include removable pedestal base, easy-to-read height indicator and spring assist mechanism to make rim height adjustment from 71/2' to 10' easy . See chart below.



#### **PR98SHTJR Shown**

Model #	Pole Size	Backboard Size	Backboard Type	Rim	Pole Padding	Backboard Padding	Warranties
PR98UHT	6" Square	42" x 72"	Polycarbonate	BA32 Breakaway	Included	Optional	10-Year Limited on Pole and Rim, Lifetime on Backboard
PR98GHT	6" Square	42" x 72"	Glass	BA32 Breakaway	Included	Optional	10-Year Limited
PR98SHT	6" Square	42" x 60"	Steel	BA32 Breakaway	Included	Optional	10-Year Limited
PR98SXLHT	6" Square	42" x 72"	Steel	BA32 Breakaway	Included	Optional	10-Year Limited
PR98UHTJR	5" Square	36" x 60"	Polycarbonate	BA32 Breakaway	Included	Optional	5-Year Limited on Pole and Rim, Lifetime on Backboard
PR98GHTJR	5" Square	36" x 60"	Glass	BA32 Breakaway	Included	Optional	5-Year Limited
PR98SHTJR	5" Square	42" x 60"	Steel	BA32 Breakaway	Included	Optional	5-Year Limited



**Optional Crank Lock** (BALOCKHT)

Backboard Padding

Optional



Flared to Cover Base





Smooth Operating

**Right Angle Crank** 

Easy to Read Rim Height Indicator





Spring Assist Mechanism

for Easy Rim Adjustment

Standard Pole Padding

## 🍈 ADJUSTABLE PLAYGROUND BASKETBALL SYSTEMS

## **ZipCrank**<sup>®</sup> Playground Adjustable Systems

The perfect outdoor system for facilities that desire durable adjustable systems at an affordable price • These ZipCrank systems feature clear, unbreakable <sup>3</sup>/<sub>8</sub>" polycarbonate backboards, outdoor breakaway goals, 30" safe play area, removable awning style crank handle and textured black powder coat finish • Choose 4" square or 5" square, 1/8" wall direct bury pole each with an easy-to-read rim height indicator • Rim can be adjusted from 7½' to 10'.







Direct Bury Pole



Easy to Read Height Indicator



Easy Height Adjustment

Model #	Pole Size	Backboard Size	Backboard Type	Rim	Optional Pole Padding	Optional Backboard Padding	Warranties
PR95UZC	5" Square	36" x 60"	Polycarbonate	BA32 Breakaway	BA870JRPP	BA60U-BK	Two-Year Limited on Pole and Rim, Limited Lifetime on Backboard
PR94UZC	4" Square	36" x 54"	Polycarbonate	BA32 Breakaway	BA79UPP	BA54U-BK	Two-Year Limited on Pole and Rim, Limited Lifetime on Backboard





3

# 0

### BA801BP Base Padding

Improve safety with this specially designed pad that covers 360° around the base of the BA801 portable... 1" thick foam with sewn cover in black vinyl • Velcro attachment.

### QwikChange<sup>®</sup> Playground Systems

Popular playground features at a popular price... Heavy galvanized 3½" steel pole ● 36" x 48" molded graphite backboard and flex goal adjusts from 7½' to 10' in 6" increments ● QwikChange design requires only a pole to change height from the ground ● Choose permanent in-ground or portable system ● Great for camps, daycares, church parking lots or anywhere kids of all ages gather to play basketball ● One year limited warranty.

### BA801 QwikChange<sup>™</sup> Portable

Factory installed 350# of ballast...Built-in transport wheels • Order BA801BP and BA700PP for base and pole safety padding.

#### PR12 QwikChange Permanent

**36" ground bury...**Optional BA700PP pole safety padding.





Tilt and Roll Easy Height Adjustment











## 59/16" MEGA-DUTY PLAYGROUND BASKETBALL SYSTEMS 🍈

All packages on this page have a 72" or 96" safe play area, 48" ground bury and lifetime limited pole warranty.



#### **BA780 Mega-Duty 59/16" Gooseneck Pole** Superior rigidity, superior durability and greater safe play area make this pole a must where

Superior rigidity, superior durability and greater safe play area make this pole a must where play is rough...5<sup>9</sup>/16" O.D., hot dip galvanized steel pipe • 72" or 96" safe play area • Goal mounts directly through backboard to pole to virtually eliminate stress on backboard when hanging occurs • Heavy-duty 1<sup>5</sup>/8" backboard braces • 48" in-ground bury • Add optional **FBCPP** pole padding for increased player safety • Order pole and components separately or in complete packages described below • Lifetime limited warranty on pole.

**PR74 package includes...**BA780 Mega-Duty 5<sup>9</sup>/16" 0.D., hot dip galvanized steel pipe with 72" safe play area, heavy 1<sup>5</sup>/a" support braces, 48" in-ground bury pole (Lifetime limited warranty); BA42UC official 42" X 72" backboard made of clear, bulletproof polycarbonate with heavy extruded aluminum framework, official white shooter's square and border (Lifetime limited warranty); and BA32 outdoor flex goal designed to withstand playground abuse (1-year limited warranty).

**PR75 package includes...**BA780 Mega-Duty 5<sup>9</sup>/16" 0.D., hot dip galvanized steel pipe with 72" safe play area (or order **PR75**%) for 96" cafe play area), heavy

**PR75XL** for 96" safe play area), heavy 15/s" support braces, 48" in-ground bury pole (Lifetime limited warranty); BA475SS fan-shaped 35½" x 54" durable, rust-free aluminum backboard with heavy support ribs, white powder coated finish and orange shooter's square and border (Lifetime limited warranty); and BA39U Ultimate playground goal with double 5/s" steel rim and No-Fail netlock system to add strength and eliminate netlock breakage plus 3/16" thick steel box-style backplate and rim supports, accepts nylon or optional chain nets (Unconditional lifetime replacement warranty).

**PR76 package includes...**BA780 Mega-Duty 5<sup>9</sup>/16" 0.D., hot dip galvanized steel pipe with 72" safe play area, heavy 1<sup>5</sup>/8" support braces, 48" in-ground bury pole (Lifetime limited warranty); BA495 fan-shaped 39" x 54" backboard with heavy-duty mounting support structure, 12 ga. steel skin, and white powder coated finish (10-year limited warranty); and BA39U Ultimate playground goal with double <sup>5</sup>/8" steel rim and No-Fail netlock system to add strength and eliminate netlock breakage plus <sup>3</sup>/16" thick steel box-style backplate and rim supports, accepts nylon or optional chain nets (Unconditional lifetime replacement warranty).

TUBE & CO

**PR77 package includes...**BA780 Mega-Duty 5<sup>9</sup>/16" O.D., hot dip galvanized steel pipe with 72" safe play area (or order **PR77XL** for 96" safe play area), heavy 1<sup>5</sup>/8" support braces, 48" in-ground bury pole (Lifetime limited warranty); BA47 Ultimate rectangular 42" x 60" playground backboard made of heavy-duty 12 ga. steel skin with safety rolled edges and white powder coated finish (Lifetime limited warranty); and BA39U Ultimate playground goal with double 5/8" steel rim and No-Fail netlock system to add strength and eliminate netlock kreakage plus 3/16" thick steel box-style backplate and rim supports, accepts nylon or optional chain nets (Unconditional lifetime replacement warranty).

PR78 package includes...BA780 Mega-Duty 59/16" 0.D., hot dip galvanized steel pipe with 72" safe play area, heavy 15/6" support braces, 48" in-ground bury pole (Lifetime limited warranty); BA407U rectangular 42" x 54" backboard made of unbreakable bulletproof clear polycarbonate and extruded aluminum framework with white shooter's square and border (Lifetime limited warranty); and BA32 outdoor flex goal designed to withstand playground abuse (1-year limited warranty).

PR79 package includes...BA780 Mega-Duty 59/16" O.D., hot dip galvanized steel pipe with 72" safe play area (or order **PR79XL** for 96" safe play area), heavy 15/8" support braces, 48" in-ground bury pole (Lifetime limited warranty); BA472PC official 42" x 72" size backboard made of perforated steel popular on inner city playgrounds, 12 ga. steel skin with heavy steel rear framework with safety rolled edges and white powder coated finish (10-year limited warranty); and BA39U Ultimate playground goal with double 5/8" steel rim and No-Fail netlock system to add strength and eliminate netlock breakage plus 3/16" thick steel box-style backplate and rim supports, accepts nylon or optional chain nets (Unconditional lifetime replacement warranty)

**PR87** (not shown) **package includes...**BA780 Mega-Duty 5<sup>9</sup>/16" O.D., hot dip galvanized steel pipe with 72" safe play area (or order **PR87XL** for 96" safe play area), heavy 1<sup>5</sup>/8" support braces, 48" in-ground bury pole (Lifetime limited warranty); BA472 rectangular official size 42" x 72" backboard made of heavy-duty 12 ga. steel skin with safety rolled edges and white powder coated finish (Lifetime limited warranty); and BA39U Ultimate playground goal with double 5/8" steel rim and No-Fail netlock system to add strength and eliminate netlock breakage plus 3/16" thick steel box-style backplate and rim supports, accepts nylon or optional chain nets (Unconditional lifetime replacement warranty).

## 🍈 4½" HEAVY-DUTY PLAYGROUND BASKETBALL SYSTEMS

All packages on this page have a 48" or 60" safe play area, 48" ground bury and 25-year pole warranty.



## BA777 Heavy-Duty 41/2" Gooseneck Pole

This 4½" 0.D. pole provides 48" or 60" safe play area...Direct goal mount design improves backboard durability • Includes heavy-duty 1<sup>5</sup>/s" backboard support braces • 48" ground bury for stability even in deep frost regions • Galvanized pole and zinc plated hardware • 5" x 5" goal mounting pattern • 25-year limited warranty • Add optional BA700PP pole padding for increased player safety • Order pole and components separately or in popular packages described below • 25-year limited warranty on pole.

PR50 package includes...BA777 Heavy-Duty 41/2" O.D., hot dip galvanized steel pipe with 48" safe play area (or order PR50XL for 60" safe play area), heavy 15/8" support braces, 48" in-ground bury pole (25-year limited warranty); BA475W fanshaped 351/2" x 54" white rust-free cast aluminum backboard with heavy ribbing for maximum rigidity (Lifetime limited warranty); and BA39U Ultimate playground goal with double 5/8" steel rim and No-Fail netlock system to add strength and eliminate netlock breakage plus 3/16" thick steel box-style backplate and rim supports, accepts nylon or optional chain nets (Unconditional lifetime replacement warranty)



PR52 package includes...BA777 Heavy-Duty 41/2" O.D., hot dip galvanized steel pipe with 48" safe play area (or order PR52XL for 60" safe play area), heavy 15/8" support braces, 48" in-ground bury pole (25-year limited warranty); BA475SS fan-shaped 351/2" x 54" durable, rust-free aluminum backboard with heavy support ribs, white powder coated finish

and orange shooter's square and border (Lifetime limited warranty); and BA39U Ultimate playground goal with double 5/8" steel rim and No-Fail netlock system to add strength and eliminate netlock breakage plus 3/16" thick steel box-style backplate and rim supports, accepts nylon or optional chain nets (Unconditional lifetime replacement warranty).

PR55 package includes...BA777 Heavy-Duty 41/2" 0.D., hot dip galvanized steel pipe with 48" safe play area (or order **PR55XL** for 60" safe play area), heavy 15/8" support braces, 48" in-ground bury pole (25-year limited warranty); BA495 fan-shaped 39" x 54" backboard with heavy-duty mounting support structure, 12 ga. steel skin, and white powder coated finish (10-year limited warranty); and BA39U Ultimate playground goal with double 5/8 steel rim and No-Fail netlock system to add strength and eliminate netlock breakage plus 3/16" thick steel box-style backplate and rim supports, accepts nylonor optional chain nets (Unconditional lifetime replacement warranty)

PR60 package includes...BA777 Heavy-Duty 41/2" O.D., hot dip galvanized steel pipe with 48" safe play area (or order PR60XL for 60" safe play area), heavy 1-5/8" support braces, 48" in-ground bury pole (25-year limited warranty); BA47 Ultimate rectangular 42" x 60" playground backboard made of heavy-duty 12 ga. steel skin with safety rolled edges and white powder coated finish (Lifetime limited warranty); and BA39U Ultimate playground goal with double 5/8" steel rim and No-Fail netlock system to add strength and eliminate netlock breakage plus 3/16" thick steel box-style backplate and rim supports, accepts nylon or optional chain nets (Unconditional lifetime replacement warranty).

PR70 package includes...BA777 Heavy-Duty 41/2" 0.D., hot dip galvanized steel pipe with 48" safe play area (or order **PR70XL** for 60" safe play area), heavy 15/8" support braces, 48" in-ground bury pole (25-year limited warranty); BA407U rectangular 42" x 54" backboard made of unbreakable bulletproof clear polycarbonate and extruded aluminum framework with white shooter's square and border (Lifetime limited warranty); and BA32 outdoor flex goal designed to withstand playground abuse (1-year limited warranty).

PR70G package includes...BA777 Heavy-Duty 41/2" O.D., hot dip galvanized steel pipe with 48" safe play area, heavy 15/8" support braces, 48" in-ground bury pole (25-year limited warranty); BA407G rectangular 42" x 54" backboard made of 3/8" thick tempered glass with an extruded aluminum framework and white shooter's square and border (5-year limited outdoor warranty); and BA32 outdoor flex goal designed to withstand playground abuse (1-year limited warranty)

No. The

PR50

800-247-7668

PR70 PR70G

**PR55** 



## 3½" TOUGH-DUTY PLAYGROUND BASKETBALL SYSTEMS 🍈

#### All packages on this page have a 36" safe play area, 36" ground bury and 10-year pole warranty.

• 36" ground bury • Direct goal mount design • Heavy-duty 15/8" diameter braces to support backboard are included • 5" x 5" goal mounting pattern • Add optional BA700PP pole padding for increased player safety . Order pole and components separately or in complete packages as described below • 10-year limited warranty on pole.

PR20 package includes...BA775 Tough-Duty 31/2" O.D., hot dip galvanized steel pipe with 36" safe play area, heavy 1-5/8" support braces. 36" in-ground bury pole (10-year limited warranty); BA495 fan-shaped 39" x 54' backboard with heavy-duty mounting support structure, 12 ga. steel skin, and white powder coated finish (10-year limited warranty); and BA27 standard 5/8" steel rim goal with 1/2" braces and continuous netlocks (1-year limited warranty).

PR29 package includes... BA775 Tough-Duty 31/2" O.D., hot dip galvanized steel pipe with 36" safe play area, heavy 15/8" support braces, 36" in-ground bury pole (10-year limited warranty); BA475SS fan-shaped 351/2" x 54" durable, rust-free aluminum backboard with heavy support ribs, white powder coated finish and orange shooter's square and border (Lifetime

limited warranty); and BA27 standard 5/8" steel rim goal with 1/2" braces and continuous netlocks (1-year limited warranty). PR30 package includes...BA775 Tough-Duty 31/2" O.D., hot dip galvanized steel pipe with 36' safe play area, heavy 15/8" support braces, 36" in-ground bury pole (10-year limited warranty); BA475W fan-shaped 351/2" x 54" white rust-free

cast aluminum backboard with heavy ribbing for maximum rigidity (Lifetime limited warranty); and BA27 standard 5/8" steel rim goal with 1/2 braces and continuous netlocks (1-year limit warranty).

**PR20** 

BA775 Tough-Duty 3½" Gooseneck Pole Galvanized 3½" 0.D. pole comes with zinc plated hardware... Provides 36" safe play area PR31 package includes...BA775 Tough-Duty 31/2" O.D., hot dip galvanized steel pipe with 36" safe play area, heavy 15/8" support braces, 36" in-ground bury pole (10-year limited warranty); BA454 rectangular 39" x 54" backboard made of 12 ga. carbon steel with a white powder coated finish and perforated shooter's square (10-year limited warranty); and BA27 standard 5/8" steel rim goal with 1/2" braces and continuous netlocks (1-year limited warranty). PR33 package includes...BA775 Tough-Duty 31/2" O.D., hot dip galvanized steel pipe with 36" safe play area, heavy 15/8" support braces, 36" in-ground bury pole (10-year limited warranty); BA475W fan-shaped 35½" x 54" white rust-free 36" Safe Play Area cast aluminum backboard with heavy ribbing for maximum rigidity (Lifetime limited warranty); at 10' removable rim bracket and removal pole and BA27 standard 5/8" steel rim goal with 1/2" braces and continuous netlocks (1-year limited warranty). For use by adults only. **PR31** Shown with Optional BA700PP **Pole Padding PR33** WARNING: Rim **Removal and** Installation By Adults Only! PR30 A PART OF Atkore -7668 www.bisoninc.com 800-247

## **Playground Basketball Packages**

Model #	Adjustable	Safe Play Area	Pole Finish	Backboard Material	Backboard Size/Shape	Goal Style
4" Squa	re Pole	see details	: on page 6	8.		
PR94UZC	Yes	30"	Black	Polycarbonate	36" x 54" Rect.	Breakaway
5" Squa	re Pole	see details	on pages	66, 67 and 68		
PR15	No	36"	Black	Aluminum	39" x 54" Fan	Breakaway
PR17	No	36"	Black	Steel	42" x 60" Rect.	Breakaway
PR18	No	36"	Black	Polycarbonate	36" x 60" Rect.	Breakaway
PR95UZC	Yes	30"	Black	Polycarbonate	36" x 60" Rect.	Breakaway
PR98UHTJR	Yes	48"	Black	Polycarbonate	36" x 60" Rect.	Breakaway
PR98GHTJR	Yes	48"	Black	Glass	36" x 60" Rect.	Breakaway
PR98SHTJR	Yes	48"	Black	Steel	42" x 60" Steel	Breakaway
6" Squa	re Pole	see details	on pages	65 and 67.	*Ask about availabl	e 72" Safe Play Area
BA871-BK	No	60"*	Black	Steel	42" x 60" Rect.	Double Rim Fixed
BA871XL-BK	No	60"*	Black	Steel	42" x 72" Rect.	Double Rim Fixed
BA873-BK	No	60"*	Black	Glass	42" x 72" Rect.	Breakaway
BA873U-BK	No	60"*	Black	Polycarbonate	42" x 72" Rect.	Breakaway
PR98UHT	Yes	48"	Black	Polycarbonate	42" x 72" Rect.	Breakaway
PR98GHT	Yes	48"	Black	Glass	42" x 72" Rect.	Breakaway
PR98SHT	Yes	48"	Black	Steel	42" x 60" Rect.	Breakaway
59/16" RC	ound Sin	igle Pole 🗧	see detail	s on page 69.		
PR74	No	72"	Galvanized	Polycarbonate	42" x 72" Rect.	Breakaway
PR75/PR75XL	No	72"/96"	Galvanized	Aluminum	351⁄2" x 54" Fan	Double Rim Fixed
PR76	No	72"	Galvanized	Steel	39" x 54" Fan	Double Rim Fixed
PR77/PR77XL	No	72"/96"	Galvanized	Steel	42" x 60" Rect.	Double Rim Fixed
PR78	No	72"	Galvanized	Polycarbonate	42" x 54" Rect.	Breakaway
PR79/PR79XL	No	72"/96"	Galvanized	Perforated Steel	42" x 72" Rect.	Double Rim Fixed
PR87/PR87XL	No	72"/96"	Galvanized	Steel	42" x 72" Rect.	Double Rim Fixed
4½" Rou	ind Sing	le Pole se	e details	on page 70.	-	
PR50/PR50XL	No	48"/60"	Galvanized	Aluminum	35½" x 54" Fan	Double Rim Fixed
PR52/PR52XL	No	48"/60"	Galvanized	Aluminum	35½" x 54" Fan	Double Rim Fixed
PR55/PR55XL	No	48"/60"	Galvanized	Steel	39" x 54" Fan	Double Rim Fixed
PR60/PR60XL	No	48"/60"	Galvanized	Steel	42" x 60" Rect.	Double Rim Fixed
PR70/PR70XL	No	48"/60"	Galvanized	Polycarbonate	42" x 54" Rect.	Breakaway
PR70G	No	48"	Galvanized	Glass	42" x 54" Rect.	Breakaway
31⁄2" Rou	ind Sing	<b>le Pole</b> se	e details	on pages 68 a	nnd 71.	
PR12	Yes	22"	Galvanized	Graphite	36" x 48" Fan	Breakaway
PR20	No	36"	Galvanized	Steel	39" x 54" Fan	Fixed
PR29	No	36"	Galvanized	Aluminum	35½" x 54" Fan	Fixed
PR30	No	36"	Galvanized	Aluminum	35½" x 54" Fan	Fixed
PR31	No	36"	Galvanized	Steel	39" x 54" Rect.	Fixed
PR33	No	36"	Galvanized	Aluminum	35½" x 54" Fan	Removable
BA801	Yes	22"	Galvanized	Graphite	36" x 48" Fan	Breakaway





### OUTDOOR BASKETBALL ACCESSORIES 🚳

BA700PP



#### **Outdoor Safe Stuff**<sup>••</sup> **Pole Padding**

Protect players from injury caused by contact with the pole...Bison makes pole padding to fit every pole system we offer • Many styles will also fit other manufacturers' poles, refer to pole description • Velcro<sup>®</sup> attachment straps • Thick foam covered with all-weather vinyl • One-year limited warranty • See page 79 for vinyl colors and lettering options.

Model	Fits Pole Size/Style	Padding Style	Color	Thickness	Height
BA870PP-BK	All 6" Square Poles	Fitted	Black	1"	74"
BA872PP-BK	All 4 Sides of 6" Square Poles	Fitted	Black	2"	74"
BA870JRPP	All 5" Square Poles	Fitted	Black	1"	68"
	Any Round or Square	Wrap-			
BA700PP	Pole to 59/16" Dia.	Around	Black	1"	72"
BA79UPP-BK	All 4" Square Poles	Fitted	Black	1"	72"
FBCPP	Any Round or Square		See Colors		
(see page 59)	Pole to 59/16" Dia.	Fitted	(see page 79)	5"	72"

BA870PP Shown with Optional ABC52 Lettering



Outdoor Backboard Padding This molded DuraSkin padding is similar to that used in high schools, colleges and pro arenas across the country, but designed specifically for outdoor durability...Black padding provides protection from player contact with front and side of backboard • Fits most rectangular backboards • Bolt-on design requires backboard frame drilling • Order BA54U-BK for 54" wide backboards, BA60U-BK for 60" backboards, or BA72U-BK for

72" backboards • One-year limited warranty.





#### CM200 Three-Point Reusable Steel Court Stencil

No more flimsy paper or plastic stencils that tear or blow in the wind...Easy-to-use stencil kit marks court after court with sharp straight lines • Minor cleaning of paint build up will allow stencils to last virtually forever • Kit includes 20 ga. steel stencils to paint 1½" wide base line, lane, free-throw line, top of key and official high school three-point line

 Requires 2 to 3 cans of Parking Lot Spray Paint for each complete court 

 Stencil kit is ideal for park departments, school district maintenance departments, playground installation crews or anyone wanting a quality outdoor basketball court.

 WARNING: Rim Removal and Installation By Aduits Only! Gooseneck Pole and Backboard Not Included

**TR96** 

#### TR96 Court Protector<sup>™</sup> Removable Goal Package

Complete with goal, bracket, hardware and removal pole to make outdoor basketball systems usable only when desired...Bison BA27 goal and nylon net can be removed from the specially designed bracket without tools or ladders using the special telescoping pole provided • If desired, goal can be locked in place using padlock (not included) • Package will retrofit to any front mount backboard that uses a  $5" \times 5"$  or  $5" \times 4"$  goal mounting hole pattern • Order **TR95** for bracket, pole and hardware (order BA27 goal with net separately) • Use with Bison  $3\frac{1}{2}"$  and  $4\frac{1}{2}"$  gooseneck poles only • One-year limited warranty.

#### 53 BA50 Premium Steel Playground Safety Net This chain net will virtually eliminate the risk of loose and dangling chain links found on other chain nets...All links are welded into closed loops to eliminate separation caused when chains are stretched during play • Extra heavy-duty "S " hooks are used for attachment to any style or make of goal • Zinc plated and three times heavier than normal chain nets • Two-year limited warranty. BA53 Standard Chain Net Heavier than most other manufacturers' chain playground nets...Outperforms common nylon nets • The heavy-duty "S" hooks attach to any style of goal • This is the standard net provided with Bison BA37 goal • Zinc plating provides protection from the weather. BA51H Anti-Whip Net Competition grade, affordable price...Heavy braided nylon to reduce net whip common with lighter weight nets • Bright white • Use for competition or as upgrade to normal residential or

playground string nets. BA501H Standard Competition Net (not shown) Heavier than nets generally supplied with goals...Braided nylon • Bright white • Excellent value.

BA52H Economy Basketball Net (not shown) Weather-resistant nylon net will fit on any style goal...Our most affordable net.

BA56W Weld-On Repair Netlocks A must for every park and recreation maintenance department...Low cost standard netlocks can be welded on in the shop • 12 per package.

BA10 **Replacement Shooter's Square** Ready-to-apply, official size, vinyl shooter's square will renew the look of your painted steel, wood or fiberglass backboards...Applies easily without messy adhesive or paint • Makes backboards good as new • Same heavy-duty, self-adhesive vinyl used for exterior automotive detailing • Installs in five minutes • Instructions and applicator included.





800-247-7668

## **STEEL PLAYGROUND BACKBOARDS**










#### BA495 Fan-Shaped Dura Steel<sup>®</sup> Backboard

Steel and lots of it highlight this 39" x 54" official size steel backboard... Superior front mount design • 12 ga. skin • 5" x 5" hole pattern • White powder coated finish • Heavy-duty mounting support structure • Standard 20" x 35" fan-type backboard mounting holes . Heaviest backboard of its type Official orange border and shooter's square
 Ten-year limited warranty.



#### BA47 Ultimate Rectangular **Steel Backboard**

Our most popular rectangular playground backboard...42" x 60" playing surface • Standard 20" x 35" mounting brackets allow easy attachment to any current fan-shaped ceiling or wall mounting structure • All edges safety rolled to eliminate sharp edges, increase strength and rigidity • Excellent rebound Regulation orange shooter's square 
 Durable white powder coated finish Heavy-duty 12 ga. skin • 7 ga. steel support structure • 5" x 5" goal mounting hole pattern • Designed for Bison Ultimate pole structures, but will also fit most manufacturers' outdoor pole systems • Ten-year limited warranty

· Lifetime limited warranty when included on a Bison Ultimate system.

#### BA472PC Perforated 72" Official Size **Steel Backboard**

Popular style preferred for use by many inner city playgrounds... No painted-on shooter's square or border to wear off • Official 42" x 72" size • All edges on the 12 ga. skin are triple bent to eliminate sharp edges and improve rigidity and durability . Heavy tubular frame is mounted to the rear for excellent playability not found on some steel backboards • White powder coated finish • 5" x 4" goal mounting pattern • Check drawing before purchasing to mount on existing pole structures . 10-year limited warranty.

#### BA472 Ultimate<sup>TH</sup> Official Size Rectangular Steel Backboard

Our most popular steel backboard is now available in official 42" x 72" size...All edges safety rolled to eliminate sharp edges, increase strength and rigidity • Excellent rebound • Regulation orange shooter's square • Durable white powder coated finish • Heavy-duty 12 ga. skin • 7 ga. steel support structure • 5" x 4" goal mounting hole pattern • Designed for Bison Ultimate pole structures, but will also fit Bison's 59/16" gooseneck and most manufacturers' outdoor pole systems • Ten-year limited warranty • Lifetime limited warranty when included on a Bison Ultimate system.

#### BA454 Perpetual<sup>™</sup> Steel Backboard

Perforated shooter's square provides a permanent target that won't deteriorate...39" x 54" rectangular backboard • 12 ga. carbon steel skin • White powder coated finish • 5" x 5" goal mounting pattern • Ten-year limited warranty.

#### BA485 Ruff Play<sup>™</sup> Rear Mount **Steel Backboard**


Replace your bent and rusty rear mount backboards...Popular rear mount goal design • Same 20" x 35" mounting structure as all rear mount backboards • 12 ga. skin • Universal goal mounting hole pattern • Recommended for replacement use only . New installations should use BA495 front mount board for maximum fan-steel durability . Extra heavy support structure . White powder coated finish • Official 35" x 54" size • Not compatible with any Bison outdoor pole systems • Five-year limited warranty.

> Order Goals Separately





35






12








21/4


800-247-7668

### ALUMINUM AND SPECIALTY BACKBOARDS 🍈



# BA475W Lifeguard<sup>™</sup> White Aluminum Backboard

Cast aluminum with white powder coated finish...35%" x 54" with 5" x 5" rim mounting hole pattern • Heavy rear support ribs • Lifetime limited warranty.




#### BA475SS Lifeguard<sup>™</sup> White Aluminum Backboard With Shooter's Square

Official shooter's square and orange border on cast aluminum...Same durable, rust-free backboard as BA475W • White powder coated finish • Orange border and shooter's square • 5" x 5" goal mounting hole pattern • 35½" x 54" • Requires direct mount pole system • Lifetime limited warranty.




A scaled down version of our popular unbreakable 42" x 72" competition glass backboard...Reduced to 42" x 54" to reduce weight and cost without sacrificing features • Goal is mounted "off glass" so even excessive hanging will not cause stress • Unconditional lifetime warranty.




#### BA407U Unbreakable Polycarbonate Backboard

This backboard repels vandalism...Clear, ½" thick polycarbonate material is virtually bulletproof • Top quality appearance for outdoor systems • Extruded aluminum framework is identical to that used on our premium competition glass backboards • Powder coated steel structure absorbs stress of player contact with the goal • 42" x 54" with white shooter's square and border • Lifetime limited warranty.



# BA42UC Unbreakable 72" Official Size Polycarbonate Backboard

Clear, full sized yet bulletproof...72" x 42" clear polycarbonate is a full  $\frac{1}{2}$ " thick and supported by a heavy-duty aluminum frame and steel rear support structure • Looks exactly like a competition glass backboard with white shooter's square and border • Steel components have a durable powder coated finish • 5" x 4" goal mounting pattern • Check drawing before purchasing to mount on existing pole structures • Lifetime limited warranty.



#### BA495P Rust-Free Polyethylene Fan-Shaped Backboard

Never worry about rusty backboards again...39" x 54" x 1" thick polyethylene backboard • Impervious to coastal salt spray • Bright white front and back molded around orange core • Shooter's square has been machined into face to provide a permanent target not available on other poly backboards • 5" x 5" goal mounting hole pattern • Requires direct mount pole system • Lifetime limited warranty.

**WARNING!** All backboard warranties are invalid when not mounted properly on pole systems or structure with direct rim mount supports.



800-247-7668

Order Goals Separately





# 🚳 PLAYGROUND GOALS

#### BA390 Ultimate Front Mount Playground Goal The first and still the ONLY unconditional lifetime replacement warranty on a basketball goal! Double, 5/8", High Tensile Durable, Powder-Steel Rim Coated Finish Continuous, No-Fail Netlock System For Chain or Nylon Nets Heavy Steel Rim Support Premium Competition Nylon Net Included See YouTube.com/bisoninc for Product Videos Unconditional You Thick, Box-Style Functional Tube Backplate Lifetime Warranty The Ultimate goal for tough playgrounds...Double, 5/8", solid rim design • 3/16" x 1" No-Fail netlock adds to strength of goal and eliminates netlock breakage • 3/16" thick "box" design backplate and rim supports . Includes high tensile strength mounting hardware and premium nvlon net • Unconditional functional lifetime warranty. BA39U fits backboards with any of these hole patterns.



BA33U Double-Rim, Heavy-Duty Flex Goal The industry's first double-rim flex goal...Low maintenance design can be used indoors or outdoors • 5/e" solid steel rings supported by 3/16" x 11/2" rim support • 15° of deflection, auto return • Universal backplate • No-Fail netlock system for chain, nylon or web nets • The best of breakaway and double-rim goal designs • Includes mounting hardware and nylon net • One-year limited warranty.

#### BA32 Heavy-Duty Side Court and Recreational Flex Goal

The only affordable flex goal built to take the abuse of playground, gym or home use...Simple, low-maintenance design can be used indoors or outdoors • 5/8" steel rim supported by 3/16" x 11/2" support • 15° deflection, auto return • Durable, orange, baked powder coated finish • Not approved for interscholastic high school or collegiate play • Universal backplate • Includes mounting hardware and nylon net • One-year limited warranty.

#### BA37N Front Mount Double-Rim Goal with No-Tie Netlocks

Super strong, super goal...Double 5/8" steel ring for extra durability • Twelve no-tie netlocks to accept nylon net • 3/16" thick universal backplate • Packaged two goals per carton • Includes mounting hardware and nylon net · One-year limited warranty.

#### BA37 Front Mount Double-Rim Goal

Double rim for durability, two rim support braces for added strength...3/16" steel universal backplate fits all front mount boards • Bottom ring is 1/2" diameter and formed to accept either BA53 chain net (included) or BA50 premium steel net (optional) • Packaged two goals per carton • Includes mounting hardware • One-year limited warranty.

#### BA27A Front Mount Super Goal

Excellent upgrade from standard front mount goals at lower cost than double rim or breakaway goals...Full 5/8" computer designed reinforcing bar gives "super support" when player suspends from goal • Additional 5/8" brace at the vulnerable joint between rim and backplate • Continuous netlocks • ¼" thick steel **universal backplate** • Durable. baked powder coated finish • Packaged two goals per carton • Includes mounting hardware and nylon net • Two-year limited warranty

### BA27 Standard Front Mount Competition Goal (not shown)

Universal backplate of 3/16" steel for mounting to virtually all boards, institutional and home ... 1/2" reinforcing bar, computer engineered for maximum support • Continuous netlocks • High-penetration continuous welded joints • Durable, powder coated finish • Packaged two goals per carton • Includes mounting hardware and nylon net • Oneyear limited warranty.

#### BA32RXT FlexCourt<sup>™</sup> Rear Mount Flex Goal

Ideal for outdoor playgrounds or indoor courts with rear mount fan-shaped steel backboards...Same heavyduty design as Bison BA32 front mount flex goal • Double steel die spring action • Built to absorb stress from aggressive action around the rim . Helps protect vulnerable steel backboards from damage . Universal backplate mounts to all rear mount backboards • Official 5/8" diameter ring • Heavy 3/16" thick rim support • Includes mounting hardware and nylon net . One-year limited warranty.

#### BA21A Rear Mount Super Goal


Stronger than other manufacturers' standard rear mount goals ... 1/4" continuous welded support ring for over half of the rim circumference • Continuous netlocks • Additional bracing at the backplate joint gives greater strength when player suspends from goal • 3/16" universal backplate mounts to all rear mount backboards • Durable powder coated finish • Packaged two goals per carton • Includes mounting hardware and nylon net • Two-year limited warrantv







### BUILD YOUR OWN PLAYGROUND BASKETBALL SYSTEM 🍈



(See pages 14-13)	
Compatibility	Backboard
Compatible with all Pole Systems Above	BA495, BA475SS (shown), BA475W, BA454 and BA495P
Compatible with only $4\frac{1}{2}$ " and $5^{9}$ /16" Pole Systems Above	BA47 and BA407U
Compatible with only 59/16" Pole Systems Above	BA472PC and BA42UC



### Choose a Rim (See page 76)

Compatibility	Rims				
Compatible with all Poles/Backboards and Combinations Above	BA39U (shown), BA33U, BA32, BA37, BA37N, BA27A and BA27				




**BA475SS** 





### **RESIDENTIAL BASKETBALL SYSTEMS**

(NOT WARRANTED FOR COMMERCIAL USE)



## 4" QwikChange

### Adjustable Basketball System

Hard work and dedication pay off on the court and in the design and manufacture of quality equipment as well...Bison's 4" square QwikChange poles have 75% more steel than common round poles • One of these systems is going to look great in your driveway for years to come! • It's going to grow with your kids, too. Height adjusts from 7½' to 10' in 6" increments. • The height adjustment mechanism has over ten times the pivot contact area of commonly compared round pole systems, so go ahead and let them slam dunk! • The mounting design for the pro-style flexible goal transfers playing stress to the pole, protecting the backboard.

- Clear Acrylic Backboard
- 22" Safe Play Area at 10
- Aluminum Backboard Frame
- QwikChange Height Adjustment
- Fast Break Flex Goal
- Backboard Protecting Direct Goal Mounting
- Four Backboard Braces for Added Support
- Textured Black Powder Coated Pole Finish
- Approx. 30" Deep Bury
- FREE Fitted Pole Padding

### 5"& 6" **HangTime**<sup>®</sup> Adjustable Basketball Systems

HangTime adjustable basketball systems include all the most popular features at an affordable price...5" or 6" square, ¼" wall pedestal base powder coated pole • Spring lift assist mechanism makes rear crank rim height adjustment easy and quick • Includes fitted pole padding and molded backboard padding • Choose from 54" or 60" clear or smoked backboards on 5" poles, 72" glass on 6" poles • Limited Lifetime warranty (2-year on goal, padding, and height adjustment mechanism).

- Clear TruGlass Tempered Glass Backboard
- Choose 5" or 6" Pedestal Base Pole
- Free Backboard Padding
- Free Flared Pole Padding
- 48" Safe Play Area
- Lockable Rim Height Crank
- Spring Lift Assist Mechanism for Easy Rim Height Adjustment
- Easy to Read Rim Height Indicator
   Gymnasium Quality Heavy-Duty
- Competition Flex Goal Backboard Protecting Direct Goal Mounting
- Aluminum Backboard Frame
- Textured Black Powder Coated Pole Finish

### 4"& 5" *ZipCrank* Adjustable Basketball Systems

You'll see and feel the difference between Bison

ZipCrank systems and other manufacturers' systems...Bison uses our experience as a manufacturer of competition grade equipment to offer TruGlass tempered glass backboards that give players a more realistic rebound • Every backboard has an aluminum frame just like those in the gym • The extra heavy poles and front crank style height adjustment are designed to change the height of the breakaway goal from 7½' to 10' with the turn of the removable crank handle • As an added bonus, Bison ZipCrank systems can be mounted closer to fences, walls or other obstacles than rear height adjustment systems • All systems include free fitted pole padding • Limited lifetime warranties on backboard and pole system (one-year on rim, crank and padding).

- Clear TruGlass Tempered Glass Backboard
- Choose 4" or 5" Direct Bury Pole
- Gymnasium Quality Heavy-Duty Competition Flex Goal
- Backboard Protecting Direct Goal Mounting
- Textured Black Powder Coated Pole Finish
- 30" Safe Play Area
- Aluminum Backboard Frame
- ZipCrank Front Crank Height Adjustment
- Removable Hand Crank Prevents
- Unwanted Adjustment
- Goal Height Indicator 🦟
- FREE Fitted Pole Padding
- Optional Backboard Padding







60" glass backboard

5" pole with

(shown)





#### Colors below are a computer representation and may vary from the actual colors.

### **BISON COLOR AND LETTERING OPTIONS**





#### Full Color Graphic Printing Options

It is theoretically possible to print any color with our 4-color Sport Pride graphic printing process. Our graphic designers will work with you for a final color and design selection. Sport Pride graphic printing is available on gym and outdoor wall padding, scorers tables, padding and banners, volleyball, football and portable basketball systems.







ABC52 Lettering Styles

**B** ABC

D ABC

A ABC

CABC

ABC53 Lettering Styles A ABC B ABC



CD-Cardinal

VG-Vegas Gold



#### **Ready to Apply (RTA) Adhesive Vinyl Lettering Colors**

Select from vinyl colors on right to add custom lettering to ball carts, equipment carts and other powder coated steel sports equipment surfaces. See ABC92 on page 24 for details.



CL-Columbia Blue



#### **Color Options for Aluminum Bench** and Bleacher Seats

Aluminum seats and backs can be finished in any of the colors shown at right.






800-247-7668





### **BACKBOARD DRAWINGS/COURT & FIELD DIAGRAMS**





### **MISCELLANEOUS TECHNICAL INFORMATION**

### Wall Mount Structure **SAFETY WARNING!**

Due to the aggressive nature of basketball today it is likely, regardless of the level of supervision and facility rules, play will include hanging on the goal either intentionally or in the course of play. The structural failure of any component will put players or fans in danger of grave injury or even death should the structure fail. For this reason, Bison has designed all mounting brackets, hardware and structure to be of the highest quality. Your facility can feel confident installing Bison wall structures in conjunction with Bison goals, backboards and padding, assuming the safety guidelines outlined below are followed.

- 1. Install structure only to walls capable of supporting the load placed on the wall by the weight of the structure and the potential for additional weight of players hanging and bouncing. Generally, the further the backboard is extended from the wall the more load that is applied. Poured concrete or concrete block walls are superior. It is inadvisable to mount structure to walls with wooden or steel studs unless additional work approved by an engineer is done to provide additional support.
- 2. Due to the differences in wall construction, Bison does not provide the anchors to mount the wall boards to the wall. Consult a professional architect, engineer or contractor to determine safe methods for installation to your facility's walls unless you are confident in your internal facility abilities. Bison will not assume liability for the installation of any wall mount structure shown in this catalog.
- 3. If the wall mount structure is being installed above bleachers it is strongly recommended (but not required) by NCAA and National High School Federation rules to install a safety device similar to the Bison BA950LR Structure Catch. The BA950LR acts as a safety belt to "catch" the structure before it falls in case of failure of the wall mounting anchors or other structural components. The device mounts to the ceiling structural components.
- 4. It is always wise to pad the bottom of the backboard for all levels of play. NCAA and National High School Federation rules require backboard padding similar to Bison's BA68U DuraSkin for all games governed by their rules.
- If your wall is less than 10' from the face of the backboard, it is highly recommended that the wall is padded to avoid player contact injuries. See Bison Wall Padding options on pages 29-31.
- 6. Always follow all installation instructions carefully. Do not omit hardware or take shortcuts.
- 7. Once structure is installed it is advisable to inspect annually for loose bolts as the vibration of basketball play may eventually loosen wall mount anchors and the hardware.
- 8. Studies have shown that 42" x 72" glass backboards reduce the risk of player injury from backboard contact. Bison manufactures 48" x 72" backboards only for replacement applications.
- 9. Many manufacturers now produce glass backboards that are nearly impossible to break during play. The small additional cost will provide peace of mind. See Bison BA42XL, BA44XL or BA48XL on pages 18-19.

#### **CAUTION!**

Wall mount structure requires a minimum ceiling and wall height as well as an acceptable wall mounting surface. Generally, brick or block walls are superior. It is inadvisable to mount structure to walls with wooden or steel studs unless additional work approved

by an engineer is done to provide additional support. Bison does not provide wall anchors with any structure. The purchaser assumes all liability for proper selection of anchors, supporting of walls, and installation. Bison will not assume liability for the installation of any wall mounting structure shown in this catalog. Consult a professional architect, engineer or contractor to determine safe methods for installation to your facility's wall construction.

### **Bison Limited Warranties**

All Bison products are warranted against manufacturing defects at the time of delivery. In addition, most products are covered by warranty periods stated in the description of the product. Where listed as "limited", warranties cover damage or failure that occurs during the course of "normal or intended use" of the warranted product. wNormal or intended use is described as activity that is necessary for the participation in the sport for which the equipment is designed. Bison Limited Warranties do not cover any damage or failure that is the direct or indirect result of any use that is not deemed in the sole discretion of Bison to be "normal and intended use". When warranties are stated as "unconditional" or "unconditional replacement", the above stated limitations do not normally apply except in cases where damage was obviously the result of a malicious act of vandalism. Where no specific length or type of warranty is listed in the catalog, the product is warranted to be free from manufacturer's defects and for the intended purpose at the time of shipment. Whether or not stated as such, all Bison warranties allow Bison to repair or replace warranted products at Bison's sole option. Normal deterioration of products due to weather, wear and tear, or other causes that do not affect functional use are not covered by Bison warranties, regardless of type of stated warranty. All warranties are valid only when product is used in the intended application as outlined in Bison's printed literature, when installed according to Bison's instructions and when matched with compatible components as described in Bison's literature. Under no circumstances will product shown in the Residential Basketball section of this catalog be warranted for commercial or institutional use. Due to the abusive nature of pay-to-play facilities, unless specifically agreed to in writing, Bison products carry no warranty except for obvious manufacturing defects when used in a facility where players pay an individual or group fee to use Bison equipmen

### **Bison Return Policy**

No merchandise may be returned without prior authorization by calling 800-247-7668. Merchandise returned without a return authorization number clearly visible on the packaging will be held for no more than 10 days at which time all return credit is forfeited. Upon receipt of request for return, an authorization number will be issued by Bison and must appear on all return shipping labels. All returns must be shipped prepaid (UPS, FedEx or truck preferred) to 1100 SW 6th Street, Lincoln NE 68522. Collect returns will not be accepted.

Credit for defective merchandise will be issued only when our inspection department determines the merchandise to be covered by our warranty. All salable merchandise returned is subject to a 30% restocking charge and all freight costs with a minimum restocking charge of \$50. Due to their custom design, scoring tables, wall padding and site furnishings are not returnable.

### **Catalog Disclaimer**

Photos and descriptions in this catalog are for reference only and are not intended to be used as technical specifications or for installation purposes. Some product photos may not exactly represent actual product shipped. Products are subject to change without notice. Any major changes in function or design will be communicated by Bison customer service if possible at time of order.







# MODEL NUMBER INDEX WITH SHIPPING WEIGHTS

	Page		<b>Model</b> BA776A	Page	. Weight (#)	Model			Model		
ABC50						BALOCKHT			HT5060G		
ABC52			BA776DB			BL07SEAT1			HT6072G		
ABC53			BA777			BL15SEAT1			LC050N		
ABC92			BA777XL			BL21SEAT1			LC200		
3A10			BA778	77	175* EA	BLI0702AA			0FC4234		
3A125			BA778A	77	60* EA	BLI0703AA			0FC4235E		
BA165	24	80 EA	BA778DB	77	240* EA	BLI0704AA			0FS4234		
BA175			BA77XBR	77	13 EA	BLI1502AA	62	195* EA	0FS4834	16	240* EA
3A185		50 EA	BA780	69, 77	280* EA	BLI1503AA	62	250* EA	0FX423180		295* E/
BA187			BA780XL		320* EA	BLI1504AA	62	340* EA	0FX4235E		237* E/
3A21A			BA781			BLI2102AA			OFX483180		
3A245			BA781A			BLI2103AA			0FX4835E		
3A245 3A26	24 ດາ	11 EA	BA781DB			BL00703AA			PB050		
3A20 3A27		10 FA	BA79UPP-BK			BL00703AXLAA			PB100BP		
			BA800			BL00703AXLAA			PB130		
BA27A											
3A3180S			BA800FL			BL00704AXLAA			PB150BB		
3A3180T			BA801			BL01502AA			PK05XL		
3A32			BA801BP			BL01502AXLAA			PK10		
3A32RXT	21, 76	20 EA	BA803	10	330* EA	BL01503AA			PK10N		
3A32XL		22 EA	BA803A		350* EA	BL01503AXLAA			PK10NXL	51	12 E/
BA33U			BA832		415* EA	BL01504AA			PK10P		
3A330 3A34			BA833			BL01504AXLAA			PK10XL		
3A34 3A35			BA833BLST			BL02103AA			PK21		۲ ۵۵ ۱۵ ۵ دا
3A35 3A35ARC		∠3 EA ∢ DD	BA833XL			BL02103AXLAA			PK23		
3A35AKU		IPK	DA033AL	9 70							
3A35E	20	25 EA	BA8350		250* EA	BL02104AA		500* EA	PK235		
3A35S			BA853A	8	640* EA	BL02104AXLAA			PKG14STFS		
3A37			BA853BLST			BM10			PKG14STRG		
3A37N	76	18 EA	BA853G	8	700* EA	BM100			PKG250	13	90** E/
3A39U	76	27 EA	BA853GXL	8	800* EA	BM1016	49	60 EA	PKG275		105** EA
A407C			BA870JRPP		6** EA	BM10N	10.49	4 EA	PKG300		180* EA
8A407G			BA870PP-BK			BM10P			PKG46SFRG		
3A4070 3A4070			BA871-BK			BM21			PKG46STRG		
3A4070 3A42E		100* FA	BA871XL-BK			BM300A			PKG48STFS		
0A42E		160° EA							PKG48STRG		
3A42UC		230* EA	BA872-BK			BM30-CV					
3A42XL			BA872PP-BK			BM350A			PKG500		
3A42XLC		220* EA	BA872XL-BK			BM400A			PKG600		
3A44XL		115* EA	BA873-BK			BNF0701AA			PKG650		
BA454			BA873U-BK	65, 72	480* EA	BNF0701BAA			PKG675		
3A47		145* EA	BA874-BK	65	525* EA	BNF1501AA	64	45* EA	PKG68SFRG	14	535* E/
3A472		160* EA	BA8910IG	4	4200* EA	BNF1501BAA	64	75* EA	PKG68STRG		500* EA
BA472PC	74	160* FA	BA894GSR	6	1700* FA	BNF2101AA			PKG82SFRG		
3A475SS			BA894USR	6	1675* FA	BNF2101BAA			PKG82STRG		
3A475W			BA894USR0	6	1725* EA	BNP0701AA			PR12		
3A475w 3A48			BA895G	0 5	1725° EA 1900* EA	BNP0701BAA			PR15		
3A48		210" EA	DA0930		1900 EA	DINPU/UIDAA	04	45° EA			
3A485			BA898AG			BNP1501AA			PR17		
3A48XL			BA898G			BNP1501BAA			PR18		
BA48XLC			BA898GBPAD			BNP2101AA			PR20		
A495	19, 74	100* EA			3 EA	BNP2101BAA			PR29		
A495P	75	65* EA	BA89QC-AW		150* EA	CM200	73	55 EA	PR30	71, 72	175* E <i>l</i>
A50		3 EA	BA925LR		50 EA	DN12	11	310* EA	PR31		
BA501H			BA930			DN1250			PR33		
3A51H			BA931			DN50			PR50		
			BA93250			FB10EXT					
BA52H			DA33230	1/ 17	ILA 1EA				PR50XL		
A53			BA93275			FB45HS			PR52		
A54U-BK			BA935			FB45S			PR52XL		
BA56W			BA9350			FB55CG			PR55		
A600YF			BA950LR			FB55HS			PR55XL		
A600YR		60 PR	BA973LR	17	80* EA	FB55S	59	125* EA	PR60		
A60U-BK			BA974LR		90* EA	FB58CG		1125* PR	PR60XL	70, 72	330* EA
3A658YF			BA975KS			FB58HS			PR70		
3A658YR			BA980F			FBCPP			PR70G		
			BA980RS			FBCPPG			PR70XL		
BA68U											
BA700PP			BA980RSE			FBWDS			PR74		
3A72U-BK			BA980RT			FH200			PR75		
	71 77	95* EA	BA980RTE		205* EA	FH200N	60	15 PR	PR75XL	69 72	400* EA
3A775											

\* Ships by Truck  $\,$  \*\* Ships Small Package Oversize







### **MODEL NUMBER INDEX WITH SHIPPING WEIGHTS**

Model	-		Model			Model			Model		
PR77			SCFUTSAL			VB1200RR			VB60W		
PR77XL			SCFUTSALN			VB123			VB70		
PR78	69, 72	440* EA	SCNOTIP		50 PR	VB1250K			VB700		
PR79	69, 72	470* EA	SCTEAMHB	61	175* PR	VB1250KRR	45	1 EA	VB7000	34, 36	150* EA
PR79XL	69. 72	510* EA	ST125F		475* EA	VB1250KU		13 EA	VB7000NS		130* EA
PR87	69 72	475* FA	ST84F		130* EA	VB1250SP	44	3 EA	VB7002		230* EA
PR87XL			ST85B			VB1250ST			VB7002NS		
PR94UZC	03, 72 68 72	240* EA	ST85F			VB1253W			VB72		
PR95UZC	00, 72		ST85FI			VB1200W			VB7202		
			STC036			VB13SL			VB7202NS		
PR98GHT	67, 72	550° EA									
PR98GHTJR			STC100			VB20			VB722		32^ EA
PR98SHT			STC300S			VB200			VB7222		
PR98SHTJR	67, 72	475* EA	STC500CONN		1 EA	VB2000			VB7222NS		
PR98SXLHT	67	550* EA	STC500S			VB2000NS			VB73A		
PR98UHT	67. 72	500* EA	SUCBLFT		0.1 FT	VB2002		310* EA	VB76		120* EA
PR98UHTJR			SVB08	10.43	3 EA	VB2002NS		280* EA	VB80JR	40	2500* PP
SBBB			SVB10			VB21			VB810	40	600* FA
SBSC			SVB100			VB22			VB8100		
			SVB1000			VB23			VB8100JR		
SBVB						VB23 VB230					
SC03PP			SVB1002						VB8102		
SC045N			SVB1250K	42, 44	12 EA	VB235			VB8102DJ		
SC04GA		5 Set/4	SVB2000A			VB23CH			VB8102JR		
SC04WK		65 Set/4	SVB210			VB23CH-CV			VB810BASE		
SC050N		6 PR	SVB26			VB23-CV	47	5 EA	VB810JR	40	600* EA
SC060N			SVB27		50 EA	VB23IK		5 EA	VB810P	40	40 EA
SC06CF			SVB28			VB23IKRB			VB82		
SC06CFW		20 Sot/4	SVB500	43	115* FA	VB23LK			VB8200		
SC06DK		2 Cot	SVB5000		260* EA	VB23LK-CV			VB8250		
SC00DK SC072N			SVB5050			VB23LK-0V			VB82P		
SCU72N		II PK	SVB3030								
SC080N			SVB5050W			VB24			VB9130		
SC0945IGA			SVB50-S	43		VB25			VB9135		
SC0945PA30E			SVB73			VB25FL	48	3 EA	VB9140		
SC10		4 EA	TB100			VB25TF			VB92		
SC100N		21 PR	TB100P			VB26	47	8 EA	VB94		87** EA
SC106N		20 PR	TB300		175* EA	VB26CH		10 EA	VB96		90 EA
SC1265IGA			TB50-B		2 EA	VB26LK	47	9 FA	VB98HG	46	1 FA
SC1265PA30E			TN05			VB26ST			VBDSS		
SC1865IGA			TN10			VB2001			VBTBASE		
SC1865PA30E			TN10CS			VB27CH			VBVELCR0		
301000PA3UE			TN1003		16 EA	VB27LK			WP2NGFW		
SC1865PA40E											
SC1865PA40NT.			TN10P		300* EA	VB30			WP2NGVS		
SC1865PA44E			TN23			VB300			WP2NGVW	••••••	
SC1865PA44NT.	53	450* PR	TN235			VB3000			WP2NGZW		
SC2170IGA		330* PR	TR70RP			VB3000NS		105* EA	WP2NSFW		3 SQFT
SC2170PA30E		375* PR	TR74		2 EA	VB3002		195* EA	WP2NSVS		3 SQFT
SC2170PA40E			TR75			VB3002NS		175* EA	WP2NSVW		3 SQFT
SC2170PA40NT.			TR76			VB335			WP2NSZW		
SC2170PA44E			TR86			VB340			WP2UGFW		
SC2170FA44L			TR95			VB3530			WP2UGVS		
SC2480IGA			TR96			VB354			WP2UGVW		
SC2480IGAFB			VB10			VB35P			WP2UGZW		
SC2480PA30E			VB10T			VB4030			WP2USFW		
SC2480PA40E	54	470* PR	VB100		50* EA	VB4035	48	15 EA	WP2USVS		2.2 SQFT
SC2480PA40EUF	R056	500* PR	VB100T		50* EA	VB510P	45	10 EA	WP2USVW		2.2 SQFT
SC2480PA40NT		550* PR	VB1000	34, 38	145* EA	VB51P	45	20 PR	WP2USZW		2.2 SQFT
SC2480PA44E			VB1000NS			VB51PG			WP466-BK		
SC2480PA44FB.			VB1000T			VB51PGUP			WPRAIL		
SC2480PA441 D. SC2480PA44NT			VB10001			VB51PL			WPRAILCT		
			VB1002 VB1002NS		200 LA 210* EA						
SC2480PA44XL.						VB60			WPUP2HD		
SC40PP			VB10W30			VB600			WPUP3N		
SC44PP			VB10W35			VB6000			WPUP3U		
SC44S			VB11		115* EA	VB6000NS			WPUPFRC		NA SQFT
SC500			VB110		60* EA	VB6000T			WPUPVONAR		0.1 SQFT
SC50B			VB1100			VB6002					
SC72NC			VB1100NS			VB6002NS					
SC7 2NC SCBKT2			VB1100N3			VB6050					
SERVIN	7	40 EA	VB1102NS		Z4U^ EA	VB6050NS		125° EA	* Ships by Truck **	Shins Small P	ackage Oversiz







### BASKETBALL • VOLLEYBALL • SOCCER • FOOTBALL • LACROSSE • FUTSAL TEAM HANDBALL • TENNIS • TETHERBALL • BADMINTON • PICKLEBALL • FIELD HOCKEY





Free Scorebook Offer Details: One request per sport per school please. Limited time offer, while supplies last. Offer valid in U.S. only and expires April 1, 2019. 35M/10-18

